# EQUI-PHAR COPPERNATE- copper naphthenate liquid VEDCO INCORPORATED

-----

## EQUI-PHAR CopperNate<sup>TM</sup>

## **INDICATIONS:**

CopperNate™ is indicated in the treatment of thrush in horses and ponies.

## **GENERAL DIRECTIONS:**

Clean the hoof thoroughly, removing debris and necrotic material prior to application of CopperNate<sup>TM</sup>. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess CopperNate<sup>TM</sup> onto hair since contact with CopperNate<sup>TM</sup> may cause some hair loss. Do not contaminate feed.

**NOTE:** CopperNate™ is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

## CONTAINS FOIL SEAL – REMOVE BEFORE USE.

## SHAKE WELL BEFORE USE.

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-4899.

## **ACTIVE INGREDIENT:**

Copper Naphthenate ......37.5% w/w

## **INACTIVE INGREDIENTS:**

Inert Ingredients	62.5% w/w
Total	100.0%

## **CAUTION:**

Do not use in horses intended for human consumption.

## CAUTION: COMBUSTIBLE MIXTURE.

Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

## KEEP OUT OF REACH OF CHILDREN AND PETS.

## STORAGE:

Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

Lot No. Exp. Date

Manufactured By: FIRST PRIORITY, INC., Elgin, IL 60123-1146

Distributed by: **VEDCO**, **INC**., ST. Joseph, MO 64507

## **Net Contents:**

8 oz (236 mL) rev. 03-06 16 oz (473 mL) rev. 07-12

INDICATIONS: CopperNate™ is indicated in the treatment of thrush in horses and ponies,

**GENERAL DIRECTIONS: Clean** the hoof thoroughly, removing debris and necrotic material prior to application of CopperNate™. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed, Caution: Do not allow runoff of excess CopperNate™ onto hair since contact with CopperNate™ may cause some hair loss. Do not contaminate feed.

NOTE: CopperNate™ is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.


## CONTAINS FOIL SEAL -REMOVE BEFORE USE. SHAKE WELL BEFORE USE.

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-4899.



Manufactured by FIRST PRIORITY, INC. Hain, IL 60123-1146

Rev. 03-06 Distributed by VEDCO, INC. St. Joseph, MO 64507



## INGREDIENTS:

Copper Naphthenate....37.5% w/w Inert Ingredients......62.5% w/w Total......100,0%

CAUTION: Do not use on animals which are raised for food production.

## CAUTION:

COMBUSTIBLE MIXTURE. Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

## KEEP OUT OF REACH OF CHILDREN AND PETS.





## Image of 236 mL bottle/case label (Rev. 03-06) (expires: 02/28/2015)

INDICATIONS: CopperNate" is indicated in the treatment of thrush in horses and ponies.

**GENERAL DIRECTIONS: Clean** the hoof thoroughly, removing debris and necrotic material prior to application of CopperNate". Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess

CopperNate™ onto hair since contact with CopperNate™ may cause some hair loss. Do not contaminate feed.

NOTE: CopperNate™ is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter


### CONTAINS FOIL SEAL -REMOVE BEFORE USE.

## SHAKE WELL BEFORE USE.

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-

THE CHARGE LAND

VINV-COPP-080Z Rex.10-12 Manufactured by Distributed by PRST Indonfity, Inc., Bgin, IL 50123-1146 St. Joseph, MO 54507



INGREDIENTS: Copper Naphthenate....37.5% w/w Inert Ingredients...........62.5% w/w ......100.0% Total CAUTION: Do not use in horses intended for human consumption. CAUTION:

COMBUSTIBLE MIXTURE. Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately, Avoid breathing vapor, Avoid contact with skin and eyes,

### KEEP OUT OF REACH OF CHILDREN AND PETS.

STORAGE: Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.



Lot No. Exp. Date

## Image of 236 mL bottle/case label (Rev. 10-12)

### INDICATIONS:

CopperNate™ is indicated in the treatment of thrush in horses and ponies.

## **GENERAL DIRECTIONS**

Clean the hoof thoroughly, removing debris and necrotic material prior to application of CopperNate™. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess CopperNate\* onto hair since contact with CopperNate™ may cause some hair loss. Do not contaminate feed.

NOTE: CopperNate™ is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

## **CONTAINS FOIL SEAL -**REMOVE BEFORE USE.

### SHAKE WELL BEFORE USE.

To report suspected adverse reactions or to obtain technical assistance, call 1-800-650-4899.



Distributed by WEDGO, BNC. St. Joseph, MC 84507



### INGREDIENTS:

Copper Naphthenate...37.5% w/w 

CAUTION: Do not use in horses intended for human consumption.

## CAUTION: COMBUSTIBLE MIXTURE.

Use in a well-ventilated place, Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

## KEEP OUT OF REACH OF CHILDREN AND PETS.

STORAGE: Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container



## Image of 473 mL bottle/case label

## **EQUI-PHAR COPPERNATE**

copper naphthenate liquid

Product Information			
Product Type	OTC ANIMAL DRUG LABEL	Item Code (Source)	NDC:50989-685
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
COPPER NAPHTHENATE (COPPER)	COPPER NAPHTHENATE	0.825 g in 1 mL	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:50989-685-24	12 in 1 CASE			
1		236 mL in 1 BOTTLE, DISPENSING			
2	NDC:50989-685-26	12 in 1 CASE			

2	473 mL in 1 BOTTLE, DISPENSING		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA	ANADA200304	03/01/2006	

# Labeler - VEDCO INCORPORATED (021634266)

Establishment				
Name	Address	ID/FEI	Business Operations	
FIRST PRIORITY INCORPORATED		179925722	manufacture	

Revised: 9/2013 VEDCO INCORPORATED