COUGH DROPS- menthol tablet, orally disintegrating Xinsanyang Pharmaceutical (Xiamen) Co., Ltd.

Cough Drops

Cough Drops

Menthol

cough suppressant, oral anesthetic

temporarily relieves: cough due to cold, occasional minor irritation or sore throat

Sore throat warning: If sore throat is severe, persists for more than 2 days, isaccompanied or follow headache, rash, swelling, nausea, or vomiting, consult a doctorprompfly. These may be serious.

Ask a doctor before use if you have:persistent or chronic cough such as occurs with smoking, asthma, or emphysema

cough accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if: cough persists for more than 1 week, tends to recur, or is accompained by fever, rash, or persistent headache. These could be signs of a serious condition. sore mouth does not improve in 7 days

irritation, pain, or redness persists or worsens.

adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeatevery 2 hours as needed.

children under 5 years: ask a doctor.

Stop use and ask a doctor if: cough persists for more than 1 week, tends to recur, or is accompained by fever, rash, or persistent headache. These could be signs of a serious condition. sore mouth does not improve in 7 days irritation, pain, or redness persists or worsens.

Keep out of reach of children.

adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeatevery 2 hours as needed.

children under 5 years: ask a doctor.

Dry, avoid sunlight

EUCALYPTUS OIL
FD&C BLUE NO. 1
FD&C RED NO. 40
POTASSIUM CITRATE
SOY LECITHIN
SUCRALOSE
SUCROSE
GLUCOSE SYRUP
CITRIC ACID
Water

VALUE SIZE

COMPARE TO ACTIVE INGREDIENT OF HALLS®





MENTHOL - COUGH SUPPRESSANT | ORAL ANESTHETIC

COUGH
Drops

RELIEVES COUGHS & SOOTHES
SORE THROATS

MENTHOL

SOOTHING DROPS, STARTS WORKING IN SECONDS
TEMPORARILY RELIEVES COUGH
MENTHOL FLAVOR

80 Drops



DRUG FACTS

Active ingredient (per drop)

Purposes

Menthol 5.4 mg _____ cough suppressant, oral anesthetic

Uses temporarily relieves:

■ cough due to cold
■ occasional minor irritation or sore throat

Warnings

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or follow headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if: ■ cough persists for more than 1 week, tends to recur, or is accompained by fever, rash, or persistent headache. These could be signs of a serious condition. ■ sore mouth does not improve in 7 days ■ irritation, pain, or redness persists or worsens.

Keep out of reach of children.

Directions

■ adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. ■ children under 5 years: ask a doctor.

Other information ■ 10 calories per drop ■ contains: SOY.

Inactive ingredients citric acid, eucalyptus oil, FD&C blue 1, FD&C red 40, glucose syrup, potassium citrate, soy lecithin, sucralose, sucrose, water.

Questions? Call 2396311907 or visit our website: www.mgc.us - customerservice@mgc.us



DISTRIBUTED BY:

MEDICAL GROUP CARE, LLC, 1035 COLLIER CENTER WAY, STE 5, NAPLES FL, 34110.





COUGH DROPS

menthol tablet, orally disintegrating

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:80404-501

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (LINII), L7T10EID2A) (MENTHOL LINII), T710EID2A)	MENTHOL	E 1 ma

IENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) MENTHOL 5.4 mg

Inactive Ingredients

3	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EUCALYPTUS OIL (UNII: 2R040NI662)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
CORN SYRUP (UNII: 9G5L16BK6N)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	blue	Score	score with uneven pieces
Shape	OVAL	Size	20mm
Flavor		Imprint Code	
Contains			

P	a	C	kā	ag	in	g

1 4 5 1 4 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:80404-501- 01	25 in 1 BAG; Type 0: Not a Combination Product	06/29/2023			
2	NDC:80404-501- 02	30 in 1 BAG; Type 0: Not a Combination Product	06/29/2023			
3	NDC:80404-501- 03	70 in 1 BAG; Type 0: Not a Combination Product	06/29/2023			

Category				
Marketing	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Marketing Information				
.	T T O G G G G G G G G G G G G G G G G G			
4 NDC:80404-501-	80 in 1 BAG; Type 0: Not a Combination Product	06/29/2023		

Labeler - Xinsanyang Pharmaceutical (Xiamen) Co., Ltd. (546457554)

Establishment				
Name	Address	ID/FEI	Business Operations	
Xinsanyang Pharmaceutical (Xiamen) Co., Ltd.		546457554	manufacture(80404-501)	

Revised: 10/2023 Xinsanyang Pharmaceutical (Xiamen) Co., Ltd.