

YAT TIP TOR- salicylic acid plaster

GUANGZHOU BAIYUNSHAN PHARMACEUTICAL CO., LTD. BAIYUNSHAN HEJIGONG PHARMACEUTICAL FACTORY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient
Salicylic acid 40%

Purpose
Corn and callus remover

Uses
For the removal of corns and calluses
Relieves pain by removing corns and calluses

Warnings
For external use only
Allergy alert: This product contains natural rubber latex which may cause allergic reactions

Do not use
on irritated skin
on any area that is infected or reddened
if you are a diabetic
if you have poor blood circulation

Stop use and ask a doctor or podiatrist if
discomfort persists
nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs

Keep out of reach of children.
If swallowed, get medical help or contact an Poison Control Center right away.

Directions
wash affected area and dry thoroughly
apply medicated plaster over corn or callus
after 48 hours remove the medicated plaster
repeat this procedure every 48 hours as needed for up to 14 days (until corn/callus is removed)

Other Information
store at 15° to 30° C (59° to 86° F), away from heat

Inactive Ingredients

Lanolin, paraffin, petrolatum, phenol, and zinc oxide, mounted in a natural rubber latex ring on adhesive fabric with a polyethylene film cover.

Questions or Comments? (888) 221-3496 M-F 9am to 5p

Yat Tip Tor

Corn & Callus Remover

NDC 61822-0047-1

10 Plasters

Drug Facts 藥物資訊

Active Ingredients 有效成分 **Purpose 目的**
 Salicylic acid 40% Corn and callus remover
 柳酸 40% 雞眼、腳底去除劑

Uses: ■ For the removal of corns and calluses 去除雞眼、腳底
 用途 ■ Relieves pain by removing corns and calluses 去除雞眼、腳底、解除疼痛

Warnings: 警告 **For external use only 僅供外用**
Allergy alert: This product contains natural rubber latex which may cause allergic reactions 過敏警告: reactions 本產品含天然橡膠, 可能會引起過敏反應

Do not use 下列情況切勿使用:
 ■ on irritated skin 皮膚過敏
 ■ on any area that is infected or reddened 任何感染或紅的部位
 ■ if you are a diabetic 糖尿病患
 ■ if you have poor blood circulation 血液循環不良

Stop use and ask a doctor or podiatrist if 出現下列情況時, 請停止使用並請教醫生或足醫:
 ■ discomfort persists 持續不適
 ■ nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs 噁心、嘔吐、腹部不適、腹瀉或出疹皮膚

Keep out of reach of children. 保存在兒童拿不到的地方.
If swallowed, get medical help or contact a Poison Control Center right away. 如果吞下, 請立即就醫或聯絡毒物控制中心。

Directions 用法
 ■ wash affected area and dry thoroughly 清洗患處, 並完全擦乾
 ■ apply medicated plaster over corn or callus 將藥膏貼片貼在雞眼或腳底上
 ■ after 48 hours remove the medicated plaster 每48小時後將藥膏貼片撕下
 ■ repeat this procedure every 48 hours as needed for up to 14 days (until corn/callus is removed) 如有必要, 可每隔48小時重複這一程序, 最多14日(直至雞眼/腳底去除)

Other Information 其它資訊
 ■ store at 15° to 30°C (59° to 86°F), away from heat 保存在15°至30°C(59°至86°F); 遠離高溫

Inactive Ingredients 無藥力成分: Lanolin, paraffin, petrolatum, phenol, and zinc oxide, mounted in a natural rubber latex ring on adhesive fabric with a polyethylene film cover.
 羊毛脂、石蠟、軟石蠟、酚、氧化鋅, 塗在貼片上的天然橡膠膠環內, 並由聚乙烯薄膜覆蓋。

Questions or Comments? (888) 221-3496 M-F 9am-5pm 問題或建議? (888) 221-3496 星期一至星期五, 上午9時至下午5時。



一貼妥


雞眼膏

NDC-61822-0047-1

一貼妥

YAT TIP TOR

CORN REMOVING PLASTER



新
NEW



廣藥集團

10 PLASTERS
(10片裝)

Lot No. _____
Exp. _____



0 49987 01095 4

Distributed by: 美國總代理: SOLSTICE MEDICINE COMPANY 215 West Ann Street, Los Angeles, CA 90012 Toll Free: 1-888-221-3496 WWW.SOLSTICEMED.COM

Manufactured by: 廣州白云山何濟公藥廠 Guangzhou Baiyunshan Pharmaceutical Co., Ltd. Balyunshan He Ji Gong Pharmaceutical Factory Guangzhou, China

Made in China

YAT TIP TOR

salicylic acid plaster

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:61822-0047

Route of Administration TOPICAL, TRANSDERMAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 g

Inactive Ingredients

Ingredient Name	Strength
LANOLIN (UNII: 7EV65EAW6H)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PETROLATUM (UNII: 4T6H12BN9U)	
PHENOL (UNII: 339NCG44TV)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61822-0047-1	10 in 1 BOX; Type 0: Not a Combination Product	04/26/2004	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358F	04/26/2004	

Labeler - GUANGZHOU BAIYUNSHAN PHARMACEUTICAL CO., LTD. BAIYUNSHAN HEJIGONG PHARMACEUTICAL FACTORY (530854970)

Establishment

Name	Address	ID/FEI	Business Operations
GUANGZHOU BAIYUNSHAN PHARMACEUTICAL CO., LTD. BAIYUNSHAN HEJIGONG PHARMACEUTICAL FACTORY		530854970	manufacture(61822-0047)

Revised: 11/2019

GUANGZHOU BAIYUNSHAN PHARMACEUTICAL CO., LTD. BAIYUNSHAN HEJIGONG PHARMACEUTICAL FACTORY