BASIC CARE ACID REDUCER- cimetidine tablet, film coated Amazon.com Services LLC

Amazon Acid Reducer Drug Facts

Active ingredient (in each tablet)

Cimetidine 200 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- **prevents** heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

Warnings

Allergy alert: Do not use if you are allergic to cimetidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- kidney disease
- liver disease

Ask a doctor or pharmacist before use if you are taking

• a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- you need to take this product for more than 14 days
- stomach pain continues
- your heartburn continues or worsens

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water
- to prevent symptoms, swallow 1 tablet with a glass of water right before or any time up to 30 minutes before eating food or drinking beverages that cause heartburn
- do not take more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

store at 20°-25°C (68°-77°F)

Inactive ingredients

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium lauryl sulfate, sodium starch glycolate, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

amazon

basic care

Heartburn Prevention

Compare to Tagamet® HB 200 active ingredient

Acid Reducer

Cimetidine Tablets, 200 mg

Acid Reducer

JUST ONE TABLET RELIEVES and PREVENTS Heartburn and Acid Indigestion

TAKE ANYTIME YOU NEED IT:

- Before Meal
- During Meal
- After Meal

actual size

120 TABLETS (120 DOSES)



BASIC CARE ACID REDUCER

cimetidine tablet, film coated

Product I	nformation
-----------	------------

Route of Administration ORAL

Active Ingredient/Active Moiety

ı	•		
	Ingredient Name	Basis of Strength	Strength
	CIMETIDINE (UNII: 80061L1WGD) (CIMETIDINE - UNII:80061L1WGD)	CIMETIDINE	200 mg

Inactive Ingredients		
Ingredient Name	Strength	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POLYSORBATE 80 (UNII: 60ZP39ZG8H)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		
TITANIUM DIOXIDE (UNII: 15FIX9V2IP)		

Product Characteristics			
Color	WHITE	Score	no score
Shape	OVAL	Size	13mm
Flavor		Imprint Code	L022
Contains			

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-022- 76	1 in 1 CARTON	01/09/2022	
1		120 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075285	01/09/2022	

Labeler - Amazon.com Services LLC (128990418)

Revised: 1/2022 Amazon.com Services LLC