

**COENZYME COMPOSITUM - beta vulgaris and ascorbic acid and cysteine and magnesium orotate and manganese phosphate, dibasic and sodium diethyl oxalacetate and niacinamide and pulsatilla vulgaris and pyridoxine hydrochloride and riboflavin and thiamine hydrochloride and .alpha.-lipoic acid and .alpha.-ketoglutaric acid and cerous oxalate nonahydrate and aconitic acid, (z)- and anhydrous citric acid and coenzyme a and fumaric acid and malic acid and nadide and sodium pyruvate and succinic acid tablet**

**Heel Inc**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Coenzyme Compositum Tablet**

### **KEEP OUT OF REACH OF CHILDREN**

**Keep this and all medicines out of the reach of children.**

### **INDICATIONS AND USAGE**

For the relief of:

- Exhaustion
- Fatigue
- Feelings of low energy

### **WARNINGS**

If symptoms persist or worsen, a physician should be consulted. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

### **DOSAGE AND ADMINISTRATION**

Adults and children above 6 years: 1 tablet sublingually or dissolved completely in mouth 3 times daily or as directed by a physician. Infants and children to 6 years: 1/2 the adult dosage.

### **ACTIVE INGREDIENT**

Each 300 mg tablet contains as active ingredients: Beta vulgaris 4X, Ascorbicum acidum 6X, Cysteinum 6X, Magnesium oroticum 6X, Manganum phosphoricum 6X, Natrum oxalacticum 6X, Nicotinamidum 6X, Pulsatilla 6X, Pyridoxinum hydrochloricum 6X, Riboflavinum 6X, Thiaminum hydrochloricum 6X, a-Lipoicum acidum 6X, a-Ketoglutaricum acidum 8X, Cerium oxalicum 8X, cis-Aconiticum acidum 8X, Citricum acidum 8X, Coenzyme A 8X, Fumaricum acidum 8X, Malicum acidum 8X, Nadidum 8X, Natrum pyruvicum 8X, Succinicum acidum 8X ATP 10X, Baryta oxalsuccinicum 10X Hepar sulphuris calcareum 10X, Sulphur 10X 3mg each.

### **INACTIVE INGREDIENT**

Lactose, Magnesium stearate

### **PURPOSE**

Exhaustion, Fatigue, Feelings of low energy

Manufactured and distributed by:  
Heel Inc.  
Albuquerque, New Mexico, USA  
www.heelusa.com  
info@heelusa.com  
1.800.920.9203

**Ingredients:** Each 300 mg tablet contains as active ingredients: Beta vulgaris 4X, Ascorbic acidum 6X, Cysteinum 6X, Magnesium oroticum 6X, Manganum phosphoricum 6X, Natrium oxalacetatum 6X, Nicotinamidum 6X, Pulsatilla 6X, Pyridoxinum hydrochloricum 6X, Riboflavinum 6X, Thiaminum hydrochloricum 6X,  $\alpha$ -Lipoicum acidum 6X,  $\alpha$ -Ketoglutaricum acidum 8X, Cerium oxalicum 8X, cis - Aconiticum acidum 8X, Citricum acidum 8X, Coenzyme A 8X, Fumaricum acidum 8X, Malicum acidum 8X, Nadium 8X, Natrium pyruvicum 8X, Succinicum acidum 8X, ATP 10X, Baryta oxalsuccinicum 10X, Hepar sulphuris calcareum 10X, Sulphur 10X 3 mg each. Inactive ingredients: Lactose, Magnesium stearate.  
(1X=1:10 dilution, 2X=1:100, 3X=1:1000, etc.)

NDC 50114-6141-2

## Coenzyme compositum

Homeopathic Medication

For the relief of:

- Exhaustion
- Fatigue
- Feelings of low energy

**Dosage:** Adults and Children above 6 years: 1 tablet sublingually or dissolved completely in mouth 3 times daily or as directed by a physician. Infants and children to 6 years: 1/2 the adult dosage.

**Warnings:** If symptoms persist or worsen, a physician should be consulted. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product. Store tightly closed at room temperature. Protect from light and moisture. **Keep this and all medicines out of the reach of children.**

**Tamper Evident:** Use this product only if imprinted shrink seal around neck and cap is intact.

Lot#:

Exp:



100 Tablets

**-Heel**

## COENZYME COMPOSITUM

beta vulgaris and ascorbic acid and cysteine and magnesium orotate and manganese phosphate, dibasic and sodium diethyl oxalacetate and niacinamide and pulsatilla vulgaris and pyridoxine hydrochloride and riboflavin and thiamine hydrochloride and .alpha.-lipoic acid and .alpha.-ketoglutaric acid and cerous oxalate nonahydrate and aconitic acid, (z)- and anhydrous citric acid and coenzyme a and fumaric acid and malic acid and nadide and sodium pyruvate and succinic acid tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50 114-6 141
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BETA VULGARIS</b> (UNII: 4G174V5051) (BETA VULGARIS - UNII:4G174V5051)	BETA VULGARIS	4 [hp_X]
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X]
<b>CYSTEINE</b> (UNII: K848JZ4886) (CYSTEINE - UNII:K848JZ4886)	CYSTEINE	6 [hp_X]
<b>MAGNESIUM OROTATE</b> (UNII: GI96W46M5A) (MAGNESIUM OROTATE - UNII:GI96W46M5A)	MAGNESIUM OROTATE	6 [hp_X]
<b>MANGANESE PHOSPHATE, DIBASIC</b> (UNII: VZ3U1H7Q5B) (MANGANESE PHOSPHATE, DIBASIC - UNII:VZ3U1H7Q5B)	MANGANESE PHOSPHATE, DIBASIC	6 [hp_X]
<b>SODIUM DIETHYL OXALACETATE</b> (UNII: 6CA025Y4FG) (SODIUM CATION - UNII:L YR4M0 NH37)	SODIUM DIETHYL OXALACETATE	6 [hp_X]
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	6 [hp_X]
<b>PULSATILLA VULGARIS</b> (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	6 [hp_X]
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (CHLORIDE ION - UNII:Q32ZN48698)	PYRIDOXINE HYDROCHLORIDE	6 [hp_X]
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	6 [hp_X]
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	6 [hp_X]
<b>.ALPHA.-LIPOIC ACID</b> (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	.ALPHA.-LIPOIC ACID	6 [hp_X]
<b>.ALPHA.-KETOGLUTARIC ACID</b> (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	.ALPHA.-KETOGLUTARIC ACID	8 [hp_X]

<b>CEROUS OXALATE NONAHYDRATE</b> (UNII: 0UV74P3R0J) (CEROUS CATION - UNII:72Q4U60JWD)	CEROUS OXALATE NONAHYDRATE	8 [hp_X]
<b>ACONITIC ACID, (Z)-</b> (UNII: OF5471ZHRR) (ACONITIC ACID, (Z)- - UNII:OF5471ZHRR)	ACONITIC ACID, (Z)-	8 [hp_X]
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	8 [hp_X]
<b>COENZYME A</b> (UNII: SAA04E81UX) (COENZYME A - UNII:SAA04E81UX)	COENZYME A	8 [hp_X]
<b>FUMARIC ACID</b> (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	8 [hp_X]
<b>MALIC ACID</b> (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	8 [hp_X]
<b>NADIDE</b> (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	8 [hp_X]
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PYRUVATE	8 [hp_X]
<b>SUCCINIC ACID</b> (UNII: AB6MNQ6J6L) (SUCCINIC ACID - UNII:AB6MNQ6J6L)	SUCCINIC ACID	8 [hp_X]
<b>ADENOSINE TRIPHOSPHATE</b> (UNII: 8L70Q75FXE) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE	10 [hp_X]
<b>BIARIUM OXALOSUCCINATE</b> (UNII: L7A49804ZQ) (BIARIUM OXALOSUCCINATE - UNII:L7A49804ZQ)	BIARIUM OXALOSUCCINATE	10 [hp_X]
<b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM CATION - UNII:2M83C4R6ZB, SULFIDE ION - UNII:G15I91XETI)	CALCIUM SULFIDE	10 [hp_X]
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	10 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND (Tablet)	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	Heel
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50114-6141-2	100 in 1 BOTTLE		
2	NDC:50114-6141-5	15 in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/31/2003	

**Labeler** - Heel Inc (102783016)

### Establishment

Name	Address	ID/FEI	Business Operations
Heel Inc		102783016	manufacture

