

**CLEARASIL ULTRA RAPID ACTION FACE SCRUB- salicylic acid lotion**  
**Reckitt Benckiser LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Clearasil® Ultra Rapid Action**  
**Face Scrub**

**Drug Facts**

**Active ingredient**

Salicylic acid 2%

**Purpose**

Acne medication

**Use**

for the treatment of acne

**Warnings**

**For external use only**

**When using this product**

- avoid contact with the eyes. If product gets into the eyes, rinse thoroughly with water.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- limit use to the face and neck

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wet face
- dispense product into hands and massage gently onto face and neck, avoiding the delicate eye area
- cover the entire affected area with a thin layer and rinse thoroughly with warm water one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily if needed or as directed by a doctor
- if bothersome dryness occurs, reduce application to once a day or every other day

**Other information**

- keep tightly closed
- store in a cool, dry place

**Inactive ingredients**

water, polyethylene, PPG-15 stearyl ether, glycerin, stearyl alcohol, cetyl betaine, distearyldimonium chloride, sodium lauryl sulfate, cetyl alcohol, alcohol, steareth-21, sodium chloride, behenyl alcohol, synthetic wax, steareth-2, fragrance, lavandula stoechas extract, helichrysum italicum extract, cistus monspeliensis extract, xanthan gum, dimethyl palmitamine, lauryl alcohol, mica, isopropyl alcohol, disodium EDTA, BHT, magnesium nitrate, methylchloroisothiazolinone, magnesium chloride, methylisothiazolinone, sodium sulfate, ferric ferrocyanide, titanium dioxide, FD&C blue no. 1

## **Questions?**

Call **1-866-25-CLEAR (1-866-252-5327)**.

Distributed by: Reckitt Benckiser LLC  
Parsippany, NJ 07054-0224

## **PRINCIPAL DISPLAY PANEL - 150 mL Tube Label**

**Clearasil®**

ULTRA

Rapid Action

Face Scrub

Salicylic Acid 2% Acne Medication

**12**

**HOURS**

Visibly

clearer

skin in as

little as

12 hours

**5 FL OZ (150 mL)**

**Clearasil Ultra® Skin science:** When fighting breakouts, Faster is Better.

**How Clearasil® works with your skin:**  
 • With exfoliating beads, it works fast and opens blocked pores. • Rapid delivery of pimple fighting active. • Keeps working through the day. • Visibly clearer skin in as little as 12 hours.  
 † Dermatologist tested. • To visibly reduce pimple size and redness in as little as 4 hours, try Clearasil Ultra® Rapid Action Treatment Creams.

# Clearasil®

## ULTRA

### Rapid Action Face Scrub

Salicylic Acid 2% Acne Medication

**12 HOURS**

Visibly clearer skin in as little as 12 hours

**5 FL OZ (150 mL)**

**Drug Facts**

Active Ingredient	Purpose
Salicylic acid 2%	Acne medication

**Use** for the treatment of acne

**Warnings**  
 For external use only  
 When using this product  
 • avoid contact with the eyes. If product gets into the eyes, rinse thoroughly with water.  
 • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.  
 • limit use to the face and neck  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ wet face ■ dispense product into hands and massage gently onto face and neck, avoiding the delicate eye area. ■ cover the entire affected area with a thin layer and rinse thoroughly with warm water one to three times daily. ■ because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor  
 ■ if bothersome dryness occurs, reduce application to once a day or every other day

**Other information** ■ keep tightly closed ■ store in a cool, dry place

**Inactive Ingredients** water, polyethylene, PPG-15 stearyl ether, glycerin, stearyl alcohol, cetyl benzoate, distearyldimonium chloride, sodium lauryl sulfate, cetyl alcohol, alcohol, steareth-21, sodium chloride, behenyl alcohol, synthetic wax, steareth-2, fragrance, lavenderula stoechas extract, helichrysum italicum extract, cistus monspeliensis extract, xanthan gum, dimethyl palmitate, lauryl alcohol, mica, isopropyl alcohol, disodium EDTA, BHT, magnesium nitrate, methylchlorisothiazolinone, magnesium chloride, methylisothiazolinone, sodium sulfite, ferric ferrocyanide, titanium dioxide, FD&C blue no. 1

**Questions?** Call 1-866-25-CLEAR (1-866-252-5327).

Reckitt Benckiser  
 Distributed by: Reckitt Benckiser LLC  
 Parsippany, NJ 07054-0224  
 © 2012 RB

www.clearasil.us  
 39977-00923  
 8049598 091312

## CLEARASIL ULTRA RAPID ACTION FACE SCRUB

salicylic acid lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-305
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Salicylic Acid (UNII: O414PZ4LPZ) (Salicylic Acid - UNII:O414PZ4LPZ)	Salicylic Acid	2 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
high density polyethylene (UNII: UG00KM4WR7)	
PPG-15 stearyl ether (UNII: 1II18XLS1L)	
glycerin (UNII: PDC6A3C0OX)	
stearyl alcohol (UNII: 2KR89I4H1Y)	

<b>cetyl betaine</b> (UNII: E945X08YA9)
<b>distearyldimonium chloride</b> (UNII: OM9573ZX3X)
<b>sodium lauryl sulfate</b> (UNII: 368GB5141J)
<b>cetyl alcohol</b> (UNII: 936JST6JCN)
<b>alcohol</b> (UNII: 3K9958V90M)
<b>steareth-21</b> (UNII: 53J3F32P58)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>docosanol</b> (UNII: 9G1OE216XY)
<b>steareth-2</b> (UNII: V56DFE46J5)
<b>lavandula stoechas flowering top</b> (UNII: 70759G2U6A)
<b>helichrysum italicum flower</b> (UNII: P62Y550X24)
<b>xanthan gum</b> (UNII: TTV12P4NEE)
<b>dimethyl palmitamine</b> (UNII: 5E4QI660PW)
<b>lauryl alcohol</b> (UNII: 178A96NLP2)
<b>mica</b> (UNII: V8A1AW0880)
<b>isopropyl alcohol</b> (UNII: ND2M416302)
<b>edetate disodium</b> (UNII: 7FLD91C86K)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>magnesium nitrate</b> (UNII: 77CBG3UN78)
<b>methylchloroisothiazolinone</b> (UNII: DEL7T5QRPN)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>methylisothiazolinone</b> (UNII: 229D0E1QFA)
<b>sodium sulfate</b> (UNII: 0YPR65R21J)
<b>ferric ferrocyanide</b> (UNII: TLE294X33A)
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)
<b>FD&amp;C blue no. 1</b> (UNII: H3R47K3TBD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-305-65	150 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	09/25/2012	

**Labeler** - Reckitt Benckiser LLC (094405024)