

EQUALINE ALLERGY- chlorpheniramine maleate tablet
Supervalu Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SuperValu Inc. Allergy Drug Facts

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

- temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

to make a child sleepy

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- drowsiness may occur
- excitability may occur, especially in children
- avoid alcoholic beverages

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 12 years and over	1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours
children 6 to under 12 years of age	½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

Inactive ingredients

D&C yellow no. 10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments?

1-877-932-7948

Principal Display Panel

compare to Chlor-Trimeton® Allergy 4 Hour Tablets active ingredient

allergy

4 hour

chlorpheniramine maleate 4 mg

antihistamine

allergy relief:

sneezing

itchy, watery eyes

runny nose

itchy throat

50 13 2694

equaline[®]

compare to
Chlor-Trimeton[®]
Allergy 4 Hour Tablets
active ingredient*

NDC 41163-463-62

allergy

chlorpheniramine maleate 4 mg
antihistamine

allergy relief:

- sneezing • itchy, watery eyes
- runny nose • itchy throat

24 tablets

4 hour



OPEN OTHER END

CONVENIENT RECLOSING TAB



GLUTEN FREE

(Questions or comments? 1-877-932-7948)

Inactive ingredients D&C yellow no. 10 aluminum lake,
lactose monohydrate, magnesium stearate, pregelatinized starch

Drug Facts (continued)





Store between 20° to 25° C (68° to 77°F).
 *This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., distributor of Chlor-Trimeton® Allergy 4 Hour Tablets.
 Distributed by SUPERVALU INC., Eden Prairie, MN 55344 USA
 We're committed to your satisfaction and guarantee the quality of this product. Contact us at 1-877-932-7948, or www.supervalu-ourownbrands.com
 Please have package available.



DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

Drug Facts

Active ingredient (in each tablet)	Purpose
Chlorpheniramine maleate 4 mg	Antihistamine

Uses ■ temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies: ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itching of the nose or throat

Warnings

Do not use to make a child sleepy

Ask a doctor before use if you have ■ trouble urinating due to an enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ drowsiness may occur ■ excitability may occur, especially in children ■ avoid alcoholic beverages

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 12 years and over	1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours
children 6 to under 12 years of age	½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

EQUALINE ALLERGY

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-463
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

MAGNESIUM STEARATE (UNII: 70097M6I30)

Product Characteristics

Color	YELLOW	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L463
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-463-62	1 in 1 CARTON		
1		24 in 1 BLISTER PACK		
2	NDC:41163-463-78	1 in 1 CARTON		
2		100 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/30/2004	

Labeler - Supervalu Inc (006961411)

Revised: 10/2012

Supervalu Inc