

WOMANS LAXATIVE- bisacodyl tablet
Mckesson (Sunmark)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient (in each enteric coated tablet)

Bisacodyl USP 5 mg

Purpose

Stimulant laxative

Use

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

in children under 6 years of age

Ask a doctor before use if you have

- abdominal pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are

unable to swallow without chewing

When using this product

- do not chew or crush tablets
- do not use within 1 hour after taking an antacid or milk
- abdominal discomfort, faintness, and cramps may occur

Stop use and ask a doctor if

- you need to use more than 1 week
- rectal bleeding or failure to have a bowel movement occurs after use of a laxative. These may be signs of serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away: 1-800-222-1222

Directions

- each tablet works differently. Adults and children over 12 may need fewer tablets to get the same effect as more tablets of another brand
- start with one tablet and take with water. If one tablet does not produce the desired results, then try two or three tablets daily.
- do not take more than 3 tablets daily

adults and children 12 years of age and older	take 1 to 3 tablets in a single dose once daily
children 6 to under 12 years of age	take 1 tablet once daily
children under 6 years of age	Ask a doctor

Other information

- **each tablet contains:** calcium 15 mg
- store between 15° - 30° C (59°- 86° F)
- keep in a dry place
- *This product is not manufactured or distributed by Schering- Plough, owner of the registered trademark Correctol®.

Inactive ingredients

acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, D&C Red # 7 Calcium lake, hypromellose phthalate, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide, and triacetin

Principal Display Panel

Woman's Laxative Tablets

Stimulant Laxative

For gentle relief of simple constipation

Compare to CORRECTOL® active ingredient*

Another quality product distributed by McKesson

one post street, san francisco, CA 94104

Money back gurantee


Please visit us at www.sunmarkbrand.com

Questions or comments? call toll free 1-877-753-3935

TAMPER EVIDENT- USE ONLY IF BLISTERS ARE INTACT

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCTS INFORMATION

Product Label



Bisacodyl 5 mg

WOMANS LAXATIVE

bisacodyl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-920
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (BISACODYL - UNII:10X0709Y6I)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
HYPROMELLOSE PHTHALATE (24% PHTHALATE, 55 CST) (UNII: 87Y6436BKR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONES (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	TCL057
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-920-44	2 in 1 CARTON		
1		15 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	07/09/2010	

Labeler - Mckesson (Sunmark) (177667227)

Revised: 9/2012

Mckesson (Sunmark)