

**CLEARASIL ULTRA OVERNIGHT WASH- salicylic acid solution**  
**Reckitt Benckiser LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Clearasil®**  
**Ultra® Overnight Wash**

**Drug Facts**

**Active ingredient**

Salicylic acid 2%

**Purpose**

Acne medication

**Use**

for the treatment of acne

**Warnings**

**For external use only**

**When using this product**

- avoid contact with the eyes. If product gets into the eyes rinse thoroughly with water.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- limit use to the face and neck

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use as part of your night time regimen
- wet face
- dispense product into hands and massage gently onto face and neck, avoiding the delicate eye area
- rinse thoroughly with warm water and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness occurs, reduce application to once a day or every other day

**Other information**

- store in a cool, dry place
- do not store in direct sunlight

**Inactive ingredients**

water, glycerin, sodium laureth sulfate, coco-glucoside, cocamidopropyl betaine, glycol distearate, PEG-200 hydrogenated glyceryl palmate, laureth-4, sodium chloride, PEG-7 glyceryl cocoate, polyquaternium-43, fragrance, lavandula stoechas extract, helichrysum italicum extract, cistus monspeliensis extract, sodium hydroxide, formic acid, phenoxyethanol, sodium benzoate, D&C red no. 33, FD&C blue no. 1

## **Questions?**

**Call 1-866-25-CLEAR (1-866-252-5327).** You may also report side effects to this phone number.

Distributed by: Reckitt Benckiser  
LLC Parsippany, NJ 07054-0224  
Made in France

## **PRINCIPAL DISPLAY PANEL - 200 mL Bottle Label**

**Clearasil®**

ULTRA®

Overnight  
Wash

Salicylic Acid 2% Acne Medication

**Helps  
visibly reduce  
pimple size  
and redness  
overnight**

**6.78 FL. OZ. (200 mL)**

071511

0349405

# Clearasil®

## ULTRA®

### Overnight Wash

Salicylic Acid 2% Acne Medication



Helps visibly reduce pimple size and redness overnight

071511

5046ED  
0349405

6.78 FL. OZ. (200 mL)

#### Clearasil Ultra® Skin science:

Skin renews and regenerates faster at night. It's an ideal time to treat your skin.

#### How Clearasil® works with your skin:

- Washes away dirt, oil and bacteria.
- Continues to work through the night.
  - Visibly reduces pimple size and redness by morning.
  - Dermatologist tested.

#### How and when do I use it?:

This product has been formulated to be a part of your night time regimen.

- **To visibly reduce redness and pimple size in as little as 4 hours, try Clearasil Ultra® Rapid Action Treatment Creams.**



092112

RECKITT BENCKISER



www.clearasil.us

Distributed by: Reckitt Benckiser LLC Parsippany, NJ 07054-0224  
Made in France © 2012 RB

PEEL

#### Drug Facts

Active ingredient	Purpose
Salicylic acid 2%.....	Acne medication

**Use** for the treatment of acne

#### Warnings

For external use only

#### When using this product

- avoid contact with the eyes.  
If product gets into the eyes, rinse

#### Drug Facts (continued)

#### Other information

- store in a cool, dry place
- do not store in direct sunlight

#### Inactive ingredients

water, glycerin, sodium laureth sulfate, coco-glucoside, cocamidopropyl betaine, glycol distearate, PEG-200 hydrogenated glyceryl palmate, laurthyl sodium chloride, PEG 7

If product gets into the eyes, rinse thoroughly with water.

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- limit use to the face and neck

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use as part of your night time regimen
- wet face
- dispense product into hands and massage gently onto face and neck, avoiding the delicate eye area
- rinse thoroughly with warm water and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness occurs, reduce application to once a day or every other day

laureth-4, sodium chloride, PEG-7 glyceryl cocoate, polyquaternium-43, fragrance, lavandula stoechas extract, helichrysum italicum extract, cistus monspeliensis extract, sodium hydroxide, formic acid, phenoxyethanol, sodium benzoate, D&C red no. 33, FD&C blue no.1

**Questions?**

Call 1-866-25-CLEAR (1-866-252-5327).

You may also report side effects to this phone number.

**CLEARASIL ULTRA OVERNIGHT WASH**

salicylic acid solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63824-306
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Salicylic Acid (UNII: O414PZ4LPZ) (Salicylic Acid - UNII:O414PZ4LPZ)	Salicylic Acid	2 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
glycerin (UNII: PDC6A3C0OX)	
sodium laureth sulfate (UNII: BPV390UAP0)	
coco glucoside (UNII: ICS790225B)	

<b>cocamidopropyl betaine</b> (UNII: 5OCF3O11KX)	
<b>glycol distearate</b> (UNII: 13W7MDN21W)	
<b>laureth-4</b> (UNII: 6HQ855798J)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>PEG-7 glyceryl cocoate</b> (UNII: VNX7251543)	
<b>helichrysum italicum flower</b> (UNII: P62Y550X24)	
<b>sodium hydroxide</b> (UNII: 55X04QC32I)	
<b>formic acid</b> (UNII: 0YIW783RG1)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>sodium benzoate</b> (UNII: OJ245FE5EU)	
<b>D&amp;C red no. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C blue no. 1</b> (UNII: H3R47K3TBD)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-306-88	200 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	09/28/2012	

**Labeler** - Reckitt Benckiser LLC (094405024)

Revised: 10/2012

Reckitt Benckiser LLC