

## **ANTACID PLUS GAS RELIEF- aluminum hydroxide, magnesium hydroxide, simethicone liquid Safeway**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Safeway Inc. Antacid Plus Gas Relief Drug Facts**

#### **Active ingredient (in each 5 mL teaspoon)**

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

#### **Purposes**

Antacid

Antigas

#### **Uses**

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

#### **Warnings**

##### **Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

##### **Ask a doctor or pharmacist before use if you are**

now taking a prescription drug. Antacids may interact with certain prescription drugs.

#### **When using this product**

do not exceed 12 teaspoonfuls (60 mL) in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

#### **Keep out of reach of children.**

#### **Directions**

- shake well

- adults and children 12 years and older: take 2-4 teaspoonfuls (10-20 mL) between meals, at bedtime, or as directed by a doctor
- children under 12 years: ask a doctor

### **Other information**

- each teaspoon contains: magnesium 175 mg, potassium 10 mg and sodium 2 mg
- does not meet USP requirements for preservative effectiveness
- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, potassium citrate, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

### **Questions or comments?**

1-888-SAFEWAY

### **Principal Display Panel**

Compare to Mylanta® Maximum Strength active ingredients

Maximum Strength

Antacid Plus Gas Relief

Aluminum Hydroxide

Magnesium Hydroxide

Simethicone

Fast Acting

Antacid / Anti-Gas

Classic Original Flavor

Soothing Relief of:

Heartburn

Acid Indigestion

Sour Stomach

NDC 21130-340-40

Compare to  
Mylanta<sup>®</sup>  
Maximum Strength  
active ingredients\*

Maximum  
Strength

# Antacid Plus Gas Relief


Aluminum Hydroxide  
Magnesium Hydroxide  
Simethicone

- Fast Acting
- Antacid / Anti-Gas
- Classic Original Flavor

Soothing Relief of:

- Heartburn
- Acid Indigestion
- Sour Stomach



12 FL OZ (355 ml) **SAFEWAY** 

: 34040 15 FB

**Drug Facts**

**Active ingredients (in each 5 mL teaspoon) Purposes**

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg.....Antacid  
 Magnesium hydroxide 400 mg.....Antacid  
 Simethicone 40 mg.....Antigas

**Uses** relieves ■ heartburn ■ acid indigestion ■ sour stomach  
 ■ upset stomach due to these symptoms  
 ■ pressure and bloating commonly referred to as gas

**Warnings**

Ask a doctor before use if you have

■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not exceed 12 teaspoonfuls (60 mL) in a 24-hour period, or use the maximum dosage for more than 2 weeks, unless directed by a doctor

Keep out of reach of children.

**Directions**

■ shake well  
 ■ adults and children 12 years and older: take 2-4 teaspoonfuls (10-20 mL) between meals, at bedtime, or as directed by a doctor  
 ■ children under 12 years: ask a doctor

**Other information**

■ each teaspoon contains: magnesium 175 mg, potassium 10 mg and sodium 2 mg  
 ■ does not meet USP requirements for preservative effectiveness  
 ■ store at 20°-25°C (68°-77°F)

**Inactive ingredients**

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, potassium citrate, propylparaben, purified water, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments? 1-888-SAFEWAY

\*This product is not manufactured or distributed by Johnson & Johnson • MERCK Consumer Pharmaceuticals Co., distributor of Mylanta® Maximum Strength.

DISTRIBUTED BY SAFEWAY INC. P.O. BOX 99 PLEASANTON, CA 94566-0009 QUALITY & SATISFACTION GUARANTEED OR YOUR MONEY BACK 1-888-SAFEWAY www.safeway.com

DO NOT USE IF BREAKAWAY BAND ON CAP IS BROKEN OR MISSING

S 1872 RD 12110



: 34040 15 B8

**ANTACID PLUS GAS RELIEF**

aluminum hydroxide, magnesium hydroxide, simethicone liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-340
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDRO XIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 5 mL
<b>MAGNESIUM HYDRO XIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	400 mg in 5 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>BUTYL PARABEN</b> (UNII: 3QP1IU3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>	WHITE (opaque)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	LEMON	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-340-40	355 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	04/25/1996	

**Labeler** - Safeway (009137209)

Revised: 10/2012

Safeway