

**OXYGEN - oxygen gas**  
**Tech Air of Naugatuck LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Oxygen**

REFRIGERATED LIQUID  
OXYGEN,  
REFRIGERATED  
LIQUID  
USP  
UN1073

OXYGEN 2  
ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.  
DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS:

LOT #:

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX ONLY.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE.  
VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin, or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Cylinder temperature should not exceed 52 degrees C (125 degrees F)

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).


FIRST AID: IN CASE FROSTBITE, obtain medical treatment immediately.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

TechAir

NAUGATUCK, CT 47136 (R10/04)



OXYGEN,  
COMPRESSED  
USP

UN1072

OXYGEN 2  
17051 (08/04)

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX ONLY**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

**WARNING:** HIGH PREASSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleared for oxygen services and rated for cylinder pressure. Use back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52 degrees C (125 degrees F). Use in accordance with the Material Safety Data Sheet (MSDS).

CAS: 7782-44-7 RETURN WITH 25 PSIG. DO NOT REMOVE THIS PRODUCT LABEL.

TechAir  
NAUGATUCK, CT

Contents:



## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:68624-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	990 mL in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68624-001-01	102 L in 1 CYLINDER		
2	NDC:68624-001-02	141 L in 1 CYLINDER		
3	NDC:68624-001-03	149 L in 1 CYLINDER		
4	NDC:68624-001-04	178 L in 1 CYLINDER		
5	NDC:68624-001-05	234 L in 1 CYLINDER		
6	NDC:68624-001-06	387 L in 1 CYLINDER		
7	NDC:68624-001-07	643 L in 1 CYLINDER		
8	NDC:68624-001-08	1699 L in 1 CYLINDER		
9	NDC:68624-001-09	2350 L in 1 CYLINDER		
10	NDC:68624-001-10	3540 L in 1 CYLINDER		
11	NDC:68624-001-11	3511 L in 1 CYLINDER		
12	NDC:68624-001-12	4361 L in 1 CYLINDER		
13	NDC:68624-001-13	7100 L in 1 CYLINDER		
14	NDC:68624-001-14	9401 L in 1 CYLINDER		
15	NDC:68624-001-15	102 L in 1 CYLINDER		
16	NDC:68624-001-16	149 L in 1 CYLINDER		
17	NDC:68624-001-17	178 L in 1 CYLINDER		
18	NDC:68624-001-18	141159 L in 1 CYLINDER		

19	NDC:68624-001-19	145973 L in 1 CYLINDER		
20	NDC:68624-001-20	137053 L in 1 CYLINDER		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved medical gas		01/01/2004		

**Labeler** - Tech Air of Naugatuck LLC (832446004)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Tech Air of Naugatuck LLC		832446004	manufacture(68624-001)

Revised: 8/2012

Tech Air of Naugatuck LLC