

DAYTIME COUGH NON DROWSY- dextromethorphan hbr liquid

Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreen Co. DayTime Cough Drug Facts

Active ingredient (in each 15 ml tablespoon)

Dextromethorphan HBr 15 mg

Purpose

Cough suppressant

Uses

temporarily relieves cough due to minor throat and bronchial irritation

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

When using this product

do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take only as recommended

- use dose cup
- do not exceed 4 doses per 24 hours

adults and children 12 years and over	30 ml (2 TBSP) every 6 to 8 hours
children 6 to under 12 years	15 ml (1 TBSP) every 6 to 8 hours
children 4 to under 6 years	ask a doctor
children under 4 years	do not use

- when using other Daytime or Nighttime products, carefully read each label to insure correct dosing

Other information

- each tablespoon contains: sodium 13 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, D&C yellow #10, FD&C yellow #6, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to DayQuil® Cough active ingredient

NON-DROWSY

DAYTIME COUGH

ALL DAY COUGH RELIEF

Cough Suppressant

Up to 8 Hours

Dextromethorphan HBr - cough suppressant

CITRUS BLEND FLAVOR

ALCOHOL FREE

ANTIHISTAMINE FREE

Drug Facts (continued)

Directions

- take only as recommended ■ use dose cup
- do not exceed 4 doses per 24 hours

adults and children 12 years and over	30 ml (2 TBSP) every 6 to 8 hours
children 6 to under 12 years	15 ml (1 TBSP) every 6 to 8 hours
children 4 to under 6 years	ask a doctor
children under 4 years	do not use

■ when using other Daytime or Nighttime products, carefully read each label to insure correct dosing

Other information

- each tablespoon contains: sodium 13 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients anhydrous citric acid, D&C yellow #10, FD&C yellow #6, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments? 1-800-719-9260

Gluten Free REV 0911

*This product is not manufactured or distributed by Procter & Gamble, distributor of DayQuil® Cough.

Distributed by: Walgreen Co.,
200 Wilmet Rd., Deerfield, IL 60015-4616
100% Satisfaction Guaranteed www.walgreens.com

Compare to DayQuil® Cough active ingredient*

Walgreens NDC 0363-0473-38

**NON-DROWSY
DAYTIME
COUGH**

ALL DAY COUGH RELIEF

Cough Suppressant
Up to 8 Hours

Dextromethorphan HBr cough suppressant

**CITRUS BLEND
FLAVOR**

10 FL OZ (296 ml)

ALCOHOL FREE
ANTIHISTAMINE FREE

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each 15 ml tablespoon)	Purpose
Dextromethorphan HBr 15 mg.....	Cough suppressant

Uses temporarily relieves cough due to minor throat and bronchial irritation

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

When using this product do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) ▶

DayTime Cough Label

DAYTIME COUGH NON DROWSY

dextromethorphan hbr liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0473
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

Product Characteristics

Color	ORANGE (light)	Score	
Shape		Size	
Flavor	CITRUS (blend)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0473-38	296 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/15/2009	

Labeler - Walgreen Company (008965063)

Revised: 11/2012

Walgreen Company