

ALLERGY- chlorpheniramine maleate tablet

HyVee Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hy-Vee, Inc. Allergy Tablets Drug Facts

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

- temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

to make a child sleepy

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 12 years and over	1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours
children 6 to under 12 years of age	½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

D&C yellow no. 10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Chlor-Trimeton® active ingredient

Allergy Tablets

Chlorpheniramine Maleate - Antihistamine

Relieves: Sneezing, Itchy, Watery Eyes, Itchy Throat, Runny Nose

4 Hour

Actual Size

Compare to
Chlor-Trimeton®
active ingredient*

HuVee®

Allergy Tablets

Chlorpheniramine Maleate • Antihistamine

4 Hour

HuVee®


Allergy Tablets

Chlorpheniramine Maleate • Antihistamine

Relieves: Sneezing, Itchy, Watery Eyes,
Itchy Throat, Runny Nose

4 Hour

100 TABLETS



NDC 42507-463-78

HuVee®

Allergy Tablets

Chlorpheniramine Maleate • Antihistamine

Relieves: Sneezing, Itchy, Watery Eyes,
Itchy Throat, Runny Nose

4 Hour

100 TABLETS



Actual Size



0 754501 29212 1

LOT NO.

EXP.

: 46378 2H C4

DO NOT USE IF PRINTED FOIL UNDER
CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet)	Purpose
Chlorpheniramine maleate 4 mg.....	Antihistamine

Uses ■ temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing
■ itching of the nose or throat ■ itchy, watery eyes

Warnings

Do not use to make a child sleepy
Ask a doctor before use if you have ■ glaucoma
■ trouble urinating due to an enlarged prostate gland
■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product ■ excitability may occur, especially in children
■ drowsiness may occur ■ avoid alcoholic beverages
■ alcohol, sedatives and tranquilizers may increase drowsiness
■ use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 12 years and over	1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours
children 6 to under 12 years of age	½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

Drug Facts (continued)

Other information store between 20° to 25°C (68° to 77°F)

Inactive ingredients D&C yellow no. 10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch


Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., distributor of Chlor-Trimeton®

DISTRIBUTED BY HY-VEE, INC.
5820 WESTOWN PARKWAY
WEST DES MOINES, IA 50266

SATISFACTION GUARANTEED
OR PURCHASE PRICE REFUNDED
FOR INFORMATION CALL 1-800-289-8343
www.hy-vee.com

GLUTEN FREE



ALLERGY

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-463
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	YELLOW	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L463
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-463-62	1 in 1 CARTON		
1		24 in 1 BLISTER PACK		
2	NDC:42507-463-78	1 in 1 CARTON		
2		100 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/30/1991	

Labeler - HyVee Inc (006925671)

Revised: 12/2012

HyVee Inc