

## **ALLERGY- chlorpheniramine maleate tablet**

### **HEB**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **HEB Allergy Drug Facts**

#### **Active ingredient (in each tablet)**

Chlorpheniramine maleate 4 mg

#### **Purpose**

Antihistamine

#### **Uses**

- temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

#### **Warnings**

##### **Do not use**

to make a child sleepy

##### **Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

##### **Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

##### **When using this product**

- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

##### **If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

adults and children 12 years and over	1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours
children 6 to under 12 years of age	½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

**Other information**

store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

D&C yellow no. 10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

**Questions or comments?**

1-800-719-9260

**Principal Display Panel**

Compare to Chlor-Trimeton® Allergy active ingredient

A L L E R G Y

4 Hour Relief

Chlorpheniramine Maleate - Antihistamine

ACTUAL SIZE

Relieves: Sneezing, Itchy, Watery Eyes, Itchy Throat, Runny Nose

GLUTEN FREE

Compare to Chlor-Trimeton® Allergy active ingredient\*



# A L L E R G Y

## 4 Hour Relief

Chlorpheniramine Maleate - Antihistamine

**Relieves: Sneezing, Itchy, Watery Eyes,  
Itchy Throat, Runny Nose**

ACTUAL SIZE



# A L L E R G Y

## 4 Hour Relief

Chlorpheniramine Maleate - Antihistamine


**Relieves: Sneezing, Itchy, Watery Eyes,  
Itchy Throat, Runny Nose**

ACTUAL SIZE



GLUTEN FREE

100 Tablets



Compare to Chlor-Trimeton® Allergy active ingredient\*

NDC 37808-463-78



# A L L E R G Y

## 4 Hour Relief

Chlorpheniramine Maleate - Antihistamine

**Relieves: Sneezing, Itchy, Watery Eyes,  
Itchy Throat, Runny Nose**

ACTUAL SIZE



GLUTEN FREE

100 Tablets

1205



0 412201984961 1

LOT NO.

EXP.

**CODE  
AREA**

: 46378 3J C8

DO NOT USE IF PRINTED FOIL UNDER  
CAP IS BROKEN OR MISSING

**Drug Facts**

**Active ingredient (in each tablet)** **Purpose**  
Chlorpheniramine maleate 4 mg.....Antihistamine

**Uses** ■ temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing  
■ itching of the nose or throat ■ itchy, watery eyes

**Warnings**

**Do not use** to make a child sleepy  
**Ask a doctor before use if you have** ■ glaucoma  
■ trouble urinating due to an enlarged prostate gland  
■ a breathing problem such as emphysema or chronic bronchitis  
**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product** ■ excitability may occur, especially in children  
■ drowsiness may occur ■ avoid alcoholic beverages  
■ alcohol, sedatives and tranquilizers may increase drowsiness  
■ use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

adults and children 12 years and over	1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours
children 6 to under 12 years of age	½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use

**Drug Facts (continued)**

**Other information** store between 20° to 25°C (68° to 77°F)

**Inactive ingredients** D&C yellow no. 10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch


**Questions or comments?** 1-800-719-9260

\*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., distributor of Chlor-Trimeton® Allergy.

**MADE WITH PRIDE & CARE FOR H-E-B, SAN ANTONIO, TX 78204**

**GUARANTEE**

We believe the high quality of this H-E-B product makes it an outstanding value. We hope you'll agree. If not, we'll cheerfully refund your money. Thanks for shopping with us.



**ALLERGY**

chlorpheniramine maleate tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-463
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

**Inactive Ingredients**

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

**Product Characteristics**

Color	YELLOW	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L463
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-463-78	1 in 1 CARTON		
1		100 in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/12/1994	

**Labeler** - HEB (007924756)

Revised: 12/2012

HEB