

**MV-500- iodine solution solution**  
**Michigan Veterinary Supply**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----

**MV-500**

**Michigan Veterinary Supply**

**MV-500**

**Pre and Post Iodine Teat Dip**

□An Aid in Reducing the Spread of Mastitis Causing Organisms

ACTIVE INGREDIENT: 0.5% titratable iodine

Contains 2% U.S.P. Glycerine

**DIRECTIONS FOR PRE-DIPPING**

1. Remove excessive organic soils from teats prior to the application of teat dip solution.
2. Dip or spray cow's teats thoroughly with **MV-500**.
3. Strip out 3-4 squirts of milk from each quarter.
4. To remove the Iodine Pre-Dip, wipe the teats dry with a single service towel.
5. Attach milking unit.

**DIRECTIONS FOR POST DPPING**

Immediately after milking use **MV-500** at full strength.

Submerge entire teat in **MV-500** solution.

Allow to air dry. Do not wipe. Always use fresh, full strength **MV-500**. If product in dip cup becomes visibly dirty, discard contents and replenish with **MV-500** undiluted product.

**Do not reuse or return used product to the original container.**

**If frozen, thaw completely and mix well before using.**

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

**CAN CAUSE EYE DAMAGE.**

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

**Eyes:** In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

**Internal:** If swallowed, promptly rinse mouth with water then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

**FOR ASSISTANCE WITH MEDICAL EMERGENCY, CALL 1-800-367-5178**

**REFER TO MATERIAL DATA SAFETY SHEET.**

**PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL**

# Michigan Veterinary Supply

MV-500

## Pre and Post Iodine Teat Dip

An Aid in Reducing the Spread of Mastitis Causing Organisms

ACTIVE INGREDIENT: 0.5% titratable iodine

Contains 2% U.S.P. Glycerine

NET CONTENTS: 30 US GALLONS

Manufactured for: Michigan Veterinary Farm Supply Co., Inc. 7415 Lawrence Highway, Vermontville, MI 49096



TDR-77D-VFS

# MV-500

### DIRECTIONS FOR PRE-DIPPING

1. Remove excess organic soils from udder and teats prior to pre-dipping.
2. Dip or spray cow's teats thoroughly with MV-500.
3. Strip out 3-4 squirts of milk from each quarter.
4. To remove the Iodine Pre-Dip, wipe the teats dry with a single service towel.
5. Attach milking unit.

### DIRECTIONS FOR POST-DIPPING

Immediately after milking use MV-500 at full strength. Submerge entire teat in MV-500 solution. Allow to air dry. Do not wipe. Always use fresh, full strength MV-500. If product in dip cup becomes visibly dirty, discard contents and replenish with MV-500 undiluted product.

Do not reuse or return used product to the original container.

If frozen, thaw completely and mix well before using.

## Pre and Post Iodine Teat Dip

An Aid in Reducing the Spread of Mastitis Causing Organisms

ACTIVE INGREDIENT: 0.5% titratable iodine  
Contains 2% Glycerine

TAKE TIME



OBSERVE LABEL DIRECTIONS

NET CONTENTS: U.S. GALLONS

Manufactured for: Michigan Veterinary Farm Supply Co., Inc. 7415 Lawrence Highway, Vermontville, MI 49096



TDR77DVFS

### DANGER

KEEP OUT OF REACH OF CHILDREN  
Can Cause Eye Damage.

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

#### FIRST AID

**Eyes:** In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.  
**Internal:** If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

FOR ASSISTANCE WITH MEDICAL EMERGENCY,  
CALL 1-800-367-5178

REFER TO MATERIAL SAFETY DATA SHEET.



MV-500 (103)

## MV-500

iodine solution solution

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:62183-770
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5 g in 1 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:62183-770-01	3.8 L in 1 BOTTLE		
2	NDC:62183-770-05	18.9 L in 1 DRUM		
3	NDC:62183-770-15	56.8 L in 1 DRUM		
4	NDC:62183-770-55	208.2 L in 1 DRUM		
5	NDC:62183-770-75	1041 L in 1 TANK		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		01/31/2003	

**Labeler** - Michigan Veterinary Supply (020909198)

Revised: 1/2013

Michigan Veterinary Supply