

LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet

Freds Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relief of occasional constipation (irregularity). This product generally produces bowel movement within 6 to 12 hours.

Warnings

Do not use

- when abdominal pain, nausea, or vomiting are present
- for longer than 1 week, unless directed by a doctor

Ask a doctor before use if

- you notice a sudden change in bowel habits that persists over a period of 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding
- you fail to have a bowel movement after use. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years of age and older	take 2 tablets once or twice daily with a glass of water
children 6 to under 12 years of age	take 1 tablet once or twice daily with a glass of water
children under 6 years of age	consult a doctor

Other information

- each tablet contains: **calcium 40 mg/ tablet**
- each tablet contains: **magnesium 10 mg/ tablet**

- each tablet contains: **sodium 3 mg/ tablet** VERY LOW SODIUM
- store at 15° - 30° C (59°-86° F)
- keep in a dry place
- do not expose to excessive heat

Inactive ingredients

acacia, anhydrous lactose*, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C Blue #1 Aluminum Lake, iron oxide, iron oxide Black, iron oxide Yellow, isopropyl alcohol*, kaolin, Lake Brilliant Blue FCF*, magnesium stearate, malto dextrin*, microcrystalline cellulose, Opacode Black S-1-17823*, Opagloss 6000P*, polyethylene glycol, povidone, pregelatinized starch, shellac, sodium lauryl sulfate, stearic acid, sugar, talc, tartaric acid*, titanium dioxide.

*contains one or more of these ingredients

Questions or Comments?

Call toll free **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Compare to active ingredient in maximum strength EX-LAX® †

Maximum Strength

Laxative Pills

Sennosides USP, 25 mg

natural senna ingredient

for gentle, dependable overnight relief

TAMPER EVIDENT- USE ONLY IF BLISTERS ARE INTACT

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

† **This product is not manufactured or distributed by Novartis Consumer Health, Inc., owner of the registered trademark Ex-Lax®**

Product Label

fred's

Maximum Strength
Laxative Pills
Sennosides USP, 25 mg

fred's

NDC 55315-140-03



Actual Size

Maximum Strength
Laxative Pills
Sennosides USP, 25 mg

Natural Senna Ingredient
For Gentle, Dependable
Overnight Relief

24 Tablets



†This product is not manufactured or distributed by Novartis Consumer Health, Inc., owner of the registered trademark Ex-Lax®.



DISTRIBUTED BY: fred's, Inc.
4300 NEW GETWELL RD, MEMPHIS, TN 38118
www.fredinc.com

fred's Promise
Not Happy With This Product?
Just Bring It Back For a Refund!

TAMPER EVIDENT - USE ONLY IF BLISTERS ARE INTACT.

Drug Facts (continued)
Inactive ingredients acacia, anhydrous lactose*, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide black, iron oxide yellow, isopropyl alcohol†, kaolin, S-1-17823*, Opagloss 6000P*, polyethylene glycol, polyethylene glycol, pregelatinized starch, shellac, sodium lauryl sulfate, stearic acid, sugar, talc, tartaric acid†, titanium dioxide.
*contains one or more of these ingredients
†contains one or more of these ingredients
Questions or comments? Call toll free 1-877-753-3935 Monday-Friday 9AM-5PM EST

Drug Facts
Active ingredient (in each tablet) Sennosides USP, 25 mg
Purpose Stimulant laxative
Uses relief of occasional constipation (irregularity).
This product generally produces a bowel movement within 6 to 12 hours.
Warnings
Do not use ■ when abdominal pain, nausea, or vomiting are present ■ for longer than 1 week, unless directed by a doctor
Ask a doctor before use if you notice a sudden change in bowel habits that persists over a period of 2 weeks.
Stop use and ask a doctor if ■ you have rectal bleeding ■ you fail to have a bowel movement after use. These may be signs of a serious condition.
If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.
Directions
adults and children 12 years of age and older take 2 tablets once or twice daily with a glass of water
children 6 to under 12 years of age take 1 tablet once or twice daily with a glass of water
children under 6 years of age consult a doctor
Other information ■ each tablet contains: calcium 40 mg/tablet ■ each tablet contains: magnesium 10 mg/tablet ■ each tablet contains: sodium 3 mg/tablet VERY LOW SODIUM
■ store at 15°-30°C (59°-86°F) ■ keep in a dry place ■ do not expose to excessive heat
▲

PLD-C
F14FR24
LOT NO.:
EXP. DATE:

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

v90x4



02925621

Sennosides, USP 25 mg

LAXATIVE PILLS MAXIMUM STRENGTH
sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-140
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POVIDONES (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SHELLAC (UNII: 46N107B71O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
TARTARIC ACID (UNII: W48881119H)	

Product Characteristics

Color	BLUE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL083;S25
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-140-03	2 in 1 CARTON		
1		12 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	07/08/2010	

Labeler - Freds Inc (005866116)**Registrant** - P and L Development of New York Corporation (800014821)

Revised: 1/2013

Freds Inc