

CVS PHARMACY CLOTRIMAZOLE 3- clotrimazole cream

CVS Pharmacy

Clotrimazole 3

Clotrimazole Vaginal Cream USP (2%)

Drug Facts

Active ingredients	Purpose
Clotrimazole USP 2% (100 mg in each applicatorful)	Vaginal Antifungal
Clotrimazole USP 2% (external cream)	Vaginal Antifungal

Use

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.**
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

When using this product

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

Stop use and ask a doctor if

- **symptoms do not get better in 3 days**
- **symptoms last more than 7 days**
- **you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge**

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- before using this product read the enclosed educational brochure for complete directions and information
- adults and children 12 years of age and over:
 - **vaginal cream:** insert one applicatorful of cream into the vagina at bedtime for 3 days in a row. Throw applicator away after use.
 - **external cream:** use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
- children under 12 years of age: ask a doctor

Other information

- To open: unscrew cap, use pointed end on cap to puncture seal
- do not use if carton is opened
- **safety sealed:** the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.
- store between 20° to 25°C (68° to 77°F)
- see flap of carton or crimp of tube for lot number and expiration date

Inactive ingredients

benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate-60, purified water, and sorbitan monostearate

Questions or comments?

Call toll-free, **1-888-827-6222**, for our 24 hour automated response system.

Distributed by:

CVS Pharmacy, Inc.

One CVS Drive

Woonsocket, RI 02895

PRINCIPAL DISPLAY PANEL - 21 g Tube Carton

**CVS
pharmacy®**

NDC 59779-062-00

**Compare to the active
ingredients in Gyne-Lotrimin3®***

**CLOTRIMAZOLE 3
CLOTRIMAZOLE VAGINAL CREAM USP (2%)**

VAGINAL ANTIFUNGAL

Educational brochure enclosed

***Cures most vaginal yeast
infections in 3 days***

***One 21 g (0.74 oz) tube of
Clotrimazole Vaginal Cream USP (2%)
& 3 disposable applicators***



Compare to the active ingredients in Gyne-Lotrimin3**

Cures most vaginal yeast infections in 3 days

LPK-3254-5
1012-5
MHS3



Compare to the active ingredients in Gyne-Lotrimin3**

CLOTRIMAZOLE 3

CLOTRIMAZOLE VAGINAL CREAM USP (2%)

VAGINAL ANTIFUNGAL

Educational brochure enclosed


Cures most vaginal yeast infections in 3 days

One 21 g (0.74 oz) tube of Clotrimazole Vaginal Cream USP (2%) & 3 disposable applicators



CLOTRIMAZOLE 3
CLOTRIMAZOLE VAGINAL CREAM USP (2%)
VAGINAL ANTIFUNGAL

NO COPY ON THIS FLAP FOR LOT # AND EXPIRY DATE PRINT



142811

T1128B

Drug Facts (continued)

Other information • To open, unscrew cap, use a pointed end on cap to puncture seal.

• Do not use if certain symptoms persist. If the seal has been punctured or is not visible, do not use the product.

• Store between 20° to 25° C (68° to 77° F).

• Do not use if the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.

• See flap of carton for carton number and expiration date.

Inactive ingredients benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polyorb-60, purified water, and sorbitan monooleate.

Questions or comments? Call 1-1799-1-888-827-4222, for our 24 hour automated response system.

NO VARNISH ON THIS FLAP



CVS Quality
Money Back Guarantee
Made in Canada
V-163-01
+800-440-0989
www.cvs.com
© 2002 CVS Pharmacy
Woonsocket, RI 02896
One CVS Drive
CVS Pharmacy, Inc.
Distributed by:
Merk & Co., Inc.
a subsidiary of
Care Inc.
M3D Consumer
distributed by
ma n t e n a n c e
This product is not

Warnings For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.

Ask a doctor before use if you have:

- vaginal itching and discomfort for the first time
- lower abdominal pain, back or shoulder pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 to 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.

When using this product Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).

- Do not use tampons, douches, spermicides, or other vaginal products.
- Do not use tampons, douches, spermicides, or other vaginal products.
- Do not use tampons, douches, spermicides, or other vaginal products.

Spouse and ask a doctor if:

- symptoms do not get better in 3 days • symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. If swallowed, get medical help or contact Poison Control Center at 1-800-FIGHT-FIRE.

Directions • Before using this product, read the enclosed educational brochure for complete directions and information.

- adults and children 12 years of age and over
- vaginal cream: insert one applicator of cream into the vagina at bedtime for 3 days in a row. Use one applicator after each use.
- external cream: use the same tube of cream. Apply to the skin outside the vagina. Squash a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.

• children under 12 years of age: ask a doctor.

Cures most vaginal yeast infections

3-DAY VAGINAL CREAM CLOTRIMAZOLE VAGINAL CREAM USP (2%)

Drug Facts

Active ingredients Clotrimazole USP 2% (100 mg in each applicator), Clotrimazole USP 2% (external cream).

Purpose Vaginal Antifungal

CVS PHARMACY CLOTRIMAZOLE 3
clotrimazole cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-062
Route of Administration	VAGINAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Clotrimazole (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65)	Clotrimazole	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetyl esters wax (UNII: D072FFP9GU)	
octyldodecanol (UNII: 461N1O614Y)	
polysorbate 60 (UNII: CAL22UVI4M)	
water (UNII: 059QF0K00R)	
sorbitan monostearate (UNII: NVZ4I0H58X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-062-00	1 in 1 CARTON		
1		21 g in 1 TUBE, WITH APPLICATOR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021143	04/12/2000	

Labeler - CVS Pharmacy (062312574)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(59779-062)