

HEADACHE PM FORMULA- acetaminophen, diphenhydramine hcl tablet, film coated
HyVee Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hy-Vee, Inc. Headache PM Formula Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

(equiv. to Diphenhydramine citrate 38 mg)

Purposes

Pain reliever

Nighttime sleep-aid

Uses

- for the temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic drinks
- drowsiness may occur
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- sleeplessness lasts continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed (see Liver warning)

adults and children 12 years of age and over:

- take 2 tablets at bedtime, if needed, or as directed by a doctor
- do not take more than 2 tablets of this product in 24 hours

children under 12 years of age:

- do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, crospovidone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Excedrin® PM Tablets active ingredients

HEADACHE PM FORMULA

ADDED STRENGTH

Pain Reliever - Nighttime Sleep Aid

Acetaminophen

Diphenhydramine HCl

NDC 42507-355-71

Hy-Vee
Compare to Excedrin® PM Tablets active ingredients*

HEADACHE PM FORMULA
ADDED STRENGTH

● Pain Reliever ● Nighttime Sleep Aid
Acetaminophen Diphenhydramine HCl
50 COATED TABLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

EXP. : 355721 2H C7
LOT NO. 0 754501 292226 8

Drug Facts (continued)
Directions ■ do not use more than directed (see Liver warning)
■ take 2 tablets at bedtime, if needed, or as directed by a doctor
■ do not take more than 2 tablets of this product in 24 hours
children under 12 years of age: ■ do not use

Other information
■ Store at 20-25°C (68-77°F)

Inactive ingredients carnauba wax, croscopolone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, poly sorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?
1-800-719-9260

*This product is not manufactured or distributed by Novartis Consumer Health, Inc., distributor of Excedrin® PM Tablets.

DISTRIBUTED BY HY-VEE, INC.
5820 WESTOVIN PARKWAY, WEST DES MOINES, IA 50266
SATISFACTION GUARANTEED OR PURCHASE PRICE REFUNDED
FOR INFORMATION CALL 1-800-289-8343 www.hy-vee.com

GLUTEN FREE



Drug Facts

Active ingredients (in each tablet) Purposes

Acetaminophen 500 mg.....	Pain reliever
Diphenhydramine HCl 25 mg...	Nighttime sleep-aid (equiv. to Diphenhydramine citrate 38 mg)

Uses

- for the temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Drug Facts (continued)

Ask a doctor before use if you have

- liver disease ■ glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic drinks ■ drowsiness may occur
- be careful when driving a motor vehicle or operating machinery


Stop use and ask a doctor if

- sleeplessness lasts continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.





HEADACHE PM FORMULA

acetaminophen, diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-355
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSPOLYMER (UNII: 68401960MK)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONES (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	BLUE	Score	no score
Shape	ROUND (shallow convex)	Size	11mm
Flavor		Imprint Code	L355;PM
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-355-71	1 in 1 CARTON		
1		50 in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part338	08/30/1998	

Labeler - HyVee Inc (006925671)

Revised: 1/2013

HyVee Inc