

LORATADINE- loratadine tablet
Publix Super Markets Inc

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine USP, 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**

INACTIVE INGREDIENTS

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

PRINCIPAL DISPLAY PANEL

Publix

24 - HOUR

allergy relief

LORATADINE TABLETS USP, 10 mg

ANTI-HISTAMINE

- sneezing
- runny nose
- itchy, watery eyes
- itchy throat or nose

10 TABLETS

NON-DROWSY*


***When taken as directed.**

See Drug Facts Panel.

****Compare to Active Ingredient in Claritin®**

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.

5084017/0211



5084017



5084017

Drug Facts

Active Ingredient (in each tablet)
Loratadine USP, 10 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 When using this product do not take more than directed. Taking more than directed may cause drowsiness.
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours
 children under 6 years of age ask a doctor
 consumers with liver or kidney disease ask a doctor

Other Information
 ■ store between 20 and 25° C (68 and 77° F) ■ protect from excessive moisture
 ■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

24 - HOUR
Publix allergyrelief
 LORATADINE TABLETS USP, 10 mg

0211
 **This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc. CLARITIN® is a registered trademark of Schering Corporation.
 DISTRIBUTED BY: PUBLIX SUPER MARKETS, INC.
 3300 PUBLIX CORPORATE PARKWAY, LARGENTON, FL 33811
 1-888-267-3037 publix.com
 PUBLIX GUARANTEE:
 COMPLETE SATISFACTION OR YOUR MONEY BACK



0 41415 21173 5

Publix

24 - HOUR
allergyrelief
 LORATADINE TABLETS USP, 10 mg
 ANTIHISTAMINE

- sneezing
- runny nose
- itchy, watery eyes
- itchy throat or nose


 ACTUAL SIZE

10 TABLETS **NON-DROWSY***

****Compare to Active Ingredient in Claritin®**

***When taken as directed. See drug facts panel.**

Expiration Date:
 Batch No.
Non Varnish Area

Drug Facts (continued)
 Inactive ingredients corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

Keep the carton. It contains important information.
 See end panel for expiration date.

LORATADINE

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-526
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white (White to Off-White)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	RX526
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-526-69	10 in 1 BLISTER PACK		
2	NDC:56062-526-31	30 in 1 BLISTER PACK		
3	NDC:56062-526-90	60 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	08/19/2003	

Labeler - Publix Super Markets Inc (006922009)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		051565745	manufacture(56062-526)

Revised: 12/2012

Publix Super Markets Inc