

CITROMA- magnesium citrate liquid

Wal-Mart Stores, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Active Ingredient

Magnesium citrate 1.745g per fl oz

Purpose

Purpose

Saline laxative

use

Use for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Warnings

Ask A Doctor

Ask a doctor before use if you have

- kidney disease
- a magnesium or sodium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

if pregnant or breast-feeding

If pregnant or breast-feeding, ask help professional before use.

Keep out of reach of children.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz

children under 2 years of age - ask a doctor

discard unused product within 24 hours of opening bottle

other information

Other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- sodium content 48 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients

Inactive ingredients citric acid, flavor, sodium bicarbonate, sodium saccharin, water

Questions?

Questions? 1-888-287-1915

Adverse Reaction

Distributed by: Wal-Mart Stores Inc., Bentonville, AR 72716

Principal Display Panel

Do not use if tamper evident twist-off cap is missing, broken or separated from neckring

Equate

Sugar Free

Magnesium

Citrate

U.S.P. Oral Solution

- Relief of occasional constipation
- Bowel cleansing for surgery or exam preparation
- Pasteurized

Grape

Flavor

10 FL OZ (296 mL)

Do not use if tamper evident twist-off cap is missing, broken or separated from neckring.



Sugar Free

Magnesium Citrate

U.S.P. Oral Solution

Saline Laxative

- Relief of occasional constipation
- Bowel cleansing for surgery or exam preparation
- Pasteurized

Grape Flavor



10 FL OZ (296 mL)

Drug Facts

Active ingredient Magnesium citrate 1.745 g per fl oz	Purpose Saline laxative
---	-----------------------------------

Use for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium or sodium-restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

discard unused product within 24 hours of opening bottle

Other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- sodium content 48 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive Ingredients citric acid, flavor, sodium bicarbonate, sodium saccharin, water

Questions? 1-888-287-1915

Satisfaction guaranteed - for questions or comments please call 1-888-287-1915.

03115
8
6

L0012630SB

8113103115

6

© Wal-Mart Stores, Inc., Bentonville, AR 72716
© Wal-Mart Stores, Inc., Bentonville, AR 72716

CITROMA

magesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-525
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CATION	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-525-38	296 mL in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part334	08/29/1995	

Labeler - Wal-Mart Stores, Inc (051957769)**Registrant** - Vi-Jon (790752542)**Establishment**

Name	Address	ID/FEI	Business Operations
Vi-Jon		790752542	manufacture(49035-525)

Revised: 1/2013

Wal-Mart Stores, Inc