

BD E-Z SCRUB- chlorhexidine gluconate solution
Becton Dickinson and Company

Drug Facts

Active ingredient

chlorhexidine gluconate 2% solution

Purpose

surgical hand scrub

healthcare personnel handwash

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

Warnings

For external use only

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredients
- in contact with meninges
- in the genital area
- as a preoperative skin preparation of the head or face

When using this product

- keep out of eyes, ears, and mouth
- may cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds that involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when the underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with 5 ml of solution (4 full strokes) and a wet brush paying close attention to the nails, cuticles, and interdigital space
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 ml of solution (4 full strokes) and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense 5 ml of solution (4 full strokes) into cupped hands, wash in a vigorous manner for 15 seconds, and rinse under running water
- dry thoroughly

Other information

- store at 20-25° C (68-77° F)
- avoid excessive heat above 40° C (104° F)

Inactive ingredients

citric add. cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Questions or comments?

call **1-800-453-4538** Monday through Friday 8 AM to 5 PM MST

Principal Display Panel – Box Label

NDC 17271-506-02

BD E-Z Scrub™

**Chlorhexidine
Gluconate 2% Solution
Antiseptic**

REF 372416

**Foreign Patents and patents Pending.
U.S. Patent 6,427,875**

Chlorhexidine Gluconate

32 FL. OZ (946 ml)

NDC 17271-506-02

**BD E-Z Scrub™**Chlorhexidine
Gluconate 2% Solution
Antiseptic

REF 372416

Foreign Patents and Patents Pending.
U.S. Patent 6,427,875**Chlorhexidine Gluconate**

32 FL. OZ (946 ml)

Drug Facts (continued)

- a separate nail cleaner may be used
 - rinse thoroughly
 - wash for an additional 3 minutes with 5 ml of solution (4 full strokes) and rinse under running water
 - dry thoroughly
- Healthcare personnel handwash:**
- wet hands with water
 - dispense 5 ml of solution (4 full strokes) into cupped hands, wash in a vigorous manner for 15 seconds, and rinse under running water
 - dry thoroughly

Other information

- store at 20-25° C (68-77° F)
- avoid excessive heat above 40° C (104° F)

Inactive ingredients citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Questions or comments? call 1-800-453-4538 Monday through Friday 8 AM to 5 PM MST



0100382903724161

Manufactured for:
Becton, Dickinson and Company, Franklin Lakes NJ 07417.
Made in USA.

BD, BD Logo and BD E-Z Scrub are trademarks of Becton,
Dickinson and Company. © 2009 BD.

D15508-3 (HS-12)

Drug Facts**Active ingredient**

chlorhexidine gluconate 2% solution

Purposesurgical hand scrub
healthcare personnel handwash**Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

Drug Facts (continued)**Warnings****For external use only****Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredients
- in contact with meninges
- in the genital area
- as a preoperative skin preparation of the head or face

When using this product

- keep out of eyes, ears, and mouth
- may cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds that involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when the underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- Surgical hand scrub:**
- wet hands and forearms with water
 - scrub for 3 minutes with 5 ml of solution (4 full strokes) and a wet brush paying close attention to the nails, cuticles, and interdigital space

BD E-Z SCRUB

chlorhexidine gluconate solution

Product Information**Product Type**

HUMAN OTC DRUG

Item Code (Source)

NDC:17271-506

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
chlorhexidine gluconate (UNII: MOR84MUD8E) (chlorhexidine - UNII:R4KO0DY52L)	chlorhexidine gluconate	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
citric acid monohydrate (UNII: 2968PHW8QP)	
coco diethanolamide (UNII: 92005F972D)	
HYDROXYETHYL CELLULOSE (2000 MPAS AT 1%) (UNII: S38J6RZN16)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
lauramine oxide (UNII: 4F6FC4M8W)	
water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17271-506-02	6 in 1 BOX		
1		946 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019422	04/01/2001	

Labeler - Becton Dickinson and Company (124987988)

Revised: 1/2013

Becton Dickinson and Company