

**TOPCARE ANTI-ITCH- diphenhydramine hydrochloride and zinc acetate cream**  
**Topco Associates LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**TopCare®**  
**Anti-Itch Cream**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Diphenhydramine hydrochloride 2%	Topical analgesic
Zinc acetate 0.1%	Skin protectant

**Uses**

- temporarily relieves pain and itching associated with:
  - insect bites
  - minor burns
  - sunburn
  - minor skin irritations
  - minor cuts
  - scrapes
  - rashes due to poison ivy, poison oak, and poison sumac
- dries the oozing and weeping of poison ivy, poison oak, and poison sumac

**Warnings**

**For external use only**

**Do not use**

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

**Ask a doctor before use**

- on chicken pox
- on measles

**When using this product** avoid contact with eyes

**Stop use and ask a doctor if**

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- do not use more often than directed
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily

- children under 2 years of age: ask a doctor

**Other information**

- To open: unscrew cap, use pointed end of cap to puncture seal.
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredients**

cetyl alcohol, glyceryl stearate, glyceryl stearate/PEG-100 stearate, methylparaben, propylene glycol, propylparaben and purified water

**QUESTIONS?**

**1-888-423-0139**

DISTRIBUTED BY  
TOPCO ASSOCIATES LLC  
7711 GROSS POINT ROAD  
SKOKIE, IL 60077

**PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

**TopCare®**

**EXTRA STRENGTH**

**Anti-Itch Cream 2%**

**DIPHENHYDRAMINE HYDROCHLORIDE 2%  
AND ZINC ACETATE 0.1%**

QUALITY  
GUARANTEED

**COMPARE TO  
BENADRYL®  
active ingredient\***

**NET WT 1 OZ (28.4 g)**

TopCare®



# Topical Analgesic and Skin Protectant

Relief of skin irritation

Relieves pain and itch from insect bites, minor skin irritations and rashes due to poison ivy, poison oak and poison sumac

LPK-5947-1  
0711-1  
M/96

TopCare®

EXTRA STRENGTH

## Anti-Itch Cream 2%

DIPHENHYDRAMINE HYDROCHLORIDE 2%  
AND ZINC ACETATE 0.1%

NET WT 1 OZ (28.4 g)



COMPARE TO  
BENADRYL®  
active ingredient\*

TopCare.

Anti-Itch Cream 2%  
DIPHENHYDRAMINE  
HYDROCHLORIDE 2%  
AND ZINC ACETATE 0.1%



T51



**Inactive ingredients** cetyl alcohol, glyceryl stearate, glyceryl stearate/PEG-100 stearate, methylparaben, propylene glycol, propylparaben and purified water

**Other information**  
• see carton or tube crimp for lot number and expiration date  
• store at 20° to 25°C (68° to 77°F)  
• to open: unscrew cap, use pointed end of cap to puncture seal.

**Drug Facts** (continued)

NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

\*This product is not distributed or manufactured by Johnson & Johnson, owner of the registered trademark Benadryl®  
DISTRIBUTED BY  
TOPCO ASSOCIATES, LLC  
7711 GARSS POINT ROAD  
SKOKIE, IL 60077  
© TOPCO PART111  
QUESTIONS?  
1-888-423-0139  
topcar@topco.com  
Made in Canada.  
The TopCare® product is laboratory tested to guarantee the highest quality. Your total satisfaction is guaranteed.

**Drug Facts**

**Active ingredients**  
Diphenhydramine hydrochloride 2%.....Topical analgesic  
Zinc acetate 0.1%.....Skin protectant

**Uses**  
• temporarily relieves pain and itching associated with:  
• insect bites • minor burns • sunburn • minor skin irritations • minor cuts  
• rashes due to poison ivy, poison oak, and poison sumac  
• escapes the oozing and weeping of poison ivy, poison oak, and poison sumac

**Warnings**  
For external use only  
Do not use  
• on large areas of the body  
• with any other product containing diphenhydramine, even one taken by mouth  
Ask a doctor before use • on chicken pox • on measles  
When using this product avoid contact with eyes  
Stop use and ask a doctor if  
• condition worsens or does not improve within 7 days  
• symptoms persist for more than 7 days or clear up and occur again within a few days  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
• do not use more often than directed  
• adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily  
• children under 2 years of age: ask a doctor

**Purpose**  
Topical analgesic  
Skin protectant

EXTRA STRENGTH  
Anti-Itch Cream  
DIPHENHYDRAMINE HYDROCHLORIDE 2%  
AND ZINC ACETATE 0.1%



TopCare®

# TOPCARE ANTI-ITCH

diphenhydramine hydrochloride and zinc acetate cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-506
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Diphenhydramine Hydrochloride</b> (UNII: TC2D6JAD40) (Diphenhydramine - UNII:8GTS82S83M)	Diphenhydramine Hydrochloride	20 mg in 1 g
<b>Zinc Acetate</b> (UNII: FM5526K07A) (Zinc Cation - UNII:13S1S8SF37)	Zinc Cation	1 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>cetyl alcohol</b> (UNII: 936JST6JCN)	
<b>glyceryl monostearate</b> (UNII: 230OU9XXE4)	
<b>methylparaben</b> (UNII: A2I8C7HI9T)	
<b>propylene glycol</b> (UNII: 6DC9Q167V3)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>water</b> (UNII: 059QF0K00R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-506-02	1 in 1 CARTON		
1		28.4 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part348	09/20/2005	

**Labeler** - Topco Associates LLC (006935977)

**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)

## Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(36800-506)

