

**LAXATIVE ENTERIC COATED- bisacodyl tablet, coated
Hy-Vee**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient (in each enteric coated tablet)

Bisacodyl, USP 5 mg

Purpose

Stimulant laxative

Use

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet(s)
- it may cause stomach discomfort, faintness and cramps
- do not use within 1 hour after taking an antacid or milk

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnancy or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

take with a glass of water

adults and children 12 years of age and over | take 1 to 3 tablets in a single daily dose

children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

Other information

- store at controlled room temperature 15°-30°C (59°-86°F)

Inactive ingredients

acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow (iron oxide ochre), magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, and titanium dioxide

Questions or comments?

Call toll free 1-800-289-8343 Monday-Friday 9AM-4PM CST

Principal Display Panel

Overnight Relief

Laxative Tablets

Stimulant laxative

Gentle yet effective

Bisacodyl, 5 mg

***Compare to DULCOLAX® active ingredient**

Enteric Coated Tablets

EACH TABLET IS INDIVIDUALLY SEALED IN A BLISTER PACK. DO NOT USE IF BLISTER FOIL IS BROKEN.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

*This product is not manufactured or distributed by Boehringer Ingelheim Consumer Health Care Products, owner of the registered trademark Dulcolax®

Product Label

Overnight Relief

HyVee[®] Laxative

25 Tablets
5 mg each

NDC 42507-086-63

HyVee[®] Laxative Tablets

**Compare to Dulcolax[®] active ingredient*

Stimulant Laxative (bisacodyl, 5 mg)

Gentle Yet Effective



25 ENTERIC COATED TABLETS

EACH TABLET IS INDIVIDUALLY SEALED IN A BLISTER PACK.
DO NOT USE IF BLISTER FOIL IS BROKEN.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

LOT NO.:
EXP. DATE:

Drug Facts (continued)

oxide yellow (iron oxide ochre), magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, and titanium dioxide

Call toll free 1-800-289-8343 Monday-Friday 9AM-4PM CST

Other information

store at controlled room temperature 15°-30°C (59°-86°F)
FD&C yellow #6 aluminum lake, iron oxide black, iron

Directions

take with a glass of water
adults and children 12 years of age and over
take 1 to 3 tablets in a single daily dose

Warnings

Do not use if you cannot swallow without chewing.
Use for temporary relief of occasional constipation and irregularity
this product generally produces a bowel movement in 6 to 12 hours

When using this product

do not chew or crush tablet(s)
it may cause stomach discomfort, faintness and cramps
do not use within 1 hour after taking an antacid or milk

Stop use and ask a doctor if

you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
you need to use a laxative for more than 1 week

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Inactive ingredients

acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake,

*This product is not manufactured or distributed by Boehringer Ingelheim Consumer Health Care Products, owner of the registered trademark Dulcolax[®].

DISTRIBUTED BY HY-VEE, INC.
5820 WESTOWN PARKWAY
WEST DES MOINES, IA 50266

SATISFACTION GUARANTEED
CALL 1-800-289-8343
www.hy-vee.com



KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Drug Facts
Active ingredient (in each enteric coated tablet) Purpose

Bisacodyl 5 mg tablet

LAXATIVE ENTERIC COATED

bisacodyl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-086
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10 X0 709 Y6 I) (BISACODYL - UNII:10 X0 709 Y6 I)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SHELLAC (UNII: 46N107B710)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
SUCROSE (UNII: C151H8M554)	
POVIDONES (UNII: FZ989GH94E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
ALUMINUM OXIDE (UNII: LM26O6933)	

Product Characteristics

Color	ORANGE	Score	no score
Shape	ROUND	Size	6 mm
Flavor		Imprint Code	TCL003
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-086-63	1 in 1 CARTON		
1		25 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	11/08/2010	

Labeler - Hy-Vee (006925671)**Registrant** - P and L Development of New York Corporation (800014821)

Revised: 2/2013

Hy-Vee