

**TOURCIA NUTRI- dimethicone cream**  
**NUGA MEDICAL CO., LTD.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ACTIVE INGREDIENT**

ACTIVE INGREDIENT: DIMETHICONE 2%

**INACTIVE INGREDIENT**

**INACTIVE INGREDIENTS:**

Water, Glycerin, Hydrogenated Polydecene, Dicaprylyl Carbonate, Hydrogenated Poly(C6-14 Olefin), Butylene Glycol, Dimethicone, Cetearyl Alcohol, Caprylic/Capric/Myristic/Stearic Triglyceride, Glyceryl Stearate, Polysorbate 60, Macadamia Integrifolia Seed Oil Stearic Acid,, Sorbitan Stearate, Polyacrylate-13, PEG-100 Stearate, Polyisobutene, Phenoxyethanol, Methylparaben, Fragrance(Parfum), Propylparaben, Tocopheryl Acetate, Mica (CI 77019), Xanthan Gum, Polysorbate 20, Titanium Dioxide (CI 77891), Adenosine, Disodium EDTA, Dipotassium Glycyrrhizate, Dipeptide Diaminobutyroyl Benzylamide Diacetate, Sodium Cocoyl Alaninate, Theobroma Cacao (Cocoa) Extract, Tourmaline, Iron Oxides (CI 77491), Propylene Glycol PVP, Hydrolyzed Myrtus Communis Leaf Extract, Tin Oxide (CI 77861), Acacia Seyal Gum Extract, Yellow 5 (CI 19140), Gelatin, Potassium Sorbate, Ethylhexylglycerin, Butylparaben, Ethylparaben, Isobutylparaben, Fullerenes

**PURPOSE**

PURPOSE: Wrinkle Functional cosmetics (Skin Protectant)

**WARNINGS**

**WARNINGS:**

For external use only

Do Not Use - On wounds or damaged skin

When using this product:

- do not use other than directed

Stop use - If allergic reaction or irritation occurs

**KEEP OUT OF REACH OF CHILDREN**

KEEP OUT OF REACH OF CHILDREN

**INDICATIONS AND USAGE**

**HOW TO USE:**


Take a proper amount of this product and apply, absorb it softly to the skin.

**DOSAGE AND ADMINISTRATION**

**HOW TO USE:**

Take a proper amount of this product and apply, absorb it softly to the skin.

# PACKAGE LABEL. PRINCIPAL DISPLAY PANEL



## TOURCIA NUTRI

dimethicone cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43275-150
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	1 mg in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0K00R)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Dicaprylyl Carbonate</b> (UNII: 609A3V1SUA)	
<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43275-150-01	50 mL in 1 CARTON		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	10/01/2012	

**Labeler** - NUGA MEDICAL CO., LTD. (690034673)

**Registrant** - NUGA MEDICAL CO., LTD. (690034673)

**Establishment**

Name	Address	ID/FEI	Business Operations
NUGA MEDICAL CO., LTD.		690034673	manufacture(43275-150)

Revised: 2/2013

NUGA MEDICAL CO., LTD.