

LORATADINE- loratadine tablet, orally disintegrating
American Sales Company

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine USP, 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

- place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- Phenylketonurics: Contains Phenylalanine 0.6 mg Per Tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.
- keep in a dry place.
- use tablet immediately after opening individual blister.

INACTIVE INGREDIENTS

Aspartame, croscarmellose sodium, fruit flavors, magnesium stearate, mannitol, sodium stearyl fumarate

QUESTIONS?

Call 1-800-406-7984

PRINCIPAL DISPLAY PANEL

Compare to the active ingredient of Claritin® Reditabs®†

CAREONE®

Original Prescription Strength

Non-Drowsy*

24 hour

ALLERGY RELIEF

Loratadine Orally Disintegrating Tablets, 10 mg/Antihistamine

Indoor & Outdoor Allergies

NO WATER NEEDED · MELTS IN YOUR MOUTH

FOR ADULTS AND CHILDREN SIX YEARS AND OLDER!

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

10 Orally Disintegrating Tablets

***When taken as directed.**

See Drug Facts Panel.

DISTRIBUTED BY: AMERICAN SALES COMPANY

5080282/R0211

Drug Facts (continued)

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
Place 1 tablet on tongue; tablet disintegrates, with or without water.
Adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours.
Children under 6 years of age: ask a doctor.
Consumers with liver or kidney disease: ask a doctor.

Other information
Phenylethanolamines: Contains Phenylethanolamine 0.6 mg Per Tablet.
TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
Store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.
Keep in a dry place.
Use tablet immediately after opening individual blister.

Drug Facts

Active ingredient (in each tablet)
Loratadine, USP 10 mg.....Antihistamine

Purpose

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

CAREONE®
Original Prescription Strength
Non-Drowsy* 24 hour
ALLERGY RELIEF
Loratadine Orally Disintegrating
Tablets, 10 mg / Antihistamine
Indoor & Outdoor Allergies

Compare to the active ingredient of Claritin® RediTabs®†

NO WATER NEEDED • MELTS IN YOUR MOUTH FOR ADULTS AND CHILDREN SIX YEARS AND OLDER!

10 Orally Disintegrating Tablets
*When taken as directed. See Drug Facts Panel.

Relief of:
• Sneezing • Runny Nose
• Itchy, Watery Eyes
• Itchy Throat or Nose

Actual Size

Drug Facts (continued)
Inactive ingredients: aspartame, croscarmellose sodium, fruit flavors, magnesium stearate, mannitol, sodium stearyl fumarate


Questions? call 1-800-406-7984

Keep the carton. It contains important information. See end panel for expiration date.

†The product is not manufactured or distributed by Schering-Plough Healthcare Products, Inc. CLARITIN® and REDITABS® are registered trademarks of Schering Corporation.

Non Varnish Area

Batch No. Expiration Date



DISTRIBUTED BY:
AMERICAN SALES COMPANY
4201 WALDEN AVENUE
LAWCASTER, NY 14086
www.care1.info
©2011 S&S Brands, Inc.
Quality guaranteed or your money back.

R0211

Compare to the active ingredient of Claritin[®] Reditabs^{®†}

CAREONE[®]

Original Prescription Strength

CHILDREN'S Non-Drowsy*

24 hour

ALLERGY RELIEF

Loratadine Orally Disintegrating Tablets, 10 mg/Antihistamine

Indoor & Outdoor Allergies

NO WATER NEEDED • MELTS IN YOUR MOUTH

FOR ADULTS AND CHILDREN SIX YEARS AND OLDER!

Relief of:

- **Sneezing**
- **Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Throat or Nose**


10 Orally Disintegrating Tablets

***When taken as directed.**

See Drug Facts Panel.

DISTRIBUTED BY: AMERICAN SALES COMPANY

5080281/R0211



1820805



5080281

Drug Facts (continued)

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Directions
Place 1 tablet on tongue; tablet disintegrates, with or without water. Adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.

Other information
Phenylephrine HCl: Contains Phenylephrine 0.6 mg Per Tablet.
TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
Keep in a dry place.
Store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.
Use tablet immediately after opening individual blister.

Drug Facts

Active ingredient (in each tablet)
Loratadine, USP 10 mg.....Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, itchy, watery eyes, sneezing, itching of the nose or throat.

DISTRIBUTED BY:
AMERICAN SALES COMPANY
4201 WALDEN AVENUE
LANCASTER, NY 14086
www.care1.info
©2011 S&S Brands, Inc.
Quality guaranteed or your money back.



R0211

CAREONE®
Original Prescription Strength
CHILDREN'S Non-Drowsy* 24 hour
ALLERGY RELIEF
Loratadine Orally Disintegrating Tablets, 10 mg / Antihistamine

Actual Size 

Indoor & Outdoor Allergies

No WATER NEEDED • MELTS IN YOUR MOUTH FOR ADULTS AND CHILDREN SIX YEARS AND OLDER!

Relief of:

- Sneezing • Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

10 Orally Disintegrating Tablets
*When taken as directed. See Drug Facts Panel.

†The product is not manufactured or distributed by Schering-Plough Healthcare Products, Inc. CLARITINE® and REDITABS® are registered trademarks of Schering Corporation.

Batch No. _____
Expiration Date _____

Non Varnish Area

Drug Facts (continued)
Inactive ingredients aspartame, croscarmellose sodium, fruit flavors, magnesium stearate, mannitol, sodium stearyl fumarate

Questions? call 1-800-406-7984

Keep the carton. It contains important information. See end panel for expiration date.

LORATADINE

loratadine tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-525
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	

Product Characteristics

Color	white (White to Off-White)	Score	no score
Shape	ROUND (Flat Faced Beveled Edge)	Size	10mm
Flavor	FRUIT	Imprint Code	RC17
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-525-69	10 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077153	08/31/2007	

LORATADINE

loratadine tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-527
---------------------	----------------	---------------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	

Product Characteristics

Color	white (White to Off-White)	Score	no score
Shape	ROUND (Flat Faced Beveled Edge)	Size	10mm
Flavor	FRUIT	Imprint Code	RC17
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-527-69	10 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077153	08/31/2007	

Labeler - American Sales Company (809183973)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(41520-525, 41520-527)