LORATADINE- loratadine tablet
Premier Value

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine USP, 10 mg

PURPOSE

Antihistamine

USES

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

INACTIVE INGREDIENTS

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

QUESTIONS?

call **1-800-406-7984**

Keep the carton. It contains important information.

See end panel for expiration date.

DISTRIBUTED BY

CHAIN DRUG CONSORTIUM

3301 NW BOCA RATON BLVD

SUITE 101, BOCA RATON, FL 33431

PRINCIPAL DISPLAY PANEL

Premier Value®

NDC 68016-526-69

Original Prescription Strength

NON-DROWSY*

24 Hour Allergy Relief

Loratadine Tablets USP, 10 mg

Allergy Relief

Indoor & Outdoor Allergies

Antihistamine

Relief of:

- **Sneezing**
- **Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Throat or Nose**

10 TABLETS

COMPARE TO THE ACTIVE INGREDIENT OF CLARITIN®†

***When taken as directed. See Drug Facts Panel.**

†This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc. CLARITIN® is a registered trademark of Schering Corporation.

Drug Facts (continued)

Inactive ingredients corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions? call **1-800-406-7984**

Keep the carton. It contains important information.
See end panel for expiration date.

Non Varnish Area

Batch No.

Expiration Date:

†This product is not manufactured or distributed by Schering-Plough Healthcare Products, Inc. CLARITIN® is a registered trademark of Schering Corporation.

*When taken as directed. See Drug Facts Panel.

10 TABLETS

Antihistamine

Relief of:
- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor Allergies

Allergy Relief

Loratadine Tablets USP, 10 mg

Premier value®

24 Hour Allergy Relief

Original Prescription Strength
NON-DROWSY*

COMPARE TO THE ACTIVE INGREDIENT OF CLARITIN®†

NDC 68016-526-89

R0712

DISTRIBUTED BY
CHAIN DRUG CONSORTIUM
3301 NW BOCA RATON BLVD
SUITE 101, BOCA RATON, FL 33431

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

Premier value®

Antihistamine

Allergy Relief

Loratadine Tablets USP, 10 mg

Drug Facts

Active ingredient (in each tablet) — **Purpose**

Loratadine USP, 10 mg ..... Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If **pregnant or breast-feeding,** ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**

5097255

5097255



LORATADINE

loratadine tablet

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:68016-526
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients	
Ingredient Name	**Strength**
STARCH, CORN (UNII: O8232NY3SJ)	

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white (white to off-white)	**Score**	no score
Shape	ROUND	**Size**	6mm
Flavor		**Imprint Code**	RX526
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-526-69	10 in 1 BLISTER PACK		
2	NDC:68016-526-31	30 in 1 BLISTER PACK		
3	NDC:68016-526-60	60 in 1 BOTTLE		
4	NDC:68016-526-90	90 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	08/19/2003	

Labeler - Premier Value (101668460)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		051565745	manufacture(68016-526)

Revised: 7/2012 Premier Value