

**PRODERM - caprylic/capric acid liquid**  
**EXL Laboratories, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----

**Usage Directions Active Ingredient**

**USAGE DIRECTIONS**

**PRE-DIPPING/SPRAYING:** Teats should be clean and dry before dipping. Dip/spray with undiluted product and allow 30-60 seconds contact time. Wipe the teats dry.

**POST-DIPPING/SPRAYING:** Dip/spray teats with undiluted product after milking. Allow to air dry. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip/spray teats once a day for 3-4 days following the last milking. **DURING COLD WEATHER** do not turn out cows until teats are dry.

**DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT**

**IMPORTANT: TEAT IRRITATION OR CHAPPING:** Teat dips have the potential to cause irritation or chapping. If you observe abnormal irritation or chapping, call 1-800-225-3832 or contact your dealer.

**ACTIVE INGREDIENTS:** Capric/Caprylic acids 1.0%  
With 8.5% ESP Skin Conditioning Technology

**Caution First Aid Storage and Disposal**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

**HARMFUL IF SWALLOWED – HARMFUL IF INHALED – CAUSES EYE IRRITATION**  
**SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONSULT MSDS SHEET**

**TOLL FREE EMERGENCY NUMBER: 1-800-424-9300**

**PRECAUTIONS:** Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

**FIRST AID:**

**EXTERNAL:** In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists call a physician.

**INTERNAL:** If conscious, dilute by giving several glasses of water or milk. Do not induct vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Give prompt medical attention. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

**EYES:** Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

**STORAGE AND DISPOSAL:** Store this product in a cold, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.

**SPILLAGE:** In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.

**KEEP FROM FREEZING**

## Product Label

Aspen®  
Dairy Solutions™  
QUALITY MILK CONTROL™

### PRODERM


TEAT DIP OR SPRAY WITH ESP SKIN CONDITIONING TECHNOLOGY

Part #: 33060

EXL Laboratories, LLC. 1001 Glenwood Ave. Minneapolis, MN 55405

Net Contents: 15 GALLONS (56.8L)

Lot #: 00011282A Expires: 11/2014




## PRODERM

**TEAT DIP OR SPRAY WITH ESP SKIN CONDITIONING TECHNOLOGY**

**USAGE DIRECTIONS**  
**PRE-DIPPING/SPRAYING:** Teats should be clean and dry before dipping. Dip/spray with undiluted product and allow 30-60 seconds contact time. Wipe the teats dry.  
**POST-DIPPING/SPRAYING:** Dip/spray teats with undiluted product after milking. Allow to air dry. With freshening cows, begin dipping teats twice daily for about 10 days before calving. For dry cows, dip/spray teats once a day for 3-4 days following the last milking.  
**DURING COLD WEATHER** do not turn out cows until teats are dry.

**DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT**  
**IMPORTANT: TEAT IRRITATION OR CHAPPING:** Teat dips have the potential to cause irritation or chapping. If you observe abnormal irritation or chapping, call 1-800-225-3832 or contact your dealer.  
**ACTIVE INGREDIENTS:** Capric/Caprylic acids 1.0%  
 With 8.5% ESP Skin Conditioning Technology

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION**  
**SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONSULT MSDS SHEET**  
**TOLL FREE EMERGENCY NUMBER: 1-800-424-9300**  
**PRECAUTIONS:** Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.  
**FIRST AID:**  
**EXTERNAL:** In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists call a physician.  
**INTERNAL:** If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Give prompt medical attention. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON**  
**EYES:** Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.  
**STORAGE AND DISPOSAL:** Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.  
**SPILLAGE:** In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.  
**KEEP FROM FREEZING**

**Part#:**  
  
 33060

EXL Laboratories, LLC.  
1001 Glenwood Ave.  
Minneapolis, MN 55405

**AEROSOL O BAÑO CON ESP™ TECNOLOGÍA DE ACONDICIONAMIENTO DE LA PIEL**  
**INSTRUCCIONES DE USO**  
**BAÑO/AEROSOL PREVILO:** Los pezones se deben limpiar y secar antes de aplicar el baño. Si es necesario, lavar los pezones y secarlos con una toalla de uso singular. Bañar/rociar con aerosol los pezones con este producto no diluido y dejar 30-60 segundos de contacto. Secar los pezones previamente a la colocación de la unidad de ordeño.  
**BAÑO/AEROSOL POSTERIOR:** Bañar/rociar con aerosol los pezones con este producto sin diluir inmediatamente luego del ordeño. Dejar secar al aire. Reemplazar la solución si se vuelve visiblemente sucia. Con vacas que van a parir, comenzar a bañar los pezones dos veces al día por aproximadamente 10 días antes del parto. Para las vacas que no tienen leche, bañar/rociar con aerosol los pezones con este producto sin diluir una vez al día durante varios días a continuación del último ordeño. **DURANTE TIEMPO FRÍO** no secar las vacas afuera hasta que los pezones estén secos para prevenir el cuarteo y el congelamiento. Si es necesario, secar con una toalla de uso singular de papel.  
**NO USAR PARA LIMPIAR Y/O CUARTEAR DE LOS PEZONES:** Los baños de los pezones pueden causar irritación a los pezones de la vaca o a las manos del ordeñador. En caso de observar una irritación anormal o cuarteo, dejar de usar el producto y llamar al departamento de servicio técnico al 1-800-225-3832, o consultar a su representante.  
**INGREDIENTES ACTIVOS:** Ácidos Capríco/Caprílico 1.0%  
 Con 8.5% ESP™ de Tecnología de Acondicionamiento de la Piel

**ADVERTENCIA**  
**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**  
**CAUSA DAÑO SI ES INGERIDO - CAUSA DAÑO SI ES INHALADO - CAUSA IRRITACION DE LOS OJOS. LEA A CONTINUACION POR PRECAUCION Y/O CONSULTE EL MATERIAL DE INFORMACION SOBRE SEGURIDAD**  
**NUMERO DE EMERGENCIA SIN COSTO: 1-800-424-9300**  
**PRECAUCIONES:** Proteger los ojos del contacto con el producto. Mantener el recipiente bien cerrado cuando no se este usando. Usarlo donde haya ventilación adecuada. Lavarse bien luego de manipular el producto.  
**PRIMEROS AUXILIOS:**  
**EXTERNAL:** En caso de contacto, inmediatamente lavar a chorro la piel contaminada con mucha agua. Si ocurre irritación y persiste, llamar a un médico.  
**INTERNAL:** Si está consciente, diluir diluirse varios vasos de agua o leche. No inducir el vómito. En caso de vómito, dar nuevamente varios vasos de agua o leche. Obtener atención médica rápidamente. **NO DAR NUNCA NADA POR LA BOCA A UNA PERSONA INCONSCIENTE.**  
**OJOS:** Lavar a chorro inmediatamente con mucha agua corriente y limpie al menos por 15 minutos, sosteniendo los párpados para asegurar el lavado a chorro de la superficie del ojo enteramente. Llamar a un médico.  
**ALMACENAMIENTO Y ELIMINACION:** Almacenar el producto en un lugar frío y seco, fuera del alcance de la luz solar en forma directa y del calor para evitar su deterioro. Almacenar en un gabinete o habitación con cerradura para mantenerlo fuera del alcance de los niños. Eliminar sólo de acuerdo a las leyes federales, estatales y locales.  
**DERRAMAMIENTO:** En caso de un derrame pequeño (menos de un galón), inundar el área con una gran cantidad de agua. En caso de mayores derrames, contener y remover con un absorbente inerte y eliminar de acuerdo a las leyes federales, estatales, y locales.  
**NO CONGELAR**

**Net Contents:**  
**15 GALLONS (56.8 L)**  
**Lot #: 00011282A Expires: 11/2014**

## PRODERM

caprylic/capric acid liquid

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50138-060
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAPRYLIC/CAPRIC ACID (UNII: DI775RT244) (CAPRYLIC/CAPRIC ACID - UNII:DI775RT244)	CAPRYLIC/CAPRIC ACID	10000 mg in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50 138-060-01	9.5 L in 1 JUG		
2	NDC:50 138-060-02	19 L in 1 JUG		
3	NDC:50 138-060-03	56.8 L in 1 DRUM		
4	NDC:50 138-060-04	114 L in 1 DRUM		
5	NDC:50 138-060-05	208.2 L in 1 DRUM		
6	NDC:50 138-060-06	946 L in 1 DRUM		
7	NDC:50 138-060-07	1003 L in 1 DRUM		
8	NDC:50 138-060-08	1040 L in 1 DRUM		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/01/2007	

**Labeler** - EXL Laboratories, LLC (927483458)

**Registrant** - EXL Laboratories, LLC (927483458)

**Establishment**

Name	Address	ID/FEI	Business Operations
EXL Laboratories, LLC		927483458	api manufacture, manufacture

Revised: 1/2013

EXL Laboratories, LLC