

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - BUFF 09- salicylic acid cream

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - FAIR 05- salicylic acid cream

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - LIGHT 10- salicylic acid cream

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - MEDIUM 15- salicylic acid cream

Johnson & Johnson Consumer Inc.

Neutrogena® Skin Clearing Blemish Concealer

Drug Facts

Active ingredient

Salicylic Acid 0.5%

Purpose

Acne medication

Use

For the treatment of acne.

Warnings

For external use only.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- if eye contact occurs, flush thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- cleanse skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information

Store at room temperature.

Inactive ingredients

Water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid **May Contain:** titanium dioxide, iron oxides

Questions?

Call toll-free **800-480-4812** or **215-273-8755** (collect) or visit www.neutrogena.com

Dist. by
Neutrogena Corporation
Los Angeles, CA 90045

PRINCIPAL DISPLAY PANEL - 1.4 g Applicator Blister Pack - Buff 09

Buff 09

SkinClearing

blemish concealer

Don't just
cover up.

Clear up!

powered by

MICRO **CLEAR**®

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking

coverage

Neutrogena

NET WT
0.05 OZ.
(1.4g)

SkinClearing[®]

blemish concealer

BUFF
09

Don't just
cover up.
Clear up!

powered by
MICROCLEAR[®]
— technology —

Neutrogena[®]

Blemish
treatment
with
Salicylic
Acid

Conceals
and treats
blemishes

Natural-
looking
coverage

NET WT
0.05 OZ.
(1.4g)

Neutrogena SkinClearing[®] blemish concealer

- Formula with MICROCLEAR[®] technology rapidly cuts through oil for fast acne relief
- Non-irritating. Won't clog pores

Application Tips: Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

Drug Facts

Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

Use For the treatment of acne.

Warnings

For external use only.

When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information Store at room temperature.

Inactive ingredients water, cyclopentasiloxane, dimethicone, kadin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid May Contain: titanium dioxide, iron oxides

Questions? Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit www.neutrogena.com

© T.M. (M.R.) © Dist. by
Neutrogena Corporation
Los Angeles, CA 90045 2014



PRINCIPAL DISPLAY PANEL - 1.4 g Applicator Blister Pack - Fair 05

**FAIR
05**

**SkinClearing
blemish concealer**

Don't just
cover up.

Clear up!

powered by

MICRO **CLEAR**®

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking

coverage

Neutrogena

NET WT

0.05 OZ.

(1.4g)

SkinClearing[®]

blemish concealer

FAIR
05

Don't just
cover up.
Clear up!

powered by
MICROCLEAR[®]
technology

Neutrogena[®]

Blemish
treatment
with
Salicylic
Acid

Conceals
and treats
blemishes

Natural-
looking
coverage

NET WT
0.05 OZ.
(1.4g)

Neutrogena SkinClearing[®] blemish concealer

- Formula with MICROCLEAR[®] technology rapidly cuts through oil for fast acne relief
- Non-irritating. Won't clog pores

Application Tips: Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

Drug Facts

Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

Use For the treatment of acne.

Warnings

For external use only.

When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information Store at room temperature.

Inactive ingredients water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid **May Contain:** titanium dioxide, iron oxides

Questions? Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit www.neutrogena.com

© T.M. (M.R.) © Dist. by
Neutrogena Corporation
Los Angeles, CA 90045 2014

30028953



**LIGHT
10**

**SkinClearing
blemish concealer**

Don't just
cover up.

Clear up!

powered by

MICRO **CLEAR**®

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking

coverage

Neutrogena

NET WT

0.05 OZ.

(1.4g)

SkinClearing[®] blemish concealer

Don't just
cover up.
Clear up!

powered by
MICROCLEAR[®]
technology

Blemish
treatment
with
Salicylic
Acid

Conceals
and treats
blemishes

Natural-
looking
coverage

Neutrogena[®]

NET WT
0.05 OZ.
(1.4g)

LIGHT
10

Neutrogena SkinClearing[®] blemish concealer

- Formula with MICROCLEAR[®] technology rapidly cuts through oil for fast acne relief
- Non-irritating. Won't clog pores

Application Tips: Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

Drug Facts

Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

Use For the treatment of acne.

Warnings

For external use only.

When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information Store at room temperature.

Inactive ingredients water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, panthenol, ascorbic acid. May Contain: titanium dioxide, iron oxides

Questions? Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit www.neutrogena.com

© T.M. (M.R.) © Dist. by
Neutrogena Corporation
Los Angeles, CA 90045 2014

30028955



MEDIUM

15

SkinClearing

blemish concealer

Don't just

cover up.

Clear up!

powered by

MICRO **CLEAR**®

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking

coverage

Neutrogena

NET WT

0.05 OZ.

(1.4g)

MEDIUM
15

SkinClearing[®]

blemish concealer

Don't just
cover up.
Clear up!

powered by
MICROCLEAR[®]
technology

Blemish
treatment
with
Salicylic
Acid

Conceals
and treats
blemishes

Natural-
looking
coverage

Neutrogena[®]

NET WT
0.05 OZ.
(1.4g)

Neutrogena SkinClearing[®] blemish concealer

- Formula with MICROCLEAR[®] technology rapidly cuts through oil for fast acne relief
- Non-irritating. Won't clog pores

Application Tips: Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

Drug Facts

Active ingredient

Salicylic Acid 0.5%

Purpose

Acne medication

Use For the treatment of acne.

Warnings

For external use only.

When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information Store at room temperature.


Inactive ingredients water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid
May Contain: titanium dioxide, iron oxides

Questions? Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit www.neutrogena.com

© T.M. (M.R.) © Dist. by
Neutrogena Corporation
Los Angeles, CA 90045 2014



30028956



NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - BUFF 09

salicylic acid cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10812-520
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)		SALICYLIC ACID	5.5 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
KAOLIN (UNII: 24H4NWX5CO)			
CYCLOMETHICONE (UNII: NMQ347994Z)			
VINYLPIRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)			
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)			
TRISILOXANE (UNII: 9G1ZW13R0G)			
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)			
CYCLOMETHICONE 6 (UNII: XHK3U310BA)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
BORON NITRIDE (UNII: 2U4T60A6YD)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
FARNESOL (UNII: EB41QIU6JL)			
CHAMOMILE (UNII: FGL3685T2X)			
PROPYLENE CARBONATE (UNII: 8D08K3S51E)			
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
ALOE VERA LEAF (UNII: ZY81Z83H0X)			
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)			
CETYL LACTATE (UNII: A7EVH2RK4O)			
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)			
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)			
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)			
PANTOTHENIC ACID (UNII: 19F5HK2737)			
WATER (UNII: 059QF0KO0R)			
ASCORBIC ACID (UNII: PQ6CK8PD0R)			

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-520-01	1 in 1 BLISTER PACK	02/05/2010	08/31/2025
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M006	02/05/2010	08/31/2025

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - FAIR 05

salicylic acid cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10812-519
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)		SALICYLIC ACID	5.5 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
KAOLIN (UNII: 24H4NWX5CO)			
CYCLOMETHICONE (UNII: NMQ347994Z)			
VINYLPIRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)			
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)			
TRISILOXANE (UNII: 9G1ZW13R0G)			
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)			
CYCLOMETHICONE 6 (UNII: XHK3U310BA)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
BORON NITRIDE (UNII: 2U4T60A6YD)			

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FARNESOL (UNII: EB41QIU6JL)	
CHAMOMILE (UNII: FGL3685T2X)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
PANTOTHENIC ACID (UNII: 19F5HK2737)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-519-01	1 in 1 BLISTER PACK	02/05/2010	08/31/2025
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	02/05/2010	08/31/2025

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - LIGHT 10

salicylic acid cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10812-521
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	5.5 mg in 1 g
---	----------------	---------------

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FARNESOL (UNII: EB41QIU6JL)	
CHAMOMILE (UNII: FGL3685T2X)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
PANTOTHENIC ACID (UNII: 19F5HK2737)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-521-01	1 in 1 BLISTER PACK	02/05/2010	08/31/2025
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	02/05/2010	08/31/2025

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - MEDIUM 15

salicylic acid cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10812-522
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FARNESOL (UNII: EB41QIU6JL)	
CHAMOMILE (UNII: FGL3685T2X)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

ALOE VERA LEAF (UNII: ZY81Z83H0X)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)				
CETYL LACTATE (UNII: A7EVH2RK4O)				
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)				
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)				
PANTOTHENIC ACID (UNII: 19F5HK2737)				
ASCORBIC ACID (UNII: PQ6CK8PD0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-522-01	1 in 1 BLISTER PACK	02/05/2010	12/31/2024
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M006	02/05/2010	12/31/2024

Labeler - Johnson & Johnson Consumer Inc. (118772437)