

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.106- octinoxate, titanium dioxide, and zinc oxide lotion

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.208- octinoxate, titanium dioxide, and zinc oxide lotion

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.104- octinoxate, titanium dioxide, and zinc oxide lotion

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.204- octinoxate, titanium dioxide, and zinc oxide lotion

AMOREPACIFIC CORPORATION

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT

Drug Facts

ACTIVE INGREDIENTS

ETHYLHEXYL METHOXYCINNAMATE 7%

TITANIUM DIOXIDE 4.15%

ZINC OXIDE 9.8%

PURPOSE

Sunscreen

USES

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor.

INACTIVE INGREDIENTS

PHYLLOSTACHYS BAMBUSOIDES JUICE, CYCLOPENTASILOXANE, CYCLOHEXASILOXANE, PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, ALCOHOL, TITANIUM DIOXIDE (CI 77891), LAURYL PEG-9 POLY[1]DIMETHYLSILOXYETHYL DIMETHICONE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYHYDROXYSTEARIC ACID, IRON OXIDES (CI 77492), SODIUM CHLORIDE, POLYMETHYL METHACRYLATE, ALUMINUM HYDROXIDE, DISTEARDIMONIUM HECTORITE, FRAGRANCE / PARFUM, STEARIC ACID, PHENOXYETHANOL, TRIETHOXYCAPRYLYLSILANE, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, IRON OXIDES (CI 77491), POLYGLYCERYL-3 POLYRICINOLEATE, ACRYLATES/ STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, DIMETHICONE, ETHYLHEXYLGLYCERIN, TRIMETHYLSILOXYSILICATE, DISODIUM EDTA, IRON OXIDES (CI 77499), DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, LINALOOL, WATER / AQUA / EAU, GERANIOL, ALPHA-ISOMETHYL IONONE, LIMONENE, CITRONELLOL, TOCOPHEROL, CAMELLIA SINENSIS LEAF EXTRACT, CAPRYLYL GLYCOL, 1,2-HEXANEDIOL

OTHER INFORMATION

Protect the product in this container from excessive heat and direct sun

Questions?

support@us.amorepacific.com

PRINCIPAL DISPLAY PANEL - 30 g Container Carton - 104 LIGHT/MEDIUM (PINK)


Amore Pacific

Color Control Cushion Compact

Broad Spectrum SPF 50+

Sunscreen

Net wt. 1.05 oz. (0.52 oz. x 2) / 30g (15g X 2)




PRINCIPAL DISPLAY PANEL - 30 g Container Carton - 106 MEDIUM (PINK)

AMORE PACIFIC

COLOR CONTROL CUSHION COMPACT

Broad Spectrum SPF 50+
Sunscreen

Net wt. 1.05 oz. (0.52 oz. x 2) / 30g (15g X 2)



PRINCIPAL DISPLAY PANEL - 30 g Container Carton - 208 MEDIUM (YELLOW)


AMOREPACIFIC

COLOR CONTROL CUSHION COMPACT

Broad Spectrum SPF 50+

Sunscreen

Net wt. 1.05 oz. (0.52 oz. x 2) / 30g (15g X 2)



AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.106

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-512
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.05 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6225 g in 15 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.47 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
TOCOPHEROL (UNII: R0ZB2556P8)
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)
TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
PHYLLOSTACHYS RETICULATA RESIN (UNII: KX390ME4SP)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
ALCOHOL (UNII: 3K9958V90M)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
WATER (UNII: 059QF0K00R)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-512-21	2 in 1 CARTON	12/05/2012	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/05/2012	

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.208

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-514
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.05 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6225 g in 15 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.47 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
WATER (UNII: 059QF0KO0R)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
TOCOPHEROL (UNII: R0ZB2556P8)	

POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHYLLOSTACHYS RETICULATA RESIN (UNII: KX390ME4SP)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-514-21	2 in 1 CARTON	12/05/2012	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/05/2012	

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.104

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-511
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.05 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6225 g in 15 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.47 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHYLLOSTACHYS RETICULATA RESIN (UNII: KX390ME4SP)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
ALCOHOL (UNII: 3K9958V90M)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
WATER (UNII: 059QF0KO0R)
GREEN TEA LEAF (UNII: WZZU1RY8B0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-511-21	2 in 1 CARTON	12/05/2012	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/05/2012	

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.204

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-513
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.05 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6225 g in 15 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.47 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHYLLOSTACHYS RETICULATA RESIN (UNII: KX390ME4SP)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
WATER (UNII: 059QF0K00R)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-513-21	2 in 1 CARTON	12/05/2012	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/05/2012	

Labeler - AMOREPACIFIC CORPORATION (631035289)

Revised: 1/2024

AMOREPACIFIC CORPORATION