CERAMIDE LIFT AND FIRM MAKEUP BROAD SPECTRUM SUNSCREEN SPF 15 SPICEoctinoxate and titanium dioxide cream Elizabeth Arden, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BB0951

DESCRIPTION

- For normal to dry skin.
- Medium to full coverage. Luminous finish.

Makeup goes ultra to smooth, lift, and firm the look of skin. This moisturizing cream foundation with CPT technology, Ceramides, and Advanced Moisture Complex diminished the appearance of fine lines, perfects skin tone, and creates a luminous finish that lasts all day. Provides Broad Spectrum Sunscreen SPF 15 protection.

INDICATIONS AND USAGE

To Use: Smooth onto face.

For Sunscreen Use: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeve shirts, pants, hats, and sunglasses.

WARNINGS

Warnings:

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

OTC - ACTIVE INGREDIENT

Active Ingredients: Octinoxate 4.0%, Titanium Dioxide 3.0%.

INACTIVE INGREDIENT

Other Ingredients: Water/Aqua/Eau, Cyclopentasiloxane, Dimethicone, Isohexadecane, Mica, Glycerin, Sorbitan, Isostearate, Dimethicone Crosspolymer, Alumina, Caprylyl Dimethicone Ethoxy Glucoside, Aluminum/Magnesium Hydroxide Stearate, Ceramide 1, Ceramide 3, Ceramide 6 II, Alpinia Speciosa Leaf Extract, Hibiscus Abelmoschus Seed Extract, Trifolium Pratense (Clover) Flower Extract, Sodium Hyaluronate, Ascorbyl Palmitate, Retinyl palmitate, Tocopherol, Alanine, Aspartic Acide, Glumatic Acid, Silica Silyate, Acetyl Octatpeptide-3, Mannitol, Sodium PCA, Sorbitol, Trehalose, Urea, Lecithin, PCA Dimethicone, Phytosphingosine, Polyperfluoroethoxymethoxy Difluororethyl PEG

Phostphate, Fructose, Glucose, Sucrose, Cholesterol, Sodium Lauroyl Lactylate, Polyquaternium-51, Dextrin, Butylene Glycol, Hexylene Glycol, Carbomer, Xanthan Gum, BHT, Sodium Choloride, Zinc Stearate, Benzoic Acid, Butylparaben, Ethylparaben, Isobutylparaben, Methylparaben, Phenoxyethanol, Pottasium Sorbate, Propylparaben, Chlorphenesin, Iron Oxides (CI 77481, CI 77482), Titanium Dioxide (CI 77891).

DOSAGE & ADMINISTRATION

Smooth on to face.

OTC - KEEP OUT OF REACH OF CHILDREN


Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

OTC - PURPOSE

Provides SPF 15 sun protection.

OTC - WHEN USING

Keep out of eyes.



- For normal to dry skin
- Medium to full coverage. Luminous finish.
- Makeup goes ultra to smooth, lift and firm the look of skin. This moisturizing cream found ation with CPT technology, Ceramides and Advanced Moisture Complex diminishes the appearance of fine lines, perfects skin tone and creates a luminous finish that lasts all day. Provides Broad Spectru in Sunscreen SPF 15 protection.

Clinically, dermatologist and allergy tested.

To use: Smooth onto face.

Distributed in U.S.A. by ©Elizabeth Arden, Inc. New York, NY 10003

Made in Italy

elizabetharden.com

Drug Facts (continued)

POLYPERFLUORDETHOXYMETHOXY
DIFLUOROETHYL PEG
PHOSPHATE, FRUCTOSE,
GLUCOSE, SUCROSE,
CHOLESTEROL, SODIUM
LAUROYL LACTYLATE,
POLYOUATERNUM-51,
DEXTRIN, BUTYLENE GLYCOL,
HEXYLENE GLYCOL, CARBOMER,
XANTHAN GUM, BHT, SODIUM
CHLORIDE, ZINC STEARATE,
BENZOIC ACID, BUTYLPARABEN,
ETHYLPARABEN,
METHYLPARABEN,

Drug Facts (continued)

PHENOXYETHANOL, POTASSIUM SORBATE, PROPYLPARABEN, CHLORPHENESIN, IRON OXIDES (CI 77491, CI 77492, CI 77499), TITANIUM DIOXIDE (CI 77891).

Other Information

■ Protect this product from excessive heat and direct sun

Questions or comments?

Call toll free 1-800 326-7337

Drug Facts

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin

Drug Facts (continued)

- When using this product keep cut of eyes. Pinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

 Apply liberally 15 minutes before sun exposure

Drug Facts (continued)

- Reapply:
- at least every 2 hours
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor.

Drug Facts (continued)

Inactive Ingredients WATER/AQUA/EAU, CYCLOPENTASILOXANE, DIMETHICONE.

ISOHEXADECANE, MICA, GLYCERIN, SORBITAN ISOSTEARATE, DIMETHICONE CROSSPOLYMER, ALUMINA, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, ALUMINUMMAGNESIUM HYDROXIDE STEARATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, ALPINIA SPECIOSA LEAF EXTRACT.

Drug Facts (continued)

HIBISCUS ABELMOSCHUS SEED EXTRACT, TRIFOLIUM PRATENSE (CLOVER) FLOWER EXTRACT, SODIUM HYALURONATE, ASCORBYL PALMITATE, RETINYL PALMITATE, RETINYL PALMITATE, TOCOPHEROL, ALANINE, ASPARTIC ACID, GLUTAMIC ACID, SILICA SILYLATE, ACETYL OCTAPEPTIDE-3, MANNITOL, SODIUM PCA, SORBITOL, TREALOSE, UREA, LECITHIN, PCA DIMETHICONE, PHYTOSPHINGOSINE,

Elizabeth Arden Ceramide Lift and Firm Makeup Broad Spectrum Sunscreen SPF 15

To use: Smooth onto face.

ACTIVE INGREDIENTS: OCTINOXATE 4.0 % W/W
TITANIUM DIOXIDE 3.0 % W/W

USES: Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

Directions for Sunscreen use:

apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m., wear long-sleeve shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor. Other information: protect this product from excessive heat and direct sun. Questions or comments? Call toll free 1-800-326-7337. Distributed in U.S.A. by © Elizabeth Arden, Inc., New York, NY 10003 Made in Italy NO. FCFC001

elizabetharden.com

CERAMIDE LIFT AND FIRM MAKEUP BROAD SPECTRUM SUNSCREEN SPF 15 SPICE

octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67938-0951
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.28 g in 32 g	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	0.96 g in 32 g	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
DIMETHICO NE (UNII: 92RU3N3Y1O)		
ISO HEXADECANE (UNII: 918 X10 UF1E)		
MICA (UNII: V8A1AW0880)		
GLYCERIN (UNII: PDC6 A3C0 OX)		
CERAMIDE 3 (UNII: 4370 DF0 50 B)		
TRIFO LIUM PRATENSE FLO WER (UNII: 4JS0838828)		
ASCORBYL PALMITATE (UNII: QN83US2B0N)		
ALANINE (UNII: OF5P57N2ZX)		
ASPARTIC ACID (UNII: 30 KYC7MIAI)		
GLUTAMIC ACID (UNII: 3KX376GY7L)		
MANNITOL (UNII: 30WL53L36A)		
SORBITOL (UNII: 506T60A25R)		
TREHALOSE (UNII: B8WCK70T7I)		
UREA (UNII: 8W8T17847W)		
FRUCTOSE (UNII: 6 YSS42VSEV)		
SUCROSE (UNII: C151H8M554)		
CHOLESTEROL (UNII: 97C5T2UQ7J)		
SODIUM LAURO YL LACTYLATE (UNII: 7243K85WFO)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
HEXYLENE GLYCOL (UNII: KEH0 A3F75J)		
XANTHAN GUM (UNII: TTV12P4NEE)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
ZINC STEARATE (UNII: H92E6QA4FV)		
BENZOIC ACID (UNII: 8 SKN0 B0 MIM)		
BUTYLPARABEN (UNII: 3QPI1U3FV8)		
ETHYLPARABEN (UNII: 14255EXE39)		
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PHENO XYETHANOL (UNII: HIE492ZZ3T)		
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
CHLORPHENESIN (UNII: 1670 DAL4SZ)		

Product Characteristics			
Color	BROWN (Spice)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67938-0951-1	1 in 1 BOX		
1	NDC:67938-0951-2	32 g in 1 JAR		
2	NDC:67938-0951-3	25000 g in 1 PAIL		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/05/2010	

Labeler - Elizabeth Arden, Inc (849222187)

Revised: 7/2013 Elizabeth Arden, Inc