

**HYDROGEN PEROXIDE- hydrogen peroxide liquid
TOP CARE (Topco Associates LLC)**

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

First aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

- if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

Other information

- keep tightly closed and in a dark place at room temperature
- do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Questions or comments?

Call toll free **1-888-423-0139**

Principal Display Panel

3% USP Hydrogen Peroxide

FIRST AID ANTISEPTIC/ORAL DEBRIDING AGENT

- For treatment of minor cuts, scrapes and burns
- For use as an antiseptic gargle or rinse

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

topcare@topco.com

www.topcarebrand.com

Package Label

NDC 36800-214-32



3% USP Hydrogen Peroxide

FIRST AID ANTISEPTIC/
ORAL DEBRIDING AGENT

- For Treatment of Minor Cuts, Scrapes & Burns
- For Use as an Antiseptic Gargle or Rinse



Scan here for more information or call 1-888-423-0139

32 FL OZ (1 QT) 946 mL

PLD-K220C LB005209

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient Hydrogen peroxide 3%.....**Purpose** First aid antiseptic/oral debriding agent

Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use ■ in the eyes or apply over large areas of the body
■ longer than one week

Ask a doctor before use if you have

■ deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if ■ swelling, rash, or fever develops

■ the condition persists or gets worse

■ sore mouth symptoms do not improve in 7 days

■ irritation, pain, or redness persists or worsens

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions For use as a first aid antiseptic:

■ clean affected area ■ if bandaged, let dry first
■ apply small amount of product on affected area 1-3 times a day
■ may be covered with a sterile bandage

For use as an oral debriding agent (oral rinse):

■ adults and children 2 years of age and over:

■ mix with an equal amount of water
■ swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

■ children under 12 years should be supervised in the use of this product

■ children under 2 years of age: consult a doctor or dentist

Other information

■ keep tightly closed and in a dark place at room temperature

■ do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

Questions or comments?

Call toll free 1-888-423-0139



DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007 © TOPCO PLVA0521 QUESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com

PLD-D220C LB005210

TOPCARE HEALTH 3% Hydrogen Peroxide

HYDROGEN PEROXIDE

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-214
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-214-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/15/2009	
2	NDC:36800-214-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/15/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	05/15/2009	

Labeler - TOP CARE (Topco Associates LLC) (006935977)

Revised: 10/2023

TOP CARE (Topco Associates LLC)