

MINERAL CORRECTOR PALETTE SPF 20 SUNSCREEN- titanium dioxide and zinc oxide powder
Colorescience

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mineral Corrector Palette SPF 20 Sunscreen

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 21.2%	Sunscreen
Zinc Oxide 12.1%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 80 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.

▪ **Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Mica, Ethylhexyl Hydroxystearate Benzoate, Tocopheryl Acetate, Daucus Carota Sativa (Carrot) Seed Oil, Glycerin, Methicone, Dimethicone, Triethoxycaprylylsilane, Lycopodium Clavatum Extract, Imperata Cylindrica Root Extract, Lauroyl Lysine, Silica, Pelargonium Graveolens Flower Oil, Cananga Odorata Flower Oil, Fusanus Spicatus Wood Oil, Phenethyl Alcohol, Sodium Dehydroacetate, Caprylyl Glycol, Phenoxyethanol, Potassium Sorbate, Benzyl Benzoate, Farnesol, Linalool, Bismuth Oxochloride (CI 77163), Chromium Oxide Greens (CI 77288), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other information

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

Distributed in USA by
Colorescience®
Carlsbad, CA 92011

PRINCIPAL DISPLAY PANEL - 12 g Container Carton

colorescience®

MINERAL
CORRECTOR
PALETTE

All-in-one color correcting
pressed palette

Crème-like feel

Water resistant (80 minutes)

20
Broad Spectrum
SPF 20
Sunscreen

Net Wt. 12 g / 0.42 oz.

MINERAL CORRECTOR PALETTE

All-in-one color-correcting palette that includes five skin-neutralizing shades to cover and conceal common skin concerns.

- + Smooth finish that never looks flat or dry
- + Antioxidant and Vitamin E-enriched formula
- + Conceals imperfections while allowing skin to breathe

How to Use

Using the chart below, try each shade alone or blend together to find your best coverage based on your skintone:

- + Blemishes
- + Redness
- + Broken Capillaries



Shades

- + Yellow & Green Tones
- + Dark spots
- + Under eye circles



- + Post-procedure bruising

- + Yellow & Green Tones
- + Dark spots
- + Under eye circles
- + Post-procedure bruising



For best results, layer on top of your favorite Colorscience® Skin Perfection or Foundation using a patting motion to press product onto skin. Continue layering until desired coverage is achieved.

MINERAL CORRECTOR PALETTE

All-in-one color correcting pressed palette
 Crème-like feel
 Water resistant (80 minutes)

20 Broad Spectrum
 SPF 20
 Sunscreen

Net Wt. 12 g / 0.42 oz.

MINERAL CORRECTOR PALETTE SPF 20

SHADES IN ORDER LIGHTEST TO DEEPEST

1 LIGHTENS
 RED TONES

How to Use (EU)

Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight.

For USA Only

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 21.2%	Sunscreen
Zinc Oxide 12.1%	Sunscreen

Uses ■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

Over-exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen before sun exposure. Keep out of eyes. Stop use and ask a doctor if adverse reaction occurs.

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product, keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally 15 minutes before sun exposure. Works best on moisturized skin. ■ Reapply. ■ After 80 minutes of swimming or sweating. ■ Immediately after towel drying. ■ At least every 2 hours. ■ Children under 6 months: ask a doctor. ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. – 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients: Mica, Ethylhexyl Hydroxystearate Benzoin, Tocopheryl Acetate, Daucus Carota Sativa (Carrot) Seed Oil, Glycerin, Methicone, Dimethicone, Triethoxycaprylylsilane, Lycopodium Clavatum Extract, Imperata Cylindrica Root Extract, Lauryl Lysine, Silica, Pelargonium Graveolens Flower Oil, Cananga Odorata Flower Oil,

Fusarium Spicatus Wood Oil, Phenethyl Alcohol, Sodium Dihydroascorbate, Caprylyl Glycol, Phenoxyethanol, Potassium Sorbate, Benzyl Benzoate, Ferrous, Lindoor, Bismuth Oxichloride (CI 77163), Chromium Oxide Greens (CI 77288), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other information:
 ■ Protect this product from excessive heat and direct sun.

Questions or comments? Call toll free 866.426.5673

Ingredients (EU)
 Mica, Titanium Dioxide, Zinc Oxide, Ethylhexyl Hydroxystearate Benzoin, Tocopheryl Acetate, Daucus Carota Sativa (Carrot) Seed Oil, Glycerin, Methicone, Dimethicone, Triethoxycaprylylsilane, Lycopodium Clavatum Extract, Imperata Cylindrica Root Extract, Lauryl Lysine, Silica, Pelargonium Graveolens Flower Oil, Cananga Odorata Flower Oil, Fusarium Spicatus Wood Oil, Phenethyl Alcohol, Sodium Dihydroascorbate, Caprylyl Glycol, Phenoxyethanol, Potassium Sorbate, Benzyl Benzoate, Ferrous, Lindoor, +/- CI 77163, CI 77288, CI 77491, CI 77492, CI 77499, CI 77891]

Distributed in USA by
 Colorescience®
 Carlsbad, CA 92011
 Made in USA

BIORIS
 Plus de la Croix, 10A
 BE-7170 MANAGE
 1708048

2 CORRECTS RED TONES

3 COVERS BLUE AND BROWN TONES

4 CORRECTS DARK BLUE TONES

5 COVERS YELLOW AND GREEN

813419022491

MINERAL CORRECTOR PALETTE SPF 20 SUNSCREEN			
titanium dioxide and zinc oxide powder			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68078-014

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	212 mg in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	120 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Mica (UNII: V8A1AW0880)	
Ethylhexyl Hydroxystearate Benzoate (UNII: 3W8F25684B)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Carrot Seed Oil (UNII: 595AO13F11)	
Glycerin (UNII: PDC6A3C0OX)	
Methicone (20 CST) (UNII: 6777U11MKT)	
Dimethicone (UNII: 92RU3N3Y1O)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
Lycopodium Clavatum Whole (UNII: 005ICF6L27)	
Imperata Cylindrica Root (UNII: VYT2JA85NH)	
Lauroyl Lysine (UNII: 113171Q70B)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Pelargonium Graveolens Flower Oil (UNII: 3K0J1S7QGC)	
YLANG-YLANG OIL (UNII: 8YOY78GNNX)	
Santalum Spicatum Oil (UNII: H9LVS6REV4)	
Phenylethyl Alcohol (UNII: ML9LGA7468)	
Sodium Dehydroacetate (UNII: 8W46YN971G)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Potassium Sorbate (UNII: 1VPU26JZZ4)	
Benzyl Benzoate (UNII: N863NB338G)	
Farnesol (UNII: EB41QIU6JL)	
Bismuth Oxychloride (UNII: 4ZR792I587)	
Chromic Oxide (UNII: X5Z09SU859)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68078-014-15	1 in 1 CARTON	02/01/2017	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2017	

Labeler - Colorescience (128731929)

Revised: 10/2021

Colorescience