

**NO DRIP SEVERE CONGESTION PREMIER VALUE- oxymetazoline hcl nasal solution spray  
Chain Drug Consortium**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Nasal Spray**

**Active Ingredient**

Oxymetazoline hydrochloride 0.05%

**□ Purpose**

Nasal Decongestant

**□ Uses**

- Temporarily relieves nasal congestion due to:
  - Common cold
  - Hay fever
  - Upper respiratory allergies
- Shrinks swollen nasal membranes so you can breathe more freely

**□ Warnings**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland.

**When using this product**

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if**

symptoms persist.

**If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- **Adults and children 6 to 12 years of age (with adult supervision):** 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses within any 24-hour period.
- **Children under 6 years of age:** Ask a doctor.

Shake well before use. Before using for the first time remove the protective cap from the tip and prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after each use.

### **Other Information**

- store between 20°-25°C (68°-77°F)
- retain carton for future reference on full labeling

### **Inactive Ingredients**

Benzalkonium Chloride, Benzyl Alcohol, Camphor, Edetate Disodium, Eucalyptol, Menthol, Microcrystalline Cellulose, Carboxymethylcellulose Sodium, Polyethylene Glycol, Povidone, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic, Water.

### **Additional information listed on other panels**

**SAFETY SEALED: DO NOT USE IF IMPRINTED SEAL ON BOTTLE IS BROKEN OR MISSING.**

\*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks Sinex.

Distributed By:

Chain Drug Consortium

3301 NW Boca Raton Blvd, Suite 101

Boca Raton, FL 33431

Made in USA

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

### **Principal Display**

\*Compare to the active ingredient in Afrin

### **Premier Value**

Nasal Decongestant

No Drip

**SEVERE CONGESTION**

**NASAL SPRAY**

Oxymetazoline HCl Nasal Solution

## 12 HOUR PUMP MIST

Fast, Powerful Congestion Relief

- Colds
- Allergies

Maximum

Strength

plus Menthol

1 FL OZ (30 mL)

**Drug Facts**

**Active ingredient** Oxymetazoline hydrochloride 0.05%..... **Purpose** Nasal decongestant

**Uses**

- Temporarily relieves nasal congestion due to:
  - Common cold
  - Hay fever
  - Upper respiratory allergies
- Shrinks swollen nasal membranes so you can breathe more freely

**Warnings**

- Ask a doctor before use if you have
- heart disease
  - diabetes
  - trouble urinating due to enlarged prostate gland.
  - high blood pressure
  - thyroid disease

**When using this product**

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Adults and children 6 to 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses within any 24-hour period.
- Children under 6 years of age: Ask a doctor. Shake well before use. Before using for the first time remove the protective cap from the tip and prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.

**Other information**

- store between 20°-25°C (68°-77°F)
- retain carton for future reference on full labeling

**Inactive ingredients** Benzalkonium Chloride, Benzyl Alcohol, Calphox, Edetate Disodium, Eucalyptol, Menthol, Microcrystalline Cellulose, Carboxymethylcellulose Sodium, Polyethylene Glycol, Potassium, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic, Water.



**SAFETY SEALED: DO NOT USE IF IMPRINTED SEAL ON BOTTLE IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by MSD Consumer Care, Inc., distributor of Afrin® No Drip Extra Moisturizing.

DISTRIBUTED BY  
CHAIN DRUG CONSORTIUM  
3301 NW BOCA RATON BLVD  
SUITE 101 BOCA RATON, FL 33431  
MADE IN USA



If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.



NDC 68016-309-03  
\*COMPARE TO THE ACTIVE INGREDIENT IN AFRIN®

**No Drip**

Nasal Decongestant  
**Severe Congestion Nasal Spray**  
Oxymetazoline HCl Nasal Solution

NDC 68016-309-03  
\*COMPARE TO THE ACTIVE INGREDIENT IN AFRIN®



Nasal Decongestant  
**No Drip**  
**Severe Congestion Nasal Spray**  
Oxymetazoline HCl Nasal Solution

**12 HOUR PUMP MIST**

Fast, Powerful Congestion Relief  
Colds • Allergies

Maximum Strength plus Menthol  
1 FL OZ (30 mL)



NDC 68016-309-03  
\*COMPARE TO THE ACTIVE INGREDIENT IN AFRIN®



Nasal Decongestant  
**No Drip**  
**Severe Congestion Nasal Spray**  
Oxymetazoline HCl Nasal Solution

**12 HOUR PUMP MIST**

Fast, Powerful Congestion Relief  
Colds • Allergies

Maximum Strength plus Menthol  
1 FL OZ (30 mL)



**NO DRIP SEVERE CONGESTION PREMIER VALUE**

oxymetazoline hcl nasal solution spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-309
<b>Route of Administration</b>	NASAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
EUCALYPTOL (UNII: RV6J6604TK)	
MENTHOL (UNII: L7T10EIP3A)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE (UNII: 05JZI7B19X)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-309-03	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	11/04/2014	

**Labeler** - Chain Drug Consortium (101668460)

**Registrant** - Product Quest Mfg (927768135)

### Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(68016-309)

