

**NIOXIN HAIR REGROWTH TREATMENT EXTRA STRENGTH FOR MEN-**  
**minoxidil solution**  
**The Wella Corporation**

-----  
**Nioxin Hair Regrowth Treatment Extra Strength for Men**

***Drug Facts***

**Active ingredient**

Minoxidil 5% w/v

**Purpose**

Hair regrowth treatment for men

**Use**

to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

**Warnings**

**For external use only. For use by men only.**

**Flammable:** Keep away from fire or flame

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you

see results.

- the amount of hair regrowth is different for each person. This product will not work for all men.

### **Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

### **May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

### **Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 5% for men
- in clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical solution 2%
- store at 20° to 25°C (68° to 77°F). Keep tightly closed.

### **Inactive ingredients**

alcohol, propylene glycol, purified water

### **Questions?**

**Call 1-800-719-9260**

**MADE IN CANADA**

Dist. By THE WELLA CORPORATION,  
WOODLAND HILLS, CA 91367

**PRINCIPAL DISPLAY PANEL - 60 mL Bottle Carton**

**NIOXIN®**

**MINOXIDIL**

TOPICAL SOLUTION USP 5%

**HAIR REGROWTH TREATMENT**

EXTRA STRENGTH FOR MEN

Clinically Proven To Help Regrow Hair  
Reactivates Hair Follicles To Stimulate Regrowth

***NOT FOR USE BY WOMEN***

ONE MONTH SUPPLY

FDA APPROVED

1-60 mL (2 fl oz) Bottle

UNSCENTED

L33A91085

**Drug Facts**

**Active ingredient** **Purpose**  
Minoxidil 5% w/v Hair regrowth treatment for men

**Use** to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

**Warnings**  
For external use only. For use by men only.  
Flammable: Keep away from fire or flame

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have heart disease**

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)**

**Directions**

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 5% for men
- in clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical solution 2% store at 20° to 25°C (68° to 77°F). Keep tightly closed.

**Inactive ingredients** alcohol, propylene glycol, purified water

**Questions? Call 1-800-719-9260**

38016VCC1

**NIOXIN.**  
MINOXIDIL  
TOPICAL SOLUTION USP 5%

**HAIR REGROWTH  
TREATMENT**

EXTRA STRENGTH FOR MEN

ACTUAL  
SIZE

**FOR BEST RESULTS  
APPLY  
DIRECTLY  
TO SCALP  
TWICE  
DAILY**

**NIOXIN.**  
MINOXIDIL  
TOPICAL SOLUTION USP 5%

**HAIR REGROWTH  
TREATMENT**

EXTRA STRENGTH FOR MEN

**FOR BEST RESULTS  
APPLY DIRECTLY  
TO SCALP TWICE DAILY**

ONE MONTH SUPPLY

60 mL (2 fl oz)

Clinically Proven To Help Regrow Hair  
Reactivates Hair Follicles To Stimulate Regrowth

**NOT FOR USE BY WOMEN**

ONE MONTH SUPPLY FDA APPROVED

1-60 mL (2 fl oz) Bottle UNSCENTED

MADE IN CANADA  
Dist. By THE WELLA CORPORATION,  
WOODLAND HILLS, CA 91367  
[www.nioxin.com](http://www.nioxin.com)

**This Package Contains:**

- One 60 mL (2 fl oz) Bottle of Minoxidil Topical Solution 5% Extra Strength (one month supply)
- One child-resistant dropper applicator
- Information leaflet with complete directions on how to use and obtain best results

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.

**Vertex**      **Vertex**

**Vertex**

**If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.**

38016VCC1

9697 6340

LOT NO. 9697 6340  
EXP. 070018 06904 7  
1-36036 VC C1

38016VCC1

# NIOXIN HAIR REGROWTH TREATMENT EXTRA STRENGTH FOR MEN

minoxidil solution

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69282-002

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69282-002-60	1 in 1 CARTON	11/01/2014	
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:69282-002-18	3 in 1 CARTON	11/01/2014	
2		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075598	11/01/2014	

**Labeler** - The Wella Corporation (001399815)

Revised: 10/2023

The Wella Corporation