

**REVLON AGE DEFYING FIRMLING LIFTING MAKEUP SPF 15- octinoxate, titanium dioxide  
make-up liquid**

**Revlon Consumer Products Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**REVLON AGE DEFYING 3X Foundation**

**Active Ingredients :**

Octinoxate: 3.5%

Titanium Dioxide 4.3%

**Purpose**

Sunscreen

**Uses:**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings:**

- For external use only
- Do not use on damaged or broken skin
- When using this product: Keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if a rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control center right away

**Directions**

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor.

**Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 am - 2 pm
- Wear long-sleeved shirts, pants, hats and sunglasses.

**Inactive Ingredients**

AQUA ((WATER) EAU), CYCLOPENTASILOXANE, DIMETHICONE, PHENYL TRIMETHICONE, GLYCERIN, PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, BORON NITRIDE, TRIMETHYLSILOXYSILICATE, DISTEARDIMONIUM HECTORITE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, ALUMINA, CAPRYLYL GLYCOL, PHENOXYETHANOL, SILICA, NIACINAMIDE, LAURETH-7, SODIUM CHLORIDE, POLYGLYCERYL-3 DIISOSTEARATE, PULLULAN, DIMETHICONE CROSSPOLYMER, METHICONE, XANTHAN GUM, POTASSIUM SORBATE, TRIETHOXYCAPRYLYLSILANE, SORBITOL, TREHALOSE, SODIUM ASCORBYL PHOSPHATE, TOCOPHERYL ACETATE, CALCIUM ALUMINUM BOROSILICATE, C12-15 ALKYL BENZOATE, TETRASODIUM EDTA, GLYCYRRHETINIC ACID, ACETYL HYDROXYPROLINE, ACACIA SENEGAL GUM, TOCOPHEROL, SODIUM CITRATE, DIPROPYLENE GLYCOL, METHYL ACETYLGLYCYRRHETINOYL HYDROXYPROLINATE, LINOLEIC ACID, LECITHIN, SODIUM HYALURONATE, PHYTOSTERYL CANOLA GLYCERIDES, HYDROLYZED GLYCOSAMINOGLYCANS, PALMITIC ACID, OLEIC ACID, TRIOLEIN, STEARIC ACID, PALMITOYL TRIPEPTIDE-5, ACETYL HEXAPEPTIDE-8

### **Principal Display Panel**

REVLON


Age Defying Firming + Lifting Makeup

Broad Spectrum

SPF 15

1.0 fL. OZ/30 mL

REVLON AGE DEFYING FIRING + LIFTING MAKEUP US 2  
**BACK LABEL**  
 CF04241 / 4531-XX  
 3.5"W x 0.8438"H



ENLARGED 175% FOR PROOFREADING



<p><b>Drug Facts (continued)</b>                  hats and sunglasses.</p> <p><b>Inactive Ingredients:</b> Aqua (Water), Glycerin, Dimethicone, Pheny Trimethylolpropane, PEG-9 Polydimethylsilyloxyethyl Dimethicone, Biotin Nitride, Dimethylsilyloxyethyl, Tetrahydrofuran.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Active Ingredients:</b> Hydroquinone, Retinol, Ascorbic Acid, Niacinamide, Vitamin C, Vitamin E, Vitamin K, Vitamin B5, Vitamin B6, Vitamin B12, Vitamin D, Vitamin H, Vitamin I, Vitamin J, Vitamin L, Vitamin M, Vitamin N, Vitamin O, Vitamin P, Vitamin Q, Vitamin R, Vitamin S, Vitamin T, Vitamin U, Vitamin V, Vitamin W, Vitamin X, Vitamin Y, Vitamin Z.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Active Ingredients:</b> Linoleic Acid, Palmitic Acid, Stearic Acid, Zinc Oxide, Titanium Dioxide, Iron Oxides, Ultramarines, Mica, Titanium Dioxide, Calcium Aluminum Borosilicate, C12-15 Alkyl Benzoate, Sodium Citrate, Dipropylene Glycol, Stearic Acid, Palmitic Acid, Oleic Acid, Tetrahydrofuran.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Active Ingredients:</b> Potassium Sorbate, Phenoxyethanol, Capryl Glycol, Methylparaben, Methylisothiazolinone, Triethylhexylmethane, Iron Oxides, Titanium Dioxide, Calcium Aluminum Borosilicate, C12-15 Alkyl Benzoate, Sodium Citrate, Dipropylene Glycol, Stearic Acid, Palmitic Acid, Oleic Acid, Tetrahydrofuran.</p>	<p><b>UPC FPO</b></p> <p><b>Drug Facts</b></p>
<p><b>Drug Facts (continued)</b></p> <p><b>Active Ingredients:</b> Octinoxate 3.5%, Titanium Dioxide 4.3%</p> <p><b>Purpose:</b> Sunscreen</p> <p><b>Use:</b> • Helps prevent sunburn. • If used as directed will</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.</b></p> <p><b>Warnings:</b> • For external use only. • Do not use on damaged or broken skin.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>When using this product:</b> • Keep out of the eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Directions:</b> • Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Directions:</b> • Apply liberally 15 minutes before sun exposure and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 am - 2 pm • Wear long-sleeved shirts, pants,</p>

Merch. Code	Shade Name	1-TOP		11-BASE		UPC
		Product #	Stock #	Product#	Stock #	
22	100	45010	20000	45010	20000	309974531054
10	100	45010	20000	45010	20000	309974531108
10	100	45010	20000	45010	20000	309974531207
10	100	45010	20000	45010	20000	309974531306
10	100	45010	20000	45010	20000	309974531351
10	100	45010	20000	45010	20000	309974531405
10	100	45010	20000	45010	20000	309974531450
10	100	45010	20000	45010	20000	309974531504
10	100	45010	20000	45010	20000	309974531559
10	100	45010	20000	45010	20000	309974531603
10	100	45010	20000	45010	20000	309974531658
10	100	45010	20000	45010	20000	309974531702

- SUBSTRATE IS WHITE
- BLACK TEXT, RULES AND UPC PRINT: 100% BLACK
  - CYAN RULES REPRESENT DIE AND MEASUREMENTS: DO NOT PRINT
  - CYAN DASHED RULES REPRESENT LIVE AREA: DO NOT PRINT
  - CYAN FILL REPRESENT HINGE AREA: DO NOT PRINT

**UPC:SEE CHART**

**Mechanical Approval**

**DISK RELEASE: 02-25-13**

**SCHAWKI**  
 1600 East Shelden Avenue  
 Oak Plains, IL 60453  
 Phone: 847-296-6000  
 800-621-1900  
 Fax: 847-296-9666

For approval please contact the following:  
 Level 1: Customer Service: Suzan Gojny  
 Email: gojny@schawki.com • 847-759-7040  
 Level 2: Customer Service: Tim Owens  
 Email: tim@schawki.com • 847-759-7070  
 Package Developer: Hussain Quraysh  
 Email: hussain@schawki.com • 708-292-7728

Client: Revlon Brand: Revlon Job #: 518213C Anthem #: 36947  
 Description: Revlon Age Defying Firming + Lifting Makeup US 2 Back Label  
 Component: Back Label Program #: 13-0930 Project #: CF94241  
 Stock #: 215797-XX MLI #: 23060 Product #: 4531-XX  
 Size: 3.5"W x 0.8438"H Die #:  
 File Name: REV\_518213C03\_CFO4241.ai Software: 14  
 Op/Date: KP 02-19-13, 02-22-13, PF 02-25-13

**Reason for change:**  
 1. MLI/Dimension & Partwork P&D Date: 02-25-13  
 2. Release Date: 02-25-13  
 3. Change description Date: 02-25-13  
 4. Change description Date: 02-25-13

REVLON AGE DEFYING FIRING LIFTING MAKEUP SPF 15

octinoxate, titanium dioxide make-up liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10967-621
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.5 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	4.3 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>LAURETH-7</b> (UNII: Z95S6G8201)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>TRIMETHYLSILOXYLSILICATE (M/Q 0.8-1.0)</b> (UNII: 25LXE464L2)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95HI)	
<b>OLEIC ACID</b> (UNII: 2UMI9U37CP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>PULLULAN</b> (UNII: 8ZQ0AYU1TT)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

TREHALOSE (UNII: B8WCK70T7I)
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)
ENOXOLONE (UNII: P540XA09DR)
OXACEPROL (UNII: Q0XV76B96L)
ACACIA (UNII: 5C5403N26O)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
HYDROLYZED GLYCOSAMINO GLYCANS (BOVINE; 50 000 MW) (UNII: 997385V0VV)
PALMITOYL TRIPEPTIDE-5 (UNII: 2A3916MQHO)
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWIL)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-621-01	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/30/2013	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/30/2013	

**Labeler** - Revlon Consumer Products Corp (788820165)

### Establishment

Name	Address	ID/FEI	Business Operations
REVLON, INC.		809725570	manufacture(10967-621)

Revised: 6/2018

Revlon Consumer Products Corp