NUMBED AS FXXK- topical anesthetic cream cream Blackbull Store LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BlackBull Numbed As FXXK Cream 57 mL

Active Ingredient(s)

Lidocaine 4%

Purpose

Topical Anesthetic

Use

For the temporary relief of pain

Warnings

For external use only.

Avoid contact with eyes.

Not for prolonged use.

Do not use in large quantities, particularly over raw surfaces or blistered areas.

Keep out of reach of children. If swallowed, get medical help, or contact a Poison Control Center right away +1~800-222-1222

Stop Use and Ask a Doctor if the condition worsens **symptoms** persist for more than seven days or clear up and occur again within a few days. Rash or irritation develops, persists, or increases. If pregnant or breastfeeding, ask a health professional before use.

Directions

Adults and children 2 years old and older Clean the affected area Apply to affected area not more than 3 to 4 times daily Remove residue if desired Children under 2 years old:

Consult a doctor

Other information

Store at 15 to 30°C (59 to 86°F) Tamper Evident: DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING

Inactive ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Alcohol, Aloe Barbadensis Leaf Juice, Cetearyl Alcohol, Ceteth-10 Phosphate, Cyclopentasiloxane, Denatonium Benzoate, Dicetyl Phosphate, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disodium EDTA, Ethylhexylglycerin, Gyceryl Stearate, Isohexadecane, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Maltodextrin, Phenoxyethanol, Simmondsia Chinensis(Jojoba) Seed Oil, Steareth-21, Tocopheryl Acetate, Water.

Call (754) 248 - 2548

Package Label - Principal Display Panel

Numbed As F"k

4% Lidocaine Cream

Drug Facts

Active ingredient Lidocaine 4%.....

Purpose al analgesio

Use For the temporary relief of pain

Warnings

For external use only. Avoid contact with eyes.

Not for prolonged use.

Do not use in large quantities, particularly over raw surfaces or blistered areas

- condition worsens symptoms persist for more than 7 days or clears up and occurs again within a few days
- rash or irritation develops, persists, or increases If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help, or contact a Poison Control Center right away: 800-222-1222

Directions

- Directions
 Adults and children 2 years old and older

 clean the affected area

 apply to affected area not more than 3 to 4 times daily.

 remove residue if desired

 Children under 2 years old: Consult a doctor

Other information

store at 15 to 30°C (59 to 86°F) • Tamper Evident: DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING

Inactive ingredients

aloe barbadensis leaf juice, arginine, benzophenone-4, cetyl alcohol, dimethyl sulfoxide, melaleuca alternifolia (tea tree) leaf oi phenoxyethanol (and) caprylyl glycol (and) potassium sorbate (and) water (and) hexylene glycol, purified water, simmondsia chinensis (jojoba) seed oil, sodium polyacrylate, stearic acid

Questions or Comments? Please call us (754) 248 - 2548 MADE IN CHINA



NDC XXXXXXX

Miami, FL 33166 48 19 MN 0098 Blackbull Store LLC Distributed by



5 oz / 57 G Vitamine E Tattoo Numbing Cream With

ll paglunil

- · Tattos, waxing, laser, microblading
 - · Morks Faster, Lasts Longer
 - · Child Resistant Packaging
 - · Pure Extra Strenght Lidocaine



2 OZ Cream, NDC: 83371-112-11

NUMBED AS FXXK

topical anesthetic cream cream

Product	Inform	ation
PIUUULL		aliui

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83371-112

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 mg in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
STEARETH-21 (UNII: 53J3F32P58)		
ISOHEXADECANE (UNII: 918X1OUF1E)		
ALCOHOL 95% (UNII: 7528N5H79B)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)		
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)		
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)		
.ALPHATOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)		
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
WATER (UNII: 059QF0KO0R)		
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
DENATONIUM BENZOATE ANHYDROUS (UNII: M5BA6GAF10)		
JOJOBA OIL (UNII: 724GKU717M)		
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)		
ALOE VERA LEAF (UNII: ZY81Z83H0X)		
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)		
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	NDC:83371-112- 11	57 mL in 1 TUBE; Type 0: Not a Combination Product	08/10/2023	

Marketing Information			
Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date

OTC monograph not final	part348	08/10/2023	

Labeler - Blackbull Store LLC (085247371)

Revised: 7/2023 Blackbull Store LLC