

QUICK-ACTING WART REMOVAL- quick-acting wart removal liquid

Shenzhenshi Liuxiang Yuntian Network Technology Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Salicylic Acid 20%

Salix Alba Bark 2%

Bifidobacterium Longum 1%

Glycyrrhizinate Dipotassium 0.2%

Purpose

Wart remover

Uses

- For removal of common and plantar warts.
- Common warts can be easily recognized by the rough cauliflower-like appearance of the surface
- Plantar warts can be recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern

Warnings

- If you have diabetes or poor blood circulation
- On irritated skin or any area that is inflamed or reddened
- On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes

Cautions

- For external use only
- Flammable, keep away from fire and flames
- Pregnant women, lactating women, people with allergies, children under 3 years old, and people with damaged skin should avoid using it

When using this product

- If product gets in eyes, flush with water for 15 minutes
 - Cap bottle tightly when not in use and store at room temperature away from heat
- If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed by mistake, get medical help or contact a Poison Control Center right away.

If swallowed by mistake, get medical help or contact a Poison Control Center right away.
Keep out of reach of children.

Directions

- Wash the affected area by soaking the wart in warm water for 5 minutes
- Dry thoroughly, apply one drop at a time with applicator to sufficiently cover each wart
- Let it dry, self-adhesive masking sheets can be used to hide warts
- Repeat procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information

- Store at temperature (59-86°F / 15-30°C).
- Keep in a cool place and avoid direct sunlight.

Allantoin, Disodium Edta, Ethylhexylglycerin, Glycerin, Lactic Acid, Methylparaben, Portulaca Oleracea Extract, Trehalose, Water(AQUA), Xanthan Gum



整面uv

外尺寸---52.6*40.6*90

QUICK-ACTING WART REMOVAL

quick-acting wart removal liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83575-001
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX) (GLYCYRRHIZIN - UNII:6FO62043VK)	GLYCYRRHIZINATE DIPOTASSIUM	0.2 mg in 100 mL
SALIX ALBA BARK (UNII: 205MXS71H7) (SALIX ALBA BARK - UNII:205MXS71H7)	SALIX ALBA BARK	2 mg in 100 mL
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	20 mg in 100 mL
BIFIDOBACTERIUM LONGUM (UNII: 831AQW699W) (BIFIDOBACTERIUM	BIFIDOBACTERIUM	1 mg

LONGUM - UNII:831AQW699W)

LONGUM

in 100 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
GLYCERIN (UNII: PDC6A3C0OX)	
XANTHAN GUM (UNII: TTV12P4NEE)	
LACTIC ACID (UNII: 33X04XA5AT)	
PURSLANE (UNII: M6S840WVG5)	
WATER (UNII: 059QF0KO0R)	
ALLANTOIN (UNII: 344S277G0Z)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
TREHALOSE (UNII: B8WCK70T7I)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83575-001-01	30 mL in 1 BOX; Type 0: Not a Combination Product	07/12/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M016	07/12/2023	

Labeler - Shenzhenshi Liuxiang Yuntian Network Technology Co., Ltd. (713044573)**Establishment**

Name	Address	ID/FEI	Business Operations
Shenzhenshi Liuxiang Yuntian Network Technology Co., Ltd.		713044573	manufacture(83575-001)

Revised: 7/2023

Shenzhenshi Liuxiang Yuntian Network Technology Co., Ltd.