

LORATADINE- loratadine tablet, orally disintegrating
Rite Aid Corporation

Rite Aid Corporation Loratadine Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- **do not use if printed blister unit is broken or torn**
- store between 20° to 25°C (68° to 77°F)
- use tablet immediately after opening individual blister

Inactive ingredients

croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, mannitol, microcrystalline cellulose, natural and artificial mint flavor, sucralose

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

FREE FROM | GLUTEN FREE

Compare to the active ingredient of Claritin® RediTabs®

24 HOUR

FOR JUNIORS & UP AGES 6 YEARS & OLDER

ORIGINAL PRESCRIPTION STRENGTH

LORATADINE

ORALLY DISINTEGRATING TABLETS, 10 mg

ANTIHISTAMINE

NON-DROWSY*

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF

Sneezing • Runny nose • Itchy, watery eyes

Itchy throat or nose

ACTUAL SIZE

NO WATER NEEDED

MELTS IN YOUR MOUTH

*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

30 TABLETS

24 HOUR

FOR JUNIORS & UP AGES 6 YEARS & OLDER

ORIGINAL PRESCRIPTION STRENGTH

LORATADINE

ORALLY DISINTEGRATING TABLETS, 10 mg

ANTIHISTAMINE

30 Orally Disintegrating Tablets for 30 Days of Relief

FREE FROM GLUTEN FREE

NDC 11822-0919-0

Compare to the active ingredient of Claritin® RedTabs***

24 HOUR

FOR JUNIORS & UP AGES 6 YEARS & OLDER

ORIGINAL PRESCRIPTION STRENGTH

LORATADINE

ORALLY DISINTEGRATING TABLETS, 10 mg

ANTIHISTAMINE

NON-DROWSY*

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF

Sneezing • Runny nose • Itchy, watery eyes
Itchy throat or nose



*WHEN TAKEN AS DIRECTED.
SEE DRUG FACTS PANEL

ACTUAL SIZE
NO WATER NEEDED
MELTS IN YOUR MOUTH

30
TABLETS


DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

**SATISFACTION
GUARANTEE**
If you're not satisfied, we'll
happily refund your money.


97W65 83 C2

CODE AREA

Follow these directions carefully.



1. Pull back
inner edge.



2. Gently push
tablet out.



3. Place the tablet on tongue
and close mouth. The tablet
will disintegrate.

24 HOUR

FOR JUNIORS & UP
AGES 6 YEARS & OLDER

LORATADINE
ORALLY DISINTEGRATING
TABLETS, 10 mg

ANTIHISTAMINE

NO WATER NEEDED
MELTS IN YOUR MOUTH

Drug Facts

Active ingredient (in each tablet) Purpose
Loratadine 10 mg Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

Place 1 tablet on tongue; tablet disintegrates, with or without water.

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Drug Facts (continued)

Other information

- do not use if printed blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- use tablet immediately after opening individual blister

Inactive ingredients

croscarmellose sodium, croscopolone hydrochloride, magnesium stearate, mannitol, microcrystalline cellulose, natural and artificial mint flavor, sucralose

Questions or comments?

1-800-719-9260

*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Claritin® RedTabs®.



LORATADINE

loratadine tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0919
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	L;L
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0919-0	30 in 1 CARTON	09/25/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076011	09/25/2020	

Labeler - Rite Aid Corporation (014578892)