PURELAX- polyethylene glycol 3350 powder, for solution CVS Pharmacy

CVS Pharmacy, Inc. Purelax® Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- · you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- use once a day
- fill to top of white section in cap which is marked to indicate correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that powder is fully dissolved before drinking
- do no drink if there are any clumps
- do not use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-800-719-9260

Principal Display Panel

CVS Health®

Compare to the active ingredient in MiraLAX®

Purelax®

POLYETHYLENE GLYCOL 3350

Powder for solution, Osmotic laxative

UNFLAVORED POWDER - GRIT FREE

Relieves occasional constipation / irregularity

Softens stoolNET WT 17.9 OZ (510 g)30 Once-daily Doses



Compare to the active ingredient in MiraLAX®* NDC 59779-306-03

Purelax®

POLYETHYLENE GLYCOL 3350
Powder for solution, Osmotic laxative

UNFLAVORED POWDER - GRIT FREE

- Relieves occasional constipation / irregularity
- Softens stool



NET WT 17.9 OZ (510 g) 30 Once-daily Doses

: 306D8 17 F8

CVS Health® Purelax® increases frequency of bowel movements and softens the stool.

Drug Facts

Active ingredient (in each dose)
Polyethylene Glycol 3350,

Purpose

17 g (cap filled to line)......Osmotic Laxativ

Use ■ relieves occasional constipation (irregularity)
■ generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug

Drug Facts (continued)

■ adults and children 17 years of age and older: ■ use once a day ■ fill to top of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ do not combine with starch-based thickeners used for difficulty swallowing ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ do not use more than 7 days ■ children 16 years of age or under: ask a doctor

Other information store at 20°-25°C (68°-77°F)

■ tamper-evident: do not use if printed foil seal under cap is missing, open

Inactive ingredients none





PURELAX

polyethylene glycol 3350 powder, for solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-306
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g	

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-306- 01	119 g in 1 BOTTLE; Type 0: Not a Combination Product	10/14/2009	
2	NDC:59779-306- 02	238 g in 1 BOTTLE; Type 0: Not a Combination Product	10/07/2009	
3	NDC:59779-306- 03	510 g in 1 BOTTLE; Type 0: Not a Combination Product	10/14/2009	
4	NDC:59779-306- 04	850 g in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2011	
	NDC 50770 300			

5	NDC:59779-306- 53	12 in 1 CARTON	10/14/2009	01/02/2016
5		17 g in 1 POUCH; Type 0: Not a Combination Product		
6	NDC:59779-306- 18	153 g in 1 BOTTLE; Type 0: Not a Combination Product	04/23/2014	06/15/2016
7	NDC:59779-306- 17	289 g in 1 BOTTLE; Type 0: Not a Combination Product	02/11/2014	02/11/2014
8	NDC:59779-306- 19	595 g in 1 BOTTLE; Type 0: Not a Combination Product	04/23/2014	03/31/2021
9	NDC:59779-306- 52	10 in 1 CARTON	04/24/2015	
9		17 g in 1 POUCH; Type 0: Not a Combination Product		
10	NDC:59779-306- 60	20 in 1 CARTON	05/05/2020	
10		17 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/07/2009	

Labeler - CVS Pharmacy (062312574)

Revised: 8/2023 CVS Pharmacy