MILK OF MAGNESIA- magnesium hydroxide suspension STRATEGIC SOURCING SERVICES LLC

fos mom mnt

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (800) 222-1222.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor

- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, only use the dosing cup provided
- mL = milliliter

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL tablespoonful contains: magnesium 500 mg
- store at room temperature tightly closed
- avoid freezing

Inactive ingredients

flavor, purified water, saccharin sodium, sodium hypochlorite

Questions or comments?

Call **833-358-6431**

package Label

NDC 70677-1073-1

COMPARETO THE ACTIVE INGREDIENT OF PHILLIPS' MILK OF MAGNESIA*



Milk of Magnesia

Magnesium Hydroxide SALINE LAXATIVE

- · Gentle Overnight Relief · Sugar Free
- Stimulant Free
- Cramp Free



MINT FLAVOR DOSAGE CUP INCLUDED

12 FL OZ (355 mL)

275-19212-0 REV 0723

Drug Facts |

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN.

Active ingredient (in each 15 mL) Magnesium hydroxide 1200 mg

Purpose Saline laxative

Use • relieves occasional constipation (irregularity)

generally produces bowel movement in ½ to 6 hours

Warninas

Ask a doctor before use if you have • kidney disease

- · stomach pain, nausea or vomiting a magnesium-restricted diet
- a sudden change in bowel habits that lasts more than 14 days

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (800) 222-1222

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, only use the dosing cup provided mL = milliliter

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg
 store at room temperature tightly closed
- avoid freezing

Inactive ingredients flavor, purified water, saccharin sodium, sodium hypochlorite

Questions or comments? Call 833-358-6431

This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark Phillips' Milk of Magnesia.

975-19212-0 REV0723

©2023 McKesson Corporation Distributed by: McKesson Corp., via SSSL. Memphis, TN 38141 Money Back Guarantee www.fosterandthrive.com

MILK OF MAGNESIA

magnesium hydroxide suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70677-1073

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION -	MAGNESIUM HYDROXIDE	1200 mg

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

l	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:70677- 1073-1	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/01/2023	

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Registrant - GCP Laboratories (965480861)

Establishment			
Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	pack(70677-1073) , manufacture(70677-1073)

Revised: 11/2023 STRATEGIC SOURCING SERVICES LLC