

MEB PAINGUARD PATCH- meb painguard patch patch
MEB GLUCO-VITALITY PATCH- meb gluco-vitality patch patch
Kadesh Incoporation Co,Ltd

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Do not Use

*If the needles inside the patch do not cause a tingling sensation, do not use it and replace it with a new patch.

*If headaches, dizziness, or any discomfort persist for more than 5 minutes, discontinue use.

Consult a physician if: *Symptoms persist for more than 7 days or worsen.

When using this product:

*Due to its sensitivity to moisture, do not store the patch in the refrigerator, and it should be used immediately after opening.

Keep out of reach of Children

Consult a physician if: *Symptoms persist for more than 7 days or worsen.

MEB PainGuard Patch

Silicea, Natrum Muriaticum, Alumina, Ferrum Muriaticum, Kali Silicatum, Titanium Metallicum, Phosphorus. Cerium Oxalicum, Magnesia Sulphurica

MEB Gluco-Vitality Patch

Alumina, Alumina Silicata, Cerum Oxalicum, Ferrum Muriaticum, Kali Silicatum, Natrum Nitricum, Manganum Metallicum, Natrum Nitricum

MEB PainGuard Patch

Alumina Silicata , Calcarea Silicata, Calcarea Fluorata, Ferrum Phosphoricum, Ferrum Muriaticum, Natrum Nitricum, Magnesia Muriatica, Maganum Metallicum, Sulphur, Vanadium Metallicum, Zincum Metalicum

MEB Gluco-Vitality Patch

Ferum Metalicum, Magnesia Sulphurica, Phosphorus, Calcarea Fluorata, Zincum Metallicum, Vanadium Metallicum, Sulphur

MEB Gluco-Vitality Patch

Active Ingredients Purpose

Ferum Metalicum 7X HPUS Congestion of Blood

Magnesia Sulphurica 7X HPUS	Diabetes
Phosphorus 6X HPUS	Vascular Deases
Calcarea Fluorata 6X HPUS	Vessels-lipids
Zincum Metallicum 8X HPUS	Varicose Vein
Vanadium Metallicum 12X HPUS.....	Atheroma of Arteries
Sulphur 4X HPUS.....	Varicosities

MEB PainGuard Patch

Active Ingredient	Purpose
--------------------------------	----------------

Alumina Silicata 5X HPUS.....	Muscle Pain
Calcarea Silicata 5X HPUS.....	Joint Pain
Calcarea Fluorata 6X HPUS.....	Joint Pain, Inflammation
Ferrum Phosphoricum 7X HPUS.....	Inflammation, Articular Rheumatism
Ferrum Muriaticum 7X HPUS.....	Rheumatism Pain
Natrum Nitricum 5X HPUS.....	Inflammation
Magnesia Muriatica 7X HPUS.....	Inflammation
Maganum Metallicum 12X HPUS.....	Gout, Chronic Arthritis
Sulphur 4X HPUS.....	Pain, Inflammation
Vanadium Metallicum 12X HPUS.....	Gout
Zincum Metalicum 8X	Cramping, Pain, Sore

MEB Painguard Patch

Direction

1. With clean hands, peel off the clear cover attached to the patch.
2. Apply the patch carefully onto the area where you are experiencing pain.
3. Fold the patch using your thumb and index finger, then peel off the protective tape from the top and bottom surfaces.
4. After attaching the patch, press firmly on it with your fingers around 10 times to ensure that the needles penetrate the skin for optimal effectiveness.
5. Leave the patch on for a minimum of 8 hours without removing.

If pain relief is achieved even after a minimum of 8 hours with the patch on, you may continue to wear it. If the pain returns after 8 hours, apply a new patch following the same method.

MEB Gluco-Vitality Patch

Direction

Use 2 patch at a time

1. With clean hands, peel off the clear cover attached to the patch.
2. Apply the patches just below the area of your left and right ears. Align the adhesive side of the patch with the backline of your ear.
3. Fold the patch using your thumb and index finger, then peel off the protective tape from the top and bottom surfaces.
4. After attaching the patch, press firmly on it with your fingers around 10 times to ensure that the needles penetrate the skin for optimal effectiveness.
5. Leave the patch on for a minimum of 8 hours without removing.
6. Before applying the patch, measure your blood sugar level. After a minimum of 8 hours with the patch on, measure your blood sugar level again.

The MEB PainGuard Patch is designed to provide effective pain relief and treat various types of pain, providing fast-acting and long-lasting relief from pain, helping to alleviate discomfort caused by muscle pain, nerve pain, and other common types of pain.

This innovative patch targets and treats the underlying inflammation that causes pain to help eliminate the root cause of pain, leading to more effective and sustainable pain relief.

The Gluco Vitality Patch assists individuals with diabetes in stabilizing their blood sugar levels while promoting vascular health to provide a comprehensive approach to diabetes care.

By promoting vascular health, the GlucoVitaPatch aims to improve circulation and support the prevention and treatment of vascular diseases commonly associated with diabetes.

Drug Facts

Active Ingredient	Purpose	Active Ingredient	Purpose
Ferum Metallicum 7X HPUS	Coagulates of Blood	Zincum Metallicum 6X HPUS	Vascular Tone
Magnesia Sulphurica 7X HPUS	Diabetes	Selenium Metallicum 12X HPUS	Adherence of Arteries
Phosphorus 6X HPUS	Vascular Disease	Sulphur 4X HPUS	Vascularities
Calcarea Fluviatilis 6X HPUS	Insulin Impair		

The letters HPUS indicate that this ingredients is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses
The GlucoVitality Patch assist individuals with diabetes in stabilizing their blood sugar levels while promoting vascular health to provide a comprehensive approach to diabetes care.

By promoting vascular health, the GlucoVitality Patch aims to improve circulation and support the prevention and treatment of vascular diseases commonly associated with diabetes.

Warning

Do not use
*If the needles inside the patch do not cause a stinging sensation, do not use it and replace it with a new patch.
*If headaches, dizziness, or any discomfort persist for more than 5 minutes, discontinue use.

Consult a physician if: *If symptoms persist for more than 7 days or worsen.

When using this product:
*Use in its sensitivity to moisture, do not store the patch in the refrigerator, and it should be used immediately after opening.

Keep out of reach of Children

Direction

1. With clean hands, peel off the clear cover attached to the patch.
2. Apply the patch just below the area of your left and right ear. Align the adhesive side of the patch with the backbone of your ear.
3. Fold the patch using your thumb and index finger, then peel off the protective tape from the top and bottom surfaces.
4. After attaching the patch, press firmly on it with your fingers around 10 times to ensure that the needles penetrate the skin for optimal effectiveness.
5. Leave the patch on for a minimum of 8 hours without removing.
6. Before applying the patch, measure your blood sugar level. After a minimum of 8 hours with the patch on, measure your blood sugar level again.

Other Information
*Store at room temperature.

Other Inactive Ingredients
Alumina, Alumina Silicata, Cerium Oxalicum, Ferum Muraticum, Kali Silicatum, Nitrum Nitricum, Manganum Metallicum, Nitrum Nitrosum.

Question or Comments
1-844-642-2511 www.primetec.com
Man-Fai Tam - 6pm (PST) Seoul-Si Maipo Gu Gongdeop-Dong 467 Lotte Castle President 101 Dong 2403




MEB GlucoVitality Patch

Stabilizes blood sugar, promotes vascular health for comprehensive diabetes care, improving circulation and preventing vascular diseases



HOMEOPATHIC

NDC# 81488-010-30



MEB Gluco-Vitality Patch, NDC: 81488-010-30
 MEB PainGuard Patch, NDC: 81488-011-30

MEB PAINGUARD PATCH

meb painguard patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81488-011
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM SILICATE (UNII: S4255P4G5M) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM SILICATE	5 [hp_X] in 12 [hp_X]
MANGANESE (UNII: 42Z2K6ZL8P) (MANGANESE - UNII:42Z2K6ZL8P)	MANGANESE	12 [hp_X] in 12 [hp_X]
FERRIC CHLORIDE HEXAHYDRATE (UNII: 0I2XIN602U) (FERRIC CATION - UNII:91O4LML611)	FERRIC CATION	7 [hp_X] in 12 [hp_X]
SODIUM NITRATE (UNII: 8M4L3H2ZVZ) (NITRATE ION - UNII:T93E9Y2844)	SODIUM NITRATE	5 [hp_X] in 12 [hp_X]

FERROSFERRIC PHOSPHATE (UNII: 91GQH8I5F7) (FERROSFERRIC PHOSPHATE - UNII:91GQH8I5F7)	FERROSFERRIC PHOSPHATE	7 [hp_X] in 12 [hp_X]
CALCIUM FLUORIDE (UNII: O3B55K4YKI) (FLUORIDE ION - UNII:Q80VPU4080)	CALCIUM FLUORIDE	6 [hp_X] in 12 [hp_X]
KAOLIN (UNII: 24H4NWX5CO) (KAOLIN - UNII:24H4NWX5CO)	KAOLIN	5 [hp_X] in 12 [hp_X]
VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	12 [hp_X] in 12 [hp_X]
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	8 [hp_X] in 12 [hp_X]
MAGNESIUM CHLORIDE (UNII: 02F3473H9O) (CHLORIDE ION - UNII:Q32ZN48698)	MAGNESIUM CHLORIDE	7 [hp_X] in 12 [hp_X]
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	4 [hp_X] in 12 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T)	
CEROUS OXALATE NONAHYDRATE (UNII: 0UV74P3R0J)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POTASSIUM SILICATE (UNII: J86L1GUL6K)	
TITANIUM (UNII: D1JT611TNE)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PHOSPHORUS (UNII: 27YLU75U4W)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81488-011-30	30 [hp_X] in 1 BOX; Type 0: Not a Combination Product	08/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/01/2023	

MEB GLUCO-VITALITY PATCH

meb gluco-vitality patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81488-010
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE HEPTAHYDRATE	7 [hp_X] in 12 [hp_X]
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_X] in 12 [hp_X]
CALCIUM FLUORIDE (UNII: O3B55K4YKI) (FLUORIDE ION - UNII:Q80VPU408O)	CALCIUM FLUORIDE	6 [hp_X] in 12 [hp_X]
VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	12 [hp_X] in 12 [hp_X]
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	8 [hp_X] in 12 [hp_X]
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	7 [hp_X] in 12 [hp_X]
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	4 [hp_X] in 12 [hp_X]

Inactive Ingredients	
Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LMI26O6933)	
KAOLIN (UNII: 24H4NWX5CO)	
CEROUS OXALATE NONAHYDRATE (UNII: 0UV74P3R0J)	
POTASSIUM SILICATE (UNII: J86L1GUL6K)	
MANGANESE (UNII: 42Z2K6ZL8P)	
FERRIC CHLORIDE HEXAHYDRATE (UNII: 0I2XIN602U)	
SODIUM NITRATE (UNII: 8M4L3H2ZVZ)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81488-010-30	30 [hp_X] in 1 BOX; Type 0: Not a Combination Product	08/01/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/01/2023	

Labeler - Kadesh Incorporation Co,Ltd (694615354)

Registrant - BIO ME INC. (062593803)

Establishment

Name	Address	ID/FEI	Business Operations
Kadesh Incorporation Co,Ltd		694615354	manufacture(81488-010, 81488-011)

