

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BD91- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BD121- octinoxate and titanium dioxide liquid**

**CHANEL PARFUMS BEAUTE**

-----  
**Ultra Le Teint Velvet  
Blurring Smooth-Effect Foundation Velvet Matte Finish Broad Spectrum SPF 15 Sunscreen**

### **Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Octinoxate 5%	Sunscreen
Titanium dioxide 4.2%	Sunscreen

### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

- Children under 6 months of age: Ask a doctor

## **Other information**

Protect the product in this container from excessive heat and direct sun.

## **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • stearic acid • dimethicone/bis-isobutyl PPG-20 crosspolymer • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica

il41a-i

## **Questions or comments?**

Call **1-800-550-0005** M – F 9am –9pm, S – S 10am – 6pm EST.

## **PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - BD91**

ULTRA

LE TEINT VELVET

BLURRING SMOOTH-EFFECT

FOUNDATION

VELVET MATTE FINISH

BROAD SPECTRUM SPF 15

SUNSCREEN

BD91

CHANEL

30 ml

1 FL.OZ.



**Drug Facts** (continued)

other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. – 2 p.m.  
• wear long-sleeved shirts, pants, hats, and sunglasses  
• Children under 6 months of age: Ask a doctor

**Other information**

Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate copolymer • cellulose • PEG-8 polydimethylsilyloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearyltrimonium hectorite • aluminum hydroxide • sodium chloride • stearic acid • dimethicone/isobutyl PPG-20 copolymer • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauryl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica 141a-1

**Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

**ULTRA  
LE TEINT VELVET**

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BD91

**CHANEL**

30 ml

1 FL.OZ.

CET ARTICLE NE PEUT ÊTRE VENDU QUE PAR LES DÉPOSITAIRES AGRÉÉS CHANEL



THIS PRODUCT CAN ONLY BE SOLD BY AUTHORIZED CHANEL RETAILERS



144.776  
BD91

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

**Drug Facts**

Active ingredients	Purpose
Octinoxate 5%	Sunscreen
Titanium dioxide 4.2%	Sunscreen

**Uses** • helps prevent sunburn  
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**  
**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if skin rash occurs.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• For sunscreen use:  
• apply liberally 15 minutes before sun exposure  
• use a water resistant sunscreen if swimming or sweating  
• reapply at least every 2 hours  
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE  
**CHANEL** PARIS  
**CHANEL INC.** NEW YORK, N.Y. 10018  
®

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - BD121**

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION

VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BD121

CHANEL

30 ml  
1 FL.OZ.



**Drug Facts (continued)**

other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. – 2 p.m.  
• wear long-sleeved shirts, pants, hats, and sunglasses  
• Children under 6 months of age: Ask a doctor

**Other information**

Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate copolymer • cellulose • PEG-9 polydimethylsiloxane • dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • stearic acid • dimethicone/bis-isobutyl PPG-20 copolymer • phenoxethanol • propylene carbonate • fragrance • talc • sodium lauryl glutamate • bisaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica [may contain] ultramarines • iron oxides • titanium dioxide • mica

**Questions or comments?**

Call 1-800-560-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

**ULTRA  
LE TEINT VELVET**

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BD121

**CHANEL**

30 ml

1 FL.OZ.

CEST ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORIZED CHANEL  
RETAILERS



3 145891 447866

144.786  
BD121

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

**Drug Facts**

**Active ingredients**

Octinoxate 5%  
Titanium dioxide 4.2%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

• helps prevent sunburn  
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if skin rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup>  
NEW YORK, N.Y. 10019



**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION  
VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN  
BD91**

octinoxate and titanium dioxide liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68745-2128
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	42 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HWW2)	
<b>stearalkonium hectorite</b> (UNII: OLV698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>stearic acid</b> (UNII: 4ELV7Z65AP)	
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>propylene carbonate</b> (UNII: 8D08K3S51E)	
<b>talc</b> (UNII: 7SEV7J4R1U)	
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)	
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)	
<b>lysine</b> (UNII: K3Z4F929H6)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)	
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)	
<b>ferric oxide red</b> (UNII: 1K09F3G675)	
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)	
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start</b>	<b>Marketing End</b>
----------	------------------	----------------------------	------------------------	----------------------

#	Item Code	Package Description	Date	Date
1	NDC:68745-2128-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2128-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/15/2019	

## ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BD121

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2129
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	42 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HWX2)	
<b>stearalkonium hectorite</b> (UNII: OLV698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	

<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>stearic acid</b> (UNII: 4ELV7Z65AP)
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>propylene carbonate</b> (UNII: 8D08K3S51E)
<b>talc</b> (UNII: 7SEV7J4R1U)
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)
<b>lysine</b> (UNII: K3Z4F929H6)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>ferric oxide red</b> (UNII: 1K09F3G675)
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2129-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2129-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/15/2019	

**Labeler** - CHANEL PARFUMS BEAUTE (275137669)

### Establishment

Name	Address	ID/FEI	Business Operations
CHANEL PARFUMS BEAUTE		277032509	MANUFACTURE(68745-2128, 68745-2129) , LABEL(68745-2128, 68745-2129)