

ANTACID- calcium carbonate tablet
Advance Pharmaceutical Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Calcium Carbonate 10 gr (648 mg)

Active Ingredient

(in each tablet)

Calcium Carbonate 10 gr (648 mg)

Purpose

Antacid

Uses

relieves

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take one to four tablets daily.
- do not take more than 4 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks

Other Information

- **each tablet contains:** calcium 260 mg
- store at room temperature 15-30 °C (59-86 °F)
- For 1000 Count: This is a bulk package. Dispense contents in a tight, light-resistant container with a child-resistant closure as defined in the USP.

Inactive Ingredients

Croscarmellose sodium, magnesium stearate, maltodextrin, microcrystalline cellulose, stearic acid

Questions or Comments

Call 631-981-4600, Monday-Friday, 8.30 am – 4.30 pm ET

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

Manufactured by: Advance Pharmaceutical Inc. Holtsville, NY 11742

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



Advance
Pharmaceutical Inc.

NDC 17714-025-01

Calcium Carbonate

10 gr (648 mg)

ANTACID

100 TABLETS

Drug Facts

Active ingredient (in each tablet)	Purpose
Calcium carbonate 10 gr (648 mg)	Antacid

Uses relieves ■ acid indigestion
 ■ heartburn ■ sour stomach
 ■ upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions ■ take one to four tablets daily
 ■ do not take more than 4 tablets in 24 hours
 ■ do not use the maximum dosage for more than 2 weeks

Other information

■ each tablet contains: calcium 260 mg
 ■ store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, magnesium stearate, maltodextrin, microcrystalline cellulose, stearic acid

Questions or comments?

call 631-981-4600, Monday - Friday, 8:30 am - 4:30 pm ET

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Manufactured by: Advance Pharmaceutical, Inc.
 Holtsville, NY 11742

Lot No.:

Exp. Date:



0 17714-025-014 LA1112



**Advance
Pharmaceutical Inc.**

NDC 17714-025-10

Calcium Carbonate

10 gr (648 mg)

ANTACID

1000 TABLETS

Drug Facts

Active ingredient (in each tablet)

Calcium carbonate 10 gr (648 mg)

Purpose

Antacid

Uses relieves ■ acid indigestion ■ heartburn ■ sour stomach
■ upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions ■ take one to four tablets daily ■ do not take more than 4 tablets in 24 hours
■ do not use the maximum dosage for more than 2 weeks

Other information

■ each tablet contains: calcium 260 mg ■ store at room temperature 15°-30°C (59°-86°F)

■ This is a bulk package. Dispense contents in a tight, light-resistant container with a child-resistant closure as defined in the USP.

Inactive ingredients croscarmellose sodium, magnesium stearate, maltodextrin, microcrystalline cellulose, stearic acid

Questions or comments? call 631-981-4600, Monday - Friday, 8:30 am - 4:30 pm ET

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

Manufactured by:
ADVANCE PHARMACEUTICAL, INC.
HOLTSVILLE, NY 11742

Lot No.:

Exp. Date:



0 17714-025-10 6

LA1212

Calcium Carbonate 10 gr

Antacid tablets

NDC: 17714-025-01 – 100 COUNT

NDC: 17714-025-10 – 1000 COUNT (THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN)

ANTACID

calcium carbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17714-025
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ50PE7D)	CALCIUM CARBONATE	648 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white (off)	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	AP;025
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17714-025-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/06/1990	
2	NDC:17714-025-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	04/06/1990	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	04/06/1990	

Labeler - Advance Pharmaceutical Inc. (078301063)

Registrant - Advance Pharmaceutical Inc. (078301063)

Establishment

Name	Address	ID/FEI	Business Operations
Advance Pharmaceutical Inc.		078301063	manufacture(17714-025)

Revised: 12/2017

Advance Pharmaceutical Inc.