

NASAL DECONGESTANT PE- phenylephrine hcl tablet, film coated
Better Living Brands, LLC

Signature Select 44-453

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

Signature

SELECT™

Quality Guaranteed

COMPARE TO

SUDAFED PE® SINUS CONGESTION

Active Ingredient†

NDC 21130-453-07

MAXIMUM STRENGTH

NASAL DECONGESTANT PE

PHENYLEPHRINE HCl 10 mg - Nasal Decongestant

Relieves: Congestion and sinus pressure

Non-drowsy

Actual Size

36 TABLETS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

† This product is not manufactured
or distributed by Kenvue Inc.,
distributors of SUDAFED PE
SINUS CONGESTION.
50844 REV0820M45307

DISTRIBUTED BY: BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0009
‡1-888-723-3929

LOVE IT
OR IT'S ON US†



MAXIMUM STRENGTH NASAL DECONGESTANT PE

COMPARE TO
SUDAFED PE® SINUS CONGESTION
Active Ingredient†

NDC 21130-453-07



MAXIMUM STRENGTH NASAL DECONGESTANT PE

PHENYLEPHRINE HCl 10 mg - Nasal Decongestant

Relieves: Congestion and sinus pressure
Non-drowsy

Actual Size



36 TABLETS



MAXIMUM STRENGTH
NASAL DECONGESTANT PE

RD 24136



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING

No Print/No Varnish
Lot & EXP



how2recycle.info

†This product is not manufactured or distributed by Kenvue Inc., distributors of SUDAFED PE® SINUS CONGESTION.
50844 REV0820M45307

Scan here for more information



LOVE IT
OR IT'S ON US †

‡1-888-723-3929
P.O. BOX 99, PLEASANTON, CA 94566-0099
DISTRIBUTED BY: BETTER LIVING BRANDS LLC

B-1817-453-07-SS
REV0820M45307

Drug Facts Active ingredient (in each tablet) Phenylephrine HCl 10 mg Nasal decongestant	Uses ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. Ask a doctor before use if you have ■ heart disease ■ diabetes ■ thyroid disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland	When using this product do not exceed recommended dosage. ■ symptoms do not improve within 7 days or occur with fever
Directions ■ adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours. ■ children under 12 years: ask a doctor	Stop use and ask a doctor if ■ nervousness, dizziness, or sleeplessness occur
Other information ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number	Questions or comments? 1-800-426-9391
Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	Inactive ingredients croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, malleodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Signature Select 44-453

NASAL DECONGESTANT PE

phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-453
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-453-07	2 in 1 CARTON	01/14/2005	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:21130-453-44	1 in 1 CARTON	01/14/2005	12/15/2017
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/14/2005	

Labeler - Better Living Brands, LLC (009137209)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(21130-453) , pack(21130-453)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(21130-453)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(21130-453)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(21130-453)

Revised: 7/2024

Better Living Brands, LLC