### TERBIUM METALLICUM- terbium metallicum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## TERBIUM METALLICUM 6C

Min. net wt: 5g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

### TERBIUM METALLICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### TERBIUM METALLICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

## TERBIUM METALLICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## TERBIUM METALLICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

### TERBIUM METALLICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients:

mann Labs Inc. 1940 Fourth St. San Rafael, CA

# Fahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

# TERBIUM METALLICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TERBIUM METALLICUM 30C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TERBIUM METALLICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

### TERBIUM METALLICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

||||||||||||||| 00000

Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C

### TERBIUM METALLICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### TERBIUM METALLICUM 100C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### TERBIUM METALLICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

### TERBIUM METALLICUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

||||||||||||||| 00000

Inactive ingredients:

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, C

# TERBIUM METALLICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TERBIUM METALLICUM 200C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TERBIUM METALLICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

### **TERBIUM METALLICUM** 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

sucrose

00000

Inactive ingredients:

# TERBIUM METALLICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

# TERBIUM METALLICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TERBIUM METALLICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

### TERBIUM METALLICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, ( TWIST TO OPEN - USE ONLY IF SEAL

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

## TERBIUM METALLICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## TERBIUM METALLICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## TERBIUM METALLICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If sy

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

### **TERBIUM METALLICUM**

terbium metallicum pellet

Droc		Intorm	STION
PIUU	IUCL	Inform	aliui

Product Type H

HUMAN OTC DRUG

**Item Code (Source)** 

NDC:37662-3642

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

	Ingredient Name	Basis of Strength	Strength
ı	TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)	TERBIUM	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3642-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023		
2	NDC:37662- 3642-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023		
3	NDC:37662- 3642-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023		
4	NDC:37662- 3642-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023		

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	07/27/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3645	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)	TERBIUM	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3645-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023		
2	NDC:37662- 3645-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023		
3	NDC:37662- 3645-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023		
4	NDC:37662- 3645-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	07/27/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3646	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)	TERBIUM	1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3646-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023		
2	NDC:37662- 3646-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023		
3	NDC:37662- 3646-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023		
4	NDC:37662- 3646-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		07/27/2023		

terbium metallicum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3640	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)	TERBIUM	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 3640-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023		
2	NDC:37662- 3640-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023		
3	NDC:37662- 3640-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
	07/27/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
<b>Product Type</b>		HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3644
Route of Administra	ation	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)	TERBIUM	200 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 3644-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023			
2	NDC:37662- 3644-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023			
3	NDC:37662- 3644-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023			
4	NDC:37662- 3644-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
	07/27/2023			
1	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3643	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)	TERBIUM	100 [hp C]		

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

Packaging			
# Hom Code	Deckers Decarinties	Marketing Start	Marketing End

#	item Code	Раскаде резсприон	Date	Date
1	NDC:37662- 3643-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023	
2	NDC:37662- 3643-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023	
3	NDC:37662- 3643-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023	
4	NDC:37662- 3643-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/27/2023	

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-3641
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)	TERBIUM	12 [hp_C]

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Code Package Description Marketing Date		Marketing End Date	
1	NDC:37662- 3641-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2023		
,	NDC:37662-	1200 in 1 BOTTLE, GLASS; Type 0: Not a	בכחכודכודח		

4	3641-2	Combination Product	01/21/2023	
3	NDC:37662- 3641-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	07/27/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

terbium metallicum pellet

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-3647

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name

Basis of Strength

TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)

TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)

### **Inactive Ingredients**

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

### **Packaging**

# Item Code	Package Description	Marketing Start Date	Marketing End Date
<b>1</b> NDC:37662-3647-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2023	

### **Marketing Information**

Marketing Application Number or Monograph Marketing Start Marketing End
Category Citation Date Date

unannravad

unapproved homeopathic	07/27/2023

### Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-3641, 37662-3640, 37662-3642, 37662-3643, 37662-3644, 37662-3645, 37662-3646, 37662-3647)

Revised: 7/2023 Hahnemann Laboratories, INC.