

**SOFT FOCUS CITY SUNSCREEN SERUM BROAD SPECTRUM SPF 30 SUPERGOOP-avobenzene, homosalate, octisalate, octocrylene liquid  
Baxter Laboratories Pty. Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Soft Focus City Sunscreen Broad Spectrum SPF 30**

Active Ingredients	Purpose
Avobenzene 3%	Sunscreen
Homosalate 8%	Sunscreen
Octisalate 4%	Sunscreen
Octocrylene 2%	Sunscreen

Uses Helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Keep out of reach of children

stop use and ask a doctor if rash occurs

**Warnings**

For External Use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Apply two pumps to face and neck at least 15 minutes prior to sun exposure. Oil-free and fast absorbing, it's ideal for use alone or as a smoothing primer under the rest of your skincare regimen. Use a water resistant sunscreen if swimming or sweating

Reapply at least every 2 hours

Children under 6 months: Ask a doctor

**Inactive Ingredients** Aqua, Cyclopentasiloxane, Isostearyl Neopentanoate, Glycerin, Cyclohexasiloxane, Cetareth-20, Polypropylene, Cetearyl Alcohol, Caprylyl Glycol, Xanthan Gum, PEG-40 Stearate, Triacontanyl PVP, Silica, Ammonium Acryloyldimethyltaurate/VP Copolymer, Panthenyl Triacetate, Cetyl Dimethicone, Ethyl Linoleate, Caprylhydroxamic Acid, Oleyl Alcohol, Tocopherol, Disodium EDTA, Panthenol, Triethanolamine, Pentylene Glycol, Sodium Lactate, Lactic Acid, Serine, Urea, Sorbitol, Sodium Chloride, Allantoin, CI 77492, CI77491, CI77499

Supergoop!

City Sunscreen Serum With vitamins E & B5

Broad Spectrum SPF 30

Soft Focus Finish

Lightweight, Anti-aging Serum moisturizes and repairs while protecting from premature photoaging



1.7 fl. oz. / 60 ml

<b>DRUG FACTS</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3%.....	Sunscreen
Homosalate 8%.....	Sunscreen
Octisalate 4%.....	Sunscreen
Octocrylene 2%.....	Sunscreen
<b>Uses</b> Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product keep out of eyes • Rinse with water to remove • Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center right away	
<b>Directions</b> Apply two pumps to face and neck at least 15 minutes prior to sun exposure. Oil-free and fast absorbing, it's ideal for use alone or as a smoothing primer under the rest of your skincare regimen • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months: Ask a doctor	
<b>Sun Protection Measures</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Inactive Ingredients</b> Aqua, Cyclopentasiloxane, Isostearyl Neopentanoate, Glycerin, Cyclohexasiloxane, Cetareth-20, Polypropylene, Cetearyl Alcohol, Caprylyl Glycol, Xanthan Gum, PEG-40 Stearate, Triacontanyl PVP, Silica, Ammonium Acryloyldimethyltaurate/VP Copolymer, Panthenyl Triacetate, Cetyl Dimethicone, Ethyl Linoleate, Caprylhydroxamic Acid, Oleyl Alcohol, Tocopherol, Disodium EDTA, Panthenol	

Glycol Alcohol, Tocopherol, Disodium EDTA, Panthoic Acid, Triethanolamine, Pentylene Glycol, Sodium Lactate, Lactic Acid, Serine, Urea, Sorbitol, Sodium Chloride, Allantoin, CI 77492, CI 77491, CI 77499

**Other** Protect the product in this container from excessive heat and direct sun.

**Made in Australia**



REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF HCT PACKAGING INC. IS PROHIBITED.



More than 90% of the signs of aging are caused by the sun.

soft-focus FINISH

**SUPERGOOP!**  
FEELS GOOD...

...to use  
...to believe in  
...to recommend  
...to say!

We recognize that traditional sunscreen is the farthest thing from "feels good". So, we strive to create products that you and your family actually want to put on. Lightweight and easy to apply, never goopy. Backed by the latest innovations in UV protection and clinical research. And formulated with only the highest quality ingredients, always free from any controversial ones. You can feel good about starting your day in the sun with Supergoop!

—CITY SUNSCREEN—  
**SERUM**  
WITH VITAMINS E & B5  
BROAD SPECTRUM SPF 30  
PA+++

Lightweight, anti-aging serum delivers lasting moisture, improves skin texture and protects from premature photoaging

**CITY SUNSCREEN SERUM**  
SPF 30 with Soft Focus Finish

builds on the moisturization and UV protection of our iconic morning multitasker, City Sunscreen Serum, with a hint of tint to further help prime and soften the look of fine lines and pores while smoothing the skin for a photo-ready complexion. This lightweight, milky serum is enriched with Vitamins E & B5 to defend against free radical damage, Hydrovotin 24 for long-term moisture, and Uniprotect PT-3 to help lessen existing signs of age. Built for year-round use, it's a great primer for the rest of your skincare regimen.

**CLINICALLY TESTED.  
PARABEN, SYNTHETIC FRAGRANCE,  
AND OXYBENZONE FREE.**

**DRUG FACTS**

Active Ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 6%	Sunscreen
Octisalate 4%	Sunscreen
Octocrylene 2%	Sunscreen

**Uses** Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product keep out of eyes • Rinse with water to remove • Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center right away

**Directions** Apply two pumps to face and neck at least 15 minutes prior to sun exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months: Ask a doctor

**Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses

**Inactive Ingredients** Aqua, Cyclopentasiloxane, Isostearyl Neopentanoate, Glycerin, Cyclohexasiloxane, Ceteareth-20, Polypropylene, Cetearyl Alcohol, Caprylyl Glycol, Xanthan Gum, PEG-40 Stearate, Triacetylanyl PVP, Silica, Ammonium Acrylyldimethylsulfate/VP Copolymer, Panthenyl Triacetate, Cetyl Dimethicone, Ethyl Linoleate, Caprylylhydroxamic Acid, Oleyl Alcohol, Tocopherol, Disodium EDTA, Panthenol, Triethanolamine, Pentylene Glycol, Sodium Lactate, Lactic Acid, Serine, Urea, Sorbitol, Sodium Chloride, Allantoin, CI 77492, CI 77491, CI 77499

**Other** Protect the product in this container from excessive heat and direct sun.



Non-Comedogenic.  
Non-Irritating. Allergy-Free.

Supergoop!

2 fl. oz. / 60 ml. e

**SUPERGOOP.COM**

Contact our Sun Specialists for Questions:  
877.564.7330

Distributed by Taylor James, LLC  
San Antonio, TX 78215. Made in Australia  
EU Responsible Person: Biorius,  
Rue de la Croix 10A, BE-7170 MANAGE



**SOFT FOCUS CITY SUNSCREEN SERUM BROAD SPECTRUM SPF 30  
SUPERGOOP**

avobenzone, homosalate, octisalate, octocrylene liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70157-005
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>PANTHENOL TRIACETATE, (+)-</b> (UNII: 1206E8961B)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>ETHYL LINOLEATE</b> (UNII: MJ2YTT4J8M)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>OLEYL ALCOHOL</b> (UNII: 172F2WN8DV)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)	
<b>LACTIC ACID</b> (UNII: 33X04XA5AT)	
<b>SERINE</b> (UNII: 452VLY9402)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PEG-40 STEARATE</b> (UNII: ECU18C66Q7)	
<b>TRICONTANYL POVIDONE</b> (UNII: N0SS3Q238D)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
	NDC-70157-005			

1	NDC:70157-005-02	1 in 1 CARTON	12/30/2014	
1	NDC:70157-005-01	60 mL in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
	<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
	OTC monograph final	M020	12/30/2014	

**Labeler** - Baxter Laboratories Pty. Ltd. (740537709)

**Registrant** - Baxter Laboratories Pty. Ltd. (740537709)

Revised: 11/2022

Baxter Laboratories Pty. Ltd.