

**MEIJER ALLERGY RELIEF DIPHENHYDRAMINE HCL, 25 MG ANTIHISTAMINE-  
diphenhydramine hcl bar, chewable  
MEIJER DISTRIBUTION, INC.**

-----  
**Meijer Allergy Relief Diphenhydramine HCl, 25 mg Antihistamine**

***DRUG FACTS***

**Active ingredient (in each piece)**

Diphenhydramine HCl 25 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- To make child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist**

before use if you are taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness

- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### **If pregnant or breast-feeding**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

<b>Age (yr)</b>	<b>Dose (Piece)</b>
Adults and children 12 years and over	1 to 2 Pieces (25 mg to 50 mg)
Children 6 to 11 years	1 Piece (25 mg)
Children under 6 years	Do not use

### **Other information**

- each piece contains **sodium 9 mg**.

low sodium

- store in a cool dry place between 20-25°C (68-77°F).
- **Child Resistant Container**; do not use if printed seal under cap is broken or missing.

### **Inactive ingredients:**

FD&C Red# 40, flavors, geleol mono and diglycerides, glucose syrup, gum arabic, hydroxypropyl betadex, maltitol solution, neotame, polyethylene glycol 400, povidone K30, propylene glycol, purified water, seaweed extract (carrageenan), sodium chloride, starch, sucralose, sucrose, trisodium citrate dihydrate.

### **Questions or comments?**

Call **1-800-227-6151**

**Principal display Panel-25 mg label**

**Meijer**

**NDC 79481-0701-2**

**Allergy Relief**

**COMPARE TO BENADRYL® ALLERGY ACTIVE INGREDIENT\***

**RELIEF OF: SNEEZING, RUNNY NOSE,  
ITCHY, WATERY EYES, ITCHY THROAT**

**Diphenhydramine HCl | 25 mg**

**Antihistamine**

**MIXED BERRY FLAVOR**

**20 PIECES**

**Gummy Bite**


**meijer.**

**Allergy Relief**

RELIEF OF: SNEEZING, RUNNY NOSE,  
ITCHY, WATERY EYES, ITCHY THROAT

Diphenhydramine HCl | 25 mg  
Antihistamine

MIXED BERRY FLAVOR



**20**  
PIECES  
GUMMY BITE

NDC 79481-0701-2

COMPARE TO  
BENADRYL®  
ALLERGY  
ACTIVE INGREDIENT\*

**Drug Facts**

**Active ingredient**  
(in each piece)  
Diphenhydramine HCl 25 mg

**Purpose**  
Antihistamine


**Uses** ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ itchy, watery eyes  
 ■ sneezing ■ itching of the nose or throat  
 ■ temporarily relieves these symptoms due to the common cold:  
 ■ runny nose ■ sneezing

*Continued Under Label*

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**


\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl®.

PID 5272702



7 08820 87389 6

DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com



OUR QUALITY GUARANTEES  
The Meijer Way  
www.meijer.com

Peel Here

**Drug Facts**  
(continued)

**Warnings**  
Do not use  
 ■ to make child sleepy ■ with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ glaucoma ■ trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**  
taking sedatives or tranquilizers

**When using this product**  
 ■ marked drowsiness may occur  
 ■ avoid alcoholic drinks  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery  
 ■ excitability may occur, especially in children

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
 ■ take every 4 to 6 hours, or as directed by a doctor  
 ■ do not take more than 6 times in 24 hours

Age (yr)	Dose (Piece)
Adults and children 12 years and over	1 to 2 Pieces (25 mg to 50 mg)
Children 6 to 11 years	1 Piece (25 mg)
Children under 6 years	Do not use

**Other information**  
 ■ each piece contains sodium 9 mg, low sodium  
 ■ store in a cool dry place between 20-25°C (68-77°F).  
 ■ **Child Resistant Container;** do not use if printed seal under cap is broken or missing.

**Inactive ingredients:** FD&C Red #40, flavors, gelcol mono and diglycerides, glucose syrup, gum arabic, hydroxypropyl betadex, maltitol solution, neotame, polyethylene glycol 400, povidone K30, propylene glycol, purified water, seaweed extract (carrageenan), sodium chloride, starch, sucralose, sucrose, trisodium citrate dihydrate.

**Questions or comments?**  
Call 1-800-227-6151

# MEIJER ALLERGY RELIEF DIPHENHYDRAMINE HCL, 25 MG ANTIHISTAMINE

diphenhydramine hcl bar, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0701
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERYL MONO AND DIPALMITOSTEARATE</b> (UNII: KC98RO82HJ)	
<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)	
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>HYDROXYPROPYL BETADEX</b> (UNII: 1I96OHX6EK)	
<b>MALTITOL</b> (UNII: D65DG142WK)	
<b>NEOTAME</b> (UNII: VJ597D52EX)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CARRAGEENAN</b> (UNII: 5C69YCD2YJ)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	

## Product Characteristics

<b>Color</b>	pink (Light pink to red pink)	<b>Score</b>	no score
<b>Shape</b>	RECTANGLE	<b>Size</b>	23mm
<b>Flavor</b>	BERRY (Mixed Berry Flavor)	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0701-2	20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/11/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/11/2023	

**Labeler** - MEIJER DISTRIBUTION, INC. (006959555)

Revised: 10/2023

MEIJER DISTRIBUTION, INC.