

FEMICLEAR 2 DAY GENTLE- 2 day yeast infection gentle ointment
OrganiCare Nature's Science, LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

FemiClear 2 Day Gentle

Active Ingredients

Active ingredients

Vaginal Ointment

Calendula 6X HPUS Healing agent

Melaleuca 6X HPUS..... Anti-yeast agent

Olive Extract (Oleuropein) 3X HPUSAnti-microbial and healing agent

Itch Relief

Chamomilla 3X HPUS Anti-itch and inflammatory agent

Olive Extract (Oleuropein) 3X HPUSAnti-microbial and healing agent

Warnings

For vaginal use only.

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.

FemiClear may damage condoms and diaphragms and cause them to fail.

Ask a doctor before use if you have:

Ask a doctor before use if you have:

vaginal itching and discomfort for the first time

lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition.

vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.

been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Do not use

Do not use

if you are allergic to any ingredient in this product

When using this product

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted infections (STIs)
- do not have vaginal intercourse
- mild increase in vaginal burning, itching, or irritation may occur
- if you do not get complete relief, ask a doctor before using another product

Warnings (Cont.)

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting or foul-smelling discharge

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of the reach of children

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Directions

- Adults and children 12 years or over:
Vaginal Ointment (pink tube): use at bed time, read enclosed instructions for complete directions.
- to protect clothes, use panty liner.
- fill applicator with Vaginal Ointment (pink tube) - use 1/2 of the pink tube
- lie down in bed. Insert applicator into vagina and inject FemiClear. Remain lying down to avoid leakage.
- discard applicator after use. DO NOT reuse.
- repeat on second night - use other 1/2 of the pink tube
- Itch Relief: squeeze ointment onto fingertips. Apply onto itchy, irritated skin outside the vagina (vulva) as needed.
- Children under 12 years: ask a doctor

Other information

Other information

- do not use if applicator wrapper is torn, open or incompletely sealed
- do not use if seal over tube opening has been punctured

- do not purchase if carton is open
- Store at 68° - 77° F (20° C - 25° C) If liquefied, refrigerate 10 minutes to thicken.
- this a 2-dose treatment. Most women do not get complete relief of their symptoms in just 2 days. Most women get some improvement in 2 days and complete relief by 7 days.

Inactive ingredients

Inactive ingredients

Vaginal Ointment: beeswax, essential oil (natural fragrance), oxygenated olive oil

Itch Relief: beeswax, colloidal oatmeal, essential oil (natural fragrance), oxygenated olive oil

Questions

Questions?

Call 512.401.3572 or visit femiclear.com. OrganiCare, LLC, Austin, TX 78744, USA

Uses

-treats vaginal infections

-relieves external itching and irritation due to vaginal yeast infection

-relieves external itching and irritation due to vaginal yeast infection

Directions

Directions

□ Adults and children 12 years or over:

Vaginal Ointment (pink tube): use at bed time, read enclosed instructions for complete directions.

□ to protect clothes, use panty liner.

□ fill applicator with Vaginal Ointment (pink tube) - use 1/2 of the pink tube

□ lie down in bed. Insert applicator into vagina and inject FemiClear. Remain lying down to avoid leakage.

□ discard applicator after use. DO NOT reuse.

□ repeat on second night - use other 1/2 of the pink tube

Itch Relief: squeeze ointment onto fingertips. Apply onto itchy, irritated skin outside the vagina (vulva) as needed.

□ Children under 12 years: ask a doctor



FEMICLEAR 2 DAY GENTLE

2 day yeast infection gentle ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71042-029
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MELALEUCA CAJUPUTI WHOLE (UNII: K62C66D9LN) (MELALEUCA CAJUPUTI WHOLE - UNII:K62C66D9LN)	MELALEUCA CAJUPUTI WHOLE	0.01 g in 100 g
CALENDULA OFFICINALIS WHOLE (UNII: PFR03EBU0H) (CALENDULA OFFICINALIS WHOLE - UNII:PFR03EBU0H)	CALENDULA OFFICINALIS WHOLE	0.01 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

OLIVE OIL (UNII: 6UYK2W1W1E)

88 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71042-029-14	1 in 1 CARTON	07/28/2023	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/28/2023	

Labeler - OrganiCare Nature's Science, LLC (044204745)

Establishment

Name	Address	ID/FEI	Business Operations
OrganiCare Nature's Science, LLC		044204745	manufacture(71042-029)

Revised: 10/2023

OrganiCare Nature's Science, LLC