

**DYE-FREE CHILDRENS LORATADINE- loratadine tablet, chewable  
WAL-MART STORES, INC**

-----  
**DYE-FREE CHILDRENS LORATADINE**

***Drug Facts***

**Active Ingredient (in each tablet)**

Loratadine USP, 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- chew or crush tablets completely before swallowing.

|   |  |
|---|--|
| adults and children 6<br>years and over | chew 2 tablets daily; not<br>more than 2 tablets in 24 |
|---|--|

| years and over                         | hours   |
|--|---|
| children 2 to under 6 years of age     | chew 1 tablet daily; not more than 1 tablet in 24 hours |
| children under 2 years of age          | ask a doctor  |
| consumers with liver or kidney disease | ask a doctor  |

### Other Information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

### Inactive Ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

### Questions?

Call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-888-287-1915**.

**DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716**

### PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

NDC 79903-008-30

equate™

Compare to  
Children's Claritin®  
Chewables active  
ingredient\*

childrens Non-Drowsy\*\*  
LORATADINE CHEWABLE  
Tablets USP, 5mg  
Antihistamine

24  
HOURS

Dye-Free

AGES 2 YEARS AND OLDER

Indoor & Outdoor Allergies

Grape Flavored

## 30 Chewable Tablets

The chewable tablets are to be chewed before swallowing.

Relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

\*\*When taken as directed.

See Drug Facts Panel.

**equate™**

**childrens**  
**LORATADINE CHEWABLE**  
Tablets USP, 5mg

**Dye-Free**

**Grape Flavored**  
**30 Chewable Tablets**  
*The chewable tablets are to be chewed before swallowing.*

NDC 79903-008-30

**equate™**

**childrens** Non-Drowsy\*\*  
**LORATADINE CHEWABLE**  
Tablets USP, 5mg  
Antihistamine



**Dye-Free**

**AGES 2 YEARS AND OLDER**

**Indoor & Outdoor Allergies**  
**Grape Flavored**



**30 Chewable Tablets**

*The chewable tablets are to be chewed before swallowing.*

**Relief of:**

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

\*\*When taken as directed.  
See Drug Facts Panel.

Batch No.

Expiration Date:

**Non Varnish Area**

**equate™**  
**childrens**  
**LORATADINE CHEWABLE**  
Tablets USP, 5mg  
Indoor & Outdoor Allergies

**Dye-Free**  
**Grape Flavored**  
**30 Chewable Tablets**  
*The Chewable Tablets are to be chewed before swallowing.*



5212508

GLUE - NO COATING

602483



7

81131409117

6

Satisfaction guaranteed – Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.



DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

\*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Children's Claritin® Chewables.

### Drug Facts

**Active ingredient (in each tablet)** Purpose  
Loratadine USP, 5 mg ..... Antihistamine

### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

### Warnings

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have liver or kidney disease.** Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Drug Facts (continued)

#### Directions

■ chew or crush tablets completely before swallowing.

|                                      |   |
|--------------------------------------|---|
| adults and children 6 years and over | chew 2 tablets daily; not more than 2 tablets in 24 hours |
|--------------------------------------|---|

|                                    |   |
|------------------------------------|---|
| children 2 to under 6 years of age | chew 1 tablet daily; not more than 1 tablet in 24 hours |
|------------------------------------|---|

|                               |              |
|-------------------------------|--------------|
| children under 2 years of age | ask a doctor |
|-------------------------------|--------------|

|  |              |
|--|--------------|
| consumers with liver or kidney disease | ask a doctor |
|--|--------------|

#### Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

#### Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

**Questions?** call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-888-287-1915.

Keep the carton. It contains important information. See end panel for expiration date.

1020



5212508



## DYE-FREE CHILDRENS LORATADINE

loratadine tablet, chewable

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:79903-008

Route of Administration ORAL

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN) | LORATADINE        | 5 mg     |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| ASPARTAME (UNII: Z0H242BBR1)                             |          |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)                 |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                       |          |
| MAGNESIUM STEARATE (UNII: 70097M6I30)                    |          |
| MANNITOL (UNII: 3OWL53L36A)                              |          |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)            |          |
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2) |          |
| STEARIC ACID (UNII: 4ELV7Z65AP)                          |          |

### Product Characteristics

|          |                            |              |          |
|----------|----------------------------|--------------|----------|
| Color    | white (white to off-white) | Score        | no score |
| Shape    | ROUND                      | Size         | 10mm     |
| Flavor   | GRAPE                      | Imprint Code | 106      |
| Contains |                            |              |          |

### Packaging

| # | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:79903-008-30 | 3 in 1 CARTON   | 01/01/2021           |                    |
| 1 |                  | 10 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA               | ANDA210088                               | 01/01/2021           |                    |

Labeler - WAL-MART STORES, INC (051957769)

### Establishment

| Name                  | Address | ID/FEI    | Business Operations    |
|-----------------------|---------|-----------|------------------------|
| Ohm Laboratories Inc. |         | 184769029 | manufacture(79903-008) |

