

PANADOL PM- acetaminophen and diphenhydramine hcl tablet, film coated
Haleon US Holdings LLC

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purposes

Pain reliever

Nighttime sleep-aid

Uses

- temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking

- the blood thinning drug warfarin
- sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- any new symptoms appear

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:

Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**(see overdose warning)
- adults and children 12 years of age and over: take 2 caplets at bedtime, if needed, or as directed by a doctor
- do not give to children under 12 years of age

Other information

- store below 25°C (77°F)

Inactive ingredients

carnauba wax, crospovidone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum

lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

1-800-455-7139

Principal Display Panel

NDC 0135-0608-01

PANADOL

EXTRA STRENGTH

PM

ACETAMNOPHEN

Pain Reliever

DIPHENHYDRAMINE HCl

Nighttime Sleep-Aid

24 CAPLETS

Tamper-Evident Feature: Do not use if printed bottle seal (under cap) is missing or broken.

READ AND KEEP CARTON FOR COMPLETE INFORMATION

Trademarks are owned by or licensed to the GSK group of companies.

Distributed by:

GSK Consumer Healthcare, Warren, NJ 07059

©2016 GSK group of companies or its licensor.

101639XE



PANADOL PM

acetaminophen and diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0135-0608
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)

STARCH, CORN (UNII: O8232NY3SJ)

SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)

STEARIC ACID (UNII: 4ELV7Z65AP)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	blue	Score	no score
Shape	OVAL (Caplet)	Size	17mm
Flavor		Imprint Code	PM
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0135-0608-01	1 in 1 CARTON	12/01/2016	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0135-0608-02	1 in 1 CARTON	12/01/2016	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:0135-0608-03	50 in 1 CARTON	12/01/2016	
3	NDC:0135-0608-04	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/01/2016	

Labeler - Haleon US Holdings LLC (079944263)

Revised: 2/2024

Haleon US Holdings LLC